

COUNTY LEA FIELD Drinkard STATE NM 30-025-24210
 OPR WOLFSON OIL CO. MAP
 8 Parks
 Sec 14, T-22-S, R-37-E CO-000
 1980' FSL, 1980' FEL of Sec
 Spd 8-24-72 CLASS GL EL 3331'2
 -Cmp 10-2-72

CSG & SX - TUBING
 8 7/8" at 1093' w/500 sx
 5 1/2" at 6500' w/220 sx

LOGS EL GR RA IND MC A

TD 6500'

IP (Drinkard) Perfs 6246-6382' F 897 MCFGPD + 66 BO. Pot based
 on 24 hr test thru 24/64" chk. GOR 149,000; Grav (Cond) 50; (Gas)
 NR; CP 800#, TP 640#

Distribution limited and publication prohibited by subscription agreement.
 Reproduction rights reserved by Williams & Morrow Service, Inc.

CONT. Capitan
 DATE

PROP DEPTH 6600' TYPE RT

8-28-72 F.R. 8-7-72; Opr's Elev. 3331' GL; 3341' DF
 9-5-72 PD 6600' RT (Drinkard)
 9-12-72 Contractor-Capitan
 9-19-72 Dirg. 1810'
 9-26-72 Dirg. 5030'
 10-2-72 TD 5360'; Fshg.
 10-9-72 TD 6500'; Rng Csg.
 TD 6500'; WO Comp
 TD 6500'; WO Comp
 TD 6500'; COMPLETE
 Perf 6246-6382' w/ 11 shots (overall)
 Acid (6246-6382') 1500 gals
 Frac (6246-382') 30,000 gals oil + 18,000# sd
 Flwd 6 BO + 897 MCFGPD in 24 hrs (6246-6382')

LEA
WOLFSON OIL CO.

Drinkard
8 Parks

NM Sec 14, T22S, R37E
Page #2

10-9-72

Continued

LOG TOPS: Anhydrite 970', Yates 2892',
Seven Rivers 3130', Queen 3540', San Andres
3820', Glorieta 5035', Blinebry 5470', Tubb 596',
Drinkard 6225'

10-14-72

COMPLETION REPORTED

WRS COMPLETION REPORT

COMPLETIONS SEC 14 TWP 22S RGE 37E
PI# 30-T-0013 03/09/90 30-025-24210-0001 PAGE 1

NMEX LEA * 1980FSL 1980FEL SEC NW SE
STATE COUNTY FOOTAGE SPOT
HENDRIX JOHN H CORP D X DO
OPERATOR WELL CLASS INIT FIN
8 PARKS
WELL NO. 3341DF
OPER ELEV BLINEBRY

API 30-025-24210-0001
LEASE NO PERMIT OR WELL ID NO
01/20/1990 01/22/1990 WO-UNIT VERT OIL-WO
SPUD DATE COME DATE TYPE IGO HOLE TYPE STATUS
6200 NOT RPTD

PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 6500 PB 6200 OTD 6500 FM/TD DRINKARD
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

3 MI S EUNICE, NM

TUBING DATA

TBG 2 3/8 AT 5351

INITIAL POTENTIAL

IPF 11BOPD 390 MCFD 36BW 24/64CK 24HRS
BLINEBRY PERF W/ 20/IT 5513- 5802
PERF 5513- 5802
ACID 5513- 5802 3000GALS
SWFR 5513- 5802 40000GALS 80000LBS SAND

GTY 38.8 GOR 35454 ADDTVGELA
FCP PKR

PRODUCTION TEST DATA

DRINKARD PERF 6246- 6383
PERF 6246- 6383
BRPG @ 6200 6246- 6383

DRILLING PROGRESS DETAILS

HENDRIX JOHN H CORP
223 W WALL STE 525
MIDLAND, TX 79701
915-684-6631

CONTINUED IC# 300257007190

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

EB a company of
The Dun & Bradstreet Corporation

PI-WRS
Form No.

COMPLETIONS SEC 14 TWP 22S RGE 37E
PI# 30-T-0013 03/09/90 30-025-24210-0001 PAGE 2

HENDRIX JOHN H CORP
8 PARKS

D X DO

DRILLING PROGRESS DETAILS

OWWO: OLD INFO: FORMERLY WOLFSON OIL CO 8
PARKS. ELEV 3331 GR. SPUD 8/24/72. 8 5/8 @ 1093
W/500 SX, 5 1/2 @ 6500 W/220 SX. LOG TOPS:
BLINEBRY 5470, TUBB 5960, DRINKARD 6225. OTD
6500. COMP 10/2/72. IPF 897 MCFG + 60 BOPD.
PROD ZONE: DRINKARD 6246-6384.

01/19
03/06

LOC/1990/
6500 TD, PB 6200
COMP 1/22/90, IPF 11 BO, 390 MCFG, 36
BWPD, 24/64 CHK, GOR 35454,
GTY 38.8, FCP PKR
PROD ZONE - BLINEBRY 5513-5802
FIRST REPORT & COMPLETION