

WRS COMPLETION REPORT

COMPLETIONS SEC 14 TWP 22S RGE 37E
PI# 30-T-0014 03/09/90 30-025-24211-0001 PAGE 1

NMEX LEA * 660FSL 1980FWL SEC SE SW

STATE COUNTY FOOTAGE SPOT

HENDRIX JOHN H CORP

D X DO

OPERATOR WELL CLASS INT FIN

9 PARKS

WELL NO. LEASE NAME

3337GR

BLINEBRY

OPER ELEV FIELD POOL AREA

API 30-025-24211-0001

LEASE NO PERMIT OR WELL ID NO

02/04/1990 02/05/1990 WO-UNIT VERT OIL-WO

SPUD DATE COME DATE TYPE TOOL HOLE TYPE STATUS

6150 NOT RPTD

PROJ DEPTH PROJ FORM CONTRACTOR

DTD 6475 PB 6150 OTD 6475 FM/TD DRINKARD

DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

3 MI S EUNICE, NM

INITIAL POTENTIAL

IPF 7BOPD 121 MCFD 1BW 20/64CK 24HRS

BLINEBRY PERF W/ 21/IT 5382- 5798

PERF 5382- 5798

ACID 5382- 5798 3000GALS

TP 80

GTY 39.2 GOR 17285

FCP PKR

PRODUCTION TEST DATA

DRINKARD PERF 6217- 6382

PERF 6217- 6382

BRPG @ 6150 6217- 6382

DRILLING PROGRESS DETAILS

HENDRIX JOHN H CORP

223 W WALL STE 525

MIDLAND, TX 79701

915-684-6631

OWWO: OLD INFO: FORMERLY WOLFSON OIL CO 9

PARKS. ELEV 3337 GR. SPUD 9/24/72. 8 5/8 @ 1107

W/450 SX, 5 1/2 @ 6475 W/200 SX. LOG TOPS:

BLINEBRY 5460, TUBB 5935, DRINKARD 6210. OTD

6475. COMP 11/1/72. IPF 7 BOPD. PROD ZONE:

CONTINUED IC# 300257007090

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

PI-WRS
Form No.

BB a company of
The Dun & Bradstreet Corporation

COMPLETIONS SEC 14 TWP 22S RGE 37E
PI# 30-T-0014 03/09/90 30-025-24211-0001 PAGE 2

HENDRIX JOHN H CORP
9 PARKS

D X DO

DRILLING PROGRESS DETAILS

DRINKARD 6217-6382.

02/03 LOC/1990/
03/06 6475 TD, PB 6150
COMP 2/5/90. IPF 7 BO, 121 MCFG, 1 BWPD,
20/64 CHK, GOR 17285, GTY
39.2, FTP 80, FCP PKR
PROD ZONE - BLINEBRY 5382-5798
FIRST REPORT & COMPLETION

COUNTY	LEA	FIELD	Drinkard	STATE	NM	30-025-24511
OPR	WOLSON OIL CO.			MAP		
	3 Parks					
	Sec 14, T-22-S, R-37-E			CO-ORD		
	660' TSL, 1980' FWL of Sec					
	Spd 9-24-72					
	Opr 11-1-72					
		CLASS		EL		
	FORMATION	DATUM	FORMATION	DATUM		
CSG & SX - TUBING						
8 5/8" at 1107' w/450 sx						
5 1/2" at 6475' w/200 sx						
LOGS EL GR FA IND HC A						
	TD 6475'					

IP (Drinkard) Perf 6217-6382' F 7 BOPD. Pot based on 24 1/2
 Test from 28/64" chb. GOR 124,500; Grav 50; CP 440#, IP 2100

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	Capitan	PROP DEPTH	6600'	TYPE	RT
DATE					

	S.R. 8-7-72; Opr's Elev. 3337' GL
	PD 6600' RT (Drinkard)
	Contractor - Capitan
10-3-72	Drig. 4454'
10-9-72	ED 5610'; Fshg
10-17-72	Drig. 5852'
10-23-72	ED 6475'; WOC
10-30-72	ED 6475'; WOCU
11-6-72	ED 6475'; Flwg 1d
	Perf 6217-6382' w/14 shots
	Acid (6217-6382') 1500 gals
	Etac (6217-6382') 30,000 gals oil + 13,500# sc
11-13-72	ED 6475'; Flwg 1d
11-20-72	ED 6475'; COMPLETE
	LOG FCIS: Anhydrite 980', Yates 2880', Seven
	Rivers 3115', Queen 3535', San Andres 3820',

LEA
WOLFSON OIL CO.

Drinkard
9 Parks

NM Sec 14, T22S, R37E
Page #2

11-20-72 Continued
Glorieta 5025', Blinbry 5460', Tubb 5935',
Drinkard 6210'
11-25-72 COMPLETION REPORTED