

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
B-934

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator	8. Farm or Lease Name
Wood, McShane & Thams - 692, Limited	New Mexico "M" State
3. Address of Operator	9. Well No.
P. O. Box 968, Monahans, TX 79756	66
4. Location of Well	10. Field and Pool, or Wildcat
UNIT LETTER <u>G</u> <u>2630</u> FEET FROM THE <u>North</u> LINE AND <u>2630</u> FEET FROM	Langleie Mattix
THE <u>East</u> LINE, SECTION <u>29</u> TOWNSHIP <u>22-S</u> RANGE <u>37-E</u> NMPM.	
15. Elevation (Show whether DF, RT, GR, etc.)	12. County
3361' (GL)	Lea

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Ran 3676' (119 Jts.) 5-1/2" 15.5# 8 Rd. J-55 csg. w/5-1/2' Lynes External csg. Pkr. set 3476'-3484'. Landed 5-1/2" csg. at 3675' (GL) & cemented with 225 Sx. class C 50/50 Lite Poz w/4% gel and 1/4# Floseal and 120 Sx. Chem Comp. POB 3:00 PM, 10-24-72. Top of Cement at 2400 (Calculated). Tested csg. at 2000 psi. for 30 minutes; no pressure drop. WOC 24 hrs.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED R.D. Mynick TITLE Petroleum Engineer DATE 11-7-72

Orig. Signed by
Joe D. Ramsey
Dist. I, Supv.

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____ DATE NOV 11 1972