

12-17-73  
Drinked  
Original Comp 1 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100  
12-17-73  
12-74:0 ; FBL 76000, OMP 1  
FBL 76000  
FBL 6000-7000  
And 16000-7000 5000 gal. 100  
12-22-73  
OMP 1000 REFERENCE

OPR: FRANK, JOHN P.  
 NC: 1-22-8, R-21-E  
 1550' FSL, 2210' FEEL OF SSS  
 SPD 11-14-72 CMP 12-23-72  
 CSG & SX: 8 5/8" at 7174' w/450 SX  
 5 1/2" at 7430' w/645 SX  
 FORMATION CLASS  
 DATUM  
 GL  
 FORMATION DATUM  
 TD 7430'  
 PBD  
 LOGS: EL, GP, RA, IND, NC, A  
 IP (Granite Wash) Perf 7174-7408' F 48 BPD + 16 EW. P  
 based on 24 hr test thru 34/64" chh. GR 2750: Grav 18.4  
 GP Pkg; IP 85%  
 CONTR: R. B. H. BROS.  
 7100

11-08-72  
 12-04-72  
 12-12-72  
 2-19-72  
 11-20-72  
 (Granite Wash)  
 Drlg. 6330'  
 Drlg. 7414' granite wash  
 TB 7430'; SI  
 TB 7430'; SI Fran  
 Perf @ 7174', 7205', 7238', 7285', 7307', 7326',  
 7336', 7341', 7351', 7352', 7380', 7391', 7400',  
 7408' w/1 SPE  
 Acid (7174-7408') 2850 gals  
 Fran (7174-7408') 30,000 gals jelled acid +  
 15,150# sd  
 TB 7430'; WD 093 Pkg  
 Flwd 48 BO + 16 EW in 24 hrs thru 34/64" chh.  
 GR 2750: Grav 18.4. IP 85%

IEA

RECEIVED: 1974-11-14

1-22-74

TO: 7410 - [unclear]  
FROM: [unclear] [unclear] [unclear] [unclear] [unclear] [unclear]  
SUB: 7410 - [unclear] [unclear] [unclear] [unclear] [unclear] [unclear]  
ON: 7410 - [unclear] [unclear] [unclear] [unclear] [unclear] [unclear]  
RE: 7410 - [unclear] [unclear] [unclear] [unclear] [unclear] [unclear]  
DATE: 11-14-74  
COMPLIANCE: 8-1-74

1-22-74