

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	1140 ¹	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	1230 ¹	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	2439 ¹	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	2460 ¹	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	2690 ¹	T. Devonian	T. Menefee	T. Madison
T. Queen	3207 ¹	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	3720 ¹	T. Montoya	T. Mancos	T. McCracken
T. San Andres		T. Simpson	T. Gallup	T. Ignacio Qtzite
T. Glorieta		T. McKee	Base Greenhorn	T. Granite
T. Paddock		T. Ellenburger	T. Dakota	T. _____
T. Blinebry		T. Gr. Wash	T. Morrison	T. _____
T. Tubb		T. Granite	T. Todilto	T. _____
T. Drinkard		T. Delaware Sand	T. Entrada	T. _____
T. Abo		T. Bone Springs	T. Wingate	T. _____
T. Wolfcamp		T. _____	T. Chinle	T. _____
T. Penn.		T. _____	T. Permian	T. _____
T. Cisco (Bough C)		T. _____	T. Penn. "A"	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation
1140'	1230'	90'	Anhydrite
1230'	2439'	1209'	Salt w/Anhydrite stringers
2439'	3542'	1103'	Dolomite and Anhydrite w/sand stringers
3542'	3645'	103'	Dolomite w/sandy dolomite stringers (Upper Penrose).
3645'	3720'	75'	Sand stringers in Dolomite w/Anhydrite inclusions (Lower Penrose).
3720'	3742'	22'	Dolomite (Grayburg).