

WRS COMPLETION REPORT

COMPLETIONS SEC 1 TWP 22S RGE 37E
PI# 30-T-0018 05/04/87 30-025-25045-0001 PAGE 1

NMEX LEA * 750FNL 2310FEL SEC NE NE
STATE COUNTY FOOTAGE SPOT
CHEVRON USA D X DO
OPERATOR WELL CLASS INIT FIN

7 PADDOCK ALICE
WELL NO. LEASE NAME

3359GR WANTZ
OPER ELEV FIELD POOL AREA

API 30-025-25045-0001
LEASE TYPE NO. PERMIT OR WELL I.D. NO.

02/03/1987 03/23/1987 WO-UNIT OIL-WO
SPUD DATE COMP. DATE TYPE TOO. STATUS

7405 ABO NOT RPTD
PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 7801 PB 7405 OTD 7801 FM/TD GRANITE
DRILLERS T.D. LOG T.D. PLUG BACK T.D. OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SE EUNICE, NM

TUBING DATA

TBG 2 3/8 AT 7346

INITIAL POTENTIAL

IPP 35BOPD 73.0MCFD 2BW 24HRS
ABO PERF W/ 38/IT 6675- 7383
PERF 6675- 7383
ACID 6675- 7383 5000GALS
15% NEFE HCL
WFR 6675- 7383 56000GALS
24000 GALS 20% GELLED HCL
8000 GALS 15% NEFE HCL
GTY 40.0 GOR 2086

PRODUCTION TEST DATA

GR WSH PERF 7452- 7484
BRPG 7452- 7484 DEPTH 7405

DRILLING PROGRESS DETAILS

CHEVRON USA
BOX 670
HOBBS, NM 88240
OWWO: OLD INFO: FORMERLY GULF OIL CORP 7

CONTINUED IC# 300257011187

Copyrighted 1987
Reproduction
Prohibited

Petroleum Information

CB a company of
The Dun & Bradstreet Corporation

PI-WRS-GET
Form No 187

COMPLETIONS SEC 1 TWP 22S RGE 37E
PI# 30-T-0018 05/04/87 30-(25-25045-0001 PAGE 2

CHEVRON USA D X DO
7 PADDOCK ALICE

DRILLING PROGRESS DETAILS

PADDOCK ALICE. ELEV 3359 GR. SPUD 6/26/75. 9 5/8
@ 1300 W/500 SX, 5 1/2 @ 7801 W/1300 SX. LOG
TOPS: ABO 6656, GRANITE WASH 7492, GRANITE 7642
OTD 7801. PB 7640. COMP 7/19/75. IPP 50 BO +
102 BWPD. PROD ZONE: GRANITE WASH 7452-7484.
04/28 LOC/1987/
04/28 7801 TD, PB 7405
COMP 3/23/87, IFP 35 BO, 73 MCFG, 2 BWPD,
GOR 2086, GTY 40
PROD ZONE - ABO 6675-7383
FIRST REPORT & COMPLETION

IP (Granite Wash) Perfs 7452-84' P 50 BOPD + 102 BW, Pot based
on 24 hr test, GOR TSTM, Grav 39.6

CONTR Moranco OPR'S ELEV 3359' GL PD 7700' RT

F.R. 6-9-75
(Granite Wash)
6-30-75 Drlg 3315' 1m
7-8-75 Drlg 6790' 1m
7-15-75 TD 7801'; WOC
7-22-75 TD 7801'; PBD 7779'; Tstg
Perf (Granite Wash) 7476-78', 7514-16', 7558-60',
7601-03', 7670-72', 7738-40' w/4 SPF
Acid (7476-7740') 4000 gals
Swbd 18 BO + 80 BW in 13 hrs (7476-7740')
7-28-75 TD 7801'; PBD 7640'; Swbg
Swbd 36 BW in 4 hrs & Swbd dry (7738-40')
Swbd 2 BO + 120 BW in 13 hrs (7670-7740')
PB to 7640'
Swbd 8 BO + 84 BW in 11 hrs (7476-7603')

9-1-9 NM

LEA
GULF OIL CORP.

Wantz
7 Paddock, Alice
Sec 1, T22S, R37E

NM
Page 2

8-4-75 TD 7801'; PBD 7640'; SI
Acid (7558-7603') 1500 gals
Swbd 25 BW in 2 hrs (7558-7603')
Sqzd (7476-7603') 200 sx
Perf (Granite Wash) 7452-54', 7482-84' w/4 SPF
Acid (7452-84') 3000 gals
Swbd 43 BL & AW in 2 hrs 30 mins (7452-84')
8-11-75 TD 7801'; PBD 7640'; Prep TO Pmp
8-18-75 TD 7801'; PBD 7640'; TO Pmp
Ppd 49 BO + 93 BW in 24 hrs (7452-84')
8-25-75 TD 7801'; PBD 7640'; WO OCC Pot
Ppd 50 BO + 102 BW in 24 hrs, Grav 39.6 (7452-84')

9-1-9 NM

9-2-75 TD 7801'; PBD 7640'; Complete
LOG TOPS: Anhydrite 1245', Yates 2572', Queen
3388', San Andres 3952', Glorieta 5140', Blinbry
5580', Tubb 6052', Drinkard 6375', Abo 6656',
Granite Wash 7492', Granite 7642'
9-6-75 COMPLETION ISSUED

9-1-9 NM