

|     |                                                   |     |         |             |       |           |       |    |    |  |  |
|-----|---------------------------------------------------|-----|---------|-------------|-------|-----------|-------|----|----|--|--|
| SPD | 10-28-75                                          | CMP | 12-5-75 | D           |       |           |       | DO |    |  |  |
| CSG | 9 5/8" at 1250' w/650 sx<br>7" at 7490' w/1050 sx |     |         | WELL CLASS: |       | INT.      | FIN   |    | DO |  |  |
|     |                                                   |     |         | FORMATION   | DATUM | FORMATION | DATUM |    |    |  |  |
|     |                                                   |     |         |             |       |           |       |    |    |  |  |
|     |                                                   |     |         |             |       |           |       |    |    |  |  |
|     |                                                   |     |         |             |       |           |       |    |    |  |  |
|     |                                                   |     |         |             |       |           |       |    |    |  |  |
|     |                                                   |     |         |             |       |           |       |    |    |  |  |
|     | TD 7491' (GRNT')                                  |     |         | PBD 7473'   |       |           |       |    |    |  |  |

CONTR Moranco OPR'S ELEV 3353' GL, 3364' KB PD 7700' RE

F.R. 9-29-75  
(Drinkard & Granite Wash)  
2-14-76 AMEND FIELD NAME: Formerly reported as Drinkard  
& Wantz  
10-30-75 TD 1250'; WOC  
11-3-75 Drlg 3943' lm  
11-10-75 Drlg 6925'  
11-19-75 TD 7491'; MORT  
12-3-75 TD 7491'; Prep Perf  
12-10-75 TD 7491'; PBD 7473'; Swbg  
Perf (Granite Wash) @ 7404', 7406', 7408', 7410',  
7412', 7414', 7416', 7418' w/1 SPI  
Perf (Granite Wash) 7453-55' w/2 SPF  
Acid (7404-55') 3250 gals  
Swbd 2 BO + 2 BW in 24 hrs (7404-55')  
Frac (7404-55') 27,000 gals oil + 23,500# sd  
12-17-75 TD 7491'; PBD 7473'; SI

2-2-20 NM

LEA  
MARATHON OIL CO.

Wantz  
6 Lynch, Walter  
Sec 1, T22S, R37E

NM  
Page #2

1-13-75

Continued

1-7-76

Swbd 23 BLO in 7 hrs (7404-55')

TD 7491'; PBD 7473'; IO Pmp

Ppd 95 BO in 24 hrs (7404-55')

1-14-76

TD 7491'; PBD 7473'; IO Pmp

Ppd 60 BO in 15 hrs (7404-55')

1-20-76

TD 7491'; PBD 7473'; IO Pmp

Ppd 44 BO in 24 hrs (7404-55')

1-26-76

TD 7491'; PBD 7473'; IO Pmp

Ppd 64 BO in 24 hrs (7404-55')

2-2-76

TD 7491'; PBD 7473'; IO Pmp

Ppd 41 BO in 24 hrs (7404-55')

2-9-76

TD 7491'; PBD 7473'; Complete

2-2-20 NM

LOG TOPS: Yates 2530', Queen 3350', Clorieta  
5080', Blinbry 5500', Tubb 6054', Drickard  
6300', Abo 6572', Granite Wash 7322', Granite  
7460'

2-14-76

COMPLETION ISSUED

2-2-20 NM

IC 30-025-70054-75

|                                                                                                                                                                                                                         |                             |             |                  |           |           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------|------------------|-----------|-----------|
| COUNTY                                                                                                                                                                                                                  | LEA                         | FIELD       | Drinkard & Wantz | STATE     | NM        |
| OPR                                                                                                                                                                                                                     | MARATHON OIL CO.            | API         | MN 25131         |           |           |
| NO                                                                                                                                                                                                                      | 6                           | LEASE       | Lynch, Walter    | SERIAL    | 4-4-16 NM |
|                                                                                                                                                                                                                         | Sec 1, T22S, R37E           |             |                  | MAP       |           |
|                                                                                                                                                                                                                         | 2310' FNL, 1980' FWL of Sec |             |                  | CO-ORD    |           |
|                                                                                                                                                                                                                         | 1 1/2 mi SE/Eunice          |             |                  | ELEV      | 5' LBS    |
| Re-2-10-76                                                                                                                                                                                                              | Re-2-29-76                  | WELL CLASS: | INT DX           | FIN       | DO        |
| CSG                                                                                                                                                                                                                     |                             | FORMATION   | DATUM            | FORMATION | DATUM     |
|                                                                                                                                                                                                                         |                             |             |                  |           |           |
|                                                                                                                                                                                                                         |                             |             |                  |           |           |
|                                                                                                                                                                                                                         |                             |             |                  |           |           |
|                                                                                                                                                                                                                         |                             |             |                  |           |           |
|                                                                                                                                                                                                                         |                             |             |                  |           |           |
|                                                                                                                                                                                                                         |                             | TD          | 7491' (GRNT)     | PBD       | 7473'     |
| 9 5/8" at 1250' w/650 sx<br>7" at 7490' w/3450 sx<br>IP (Drinkard) Perfs 6670-7022' F 66 BOPD + 10 BW. Pot based on<br>24 hr test thru 32/64" chk. GOR 6864; gty 40; IP 150#<br>(Granite Wash) Perfs 7404-55' No Change |                             |             |                  |           |           |
| CONTR OPR'S ELEV 3353' GL, 3364' KB PD 7022' WO                                                                                                                                                                         |                             |             |                  |           |           |

F.R.C. 4-24-76 OWWO  
 (Drinkard)  
 (Orig. comp 12-5-75 thru (Granite Wash) Perfs  
 7404-55', OTD 7491', OPB 7473')  
 4-19-76 TD 7491'; PBD 7473'; Complete  
 Perf (Drinkard) @ 6670', 6672', 6678', 6680',  
 6682', 6710', 6712', 6714', 6726', 6728', 6732',  
 6734', 6736', 6796', 6894', 6896', 6898', 6961',  
 6963', 6965', 6967', 6969', 7022' w/1 SPI  
 Acid (6670-7022') 6000 gals  
 4-24-76 Frac (6670-7022') 67,700 gals wtr + 83,100# sd  
 COMPLETION ISSUED  
 4-4-16 NM