

COUNTY LEA FIELD Drinkard & Wantz STATE NM
 APT 30-025-25137
 OPR SUN EXPL & PROD MAP
 NO 2 LEASE Elliott "B-12" CO-ORD
Sec 12, T22S, R37E 7-2-26 NM
567 FNL, 467 FWL of Sec 6-28-83
2 mi SE/Eunice ResPD6-16-83 RecMP

CSG

9 5/8-1150-550 sx
 7-7425-1250 sx

WELL CLASS: INIT DXFIN DO LSE. CODE			
FORMATION	DATUM	FORMATION	DATUM
TD 7425 (GRNT)		PRD	

IP (Drinkard) Perfs 6221-7001 F 4 BOPD + 3 BW. Pot based on 24
 hr test thru 32/64 chk. GOR 92,500; gty (NR); CP Pkr; TP 80
 IP (Granite Wash) Perfs 7223-7388 P 21 BOPD + 52 BW. Pot based
 on 24 hr test. GOR 952; gty (NR)

CONTR OPRSELEV 3350 CR SUP

7-8-85 F.R.C. 7-13-85 OWWO
 PD 7425 WO (Drinkard & Granite Wash)
 (Orig. Texas Pacific Oil, Cmp. 12-12-75
 dual thru (Drinkard) Perfs 6221-7001 &
 (Granite Wash) Perfs 7326-7388, OTD 7425)
 TD 7425; Complete
 Acid (7326-7388) 3100 gals (15% NE) +
 1700 SCF N2 per bbl
 Perf (Granite Wash) 7223-7255 w/33 shots
 Acid (7223-7255) 2400 gals (15% NE) + 1000
 SCF N2 per bbl
 No new treatment (6221-7001)
 7-13-85 COMPLETION ISSUED

7-2-26 NM
 IC 30-025-70326-85

COUNTY IEA FIELD Drinkard & Wantz STATE NM
 OPR TEXAS PACIFIC OIL CO., INC. API 30-025-25137
 NO 2 LEASE Elliott "B-12" SERIAL 1-5-16 NM
 Sec 12, T-22-S, R-37-E MAP
 567' FNL, 467' FWL of Sec CO-ORD
 2 mi SE/Eunice ELEV [REDACTED] LBS
 SPD 9-26-75 CMP 12-12-75 WELL CLASS: INT D FIN DO
 CSG
 9 5/8" at 1150' w/550 sx
 7" at 7425' w/1250 sx
 TD 7425' (CRNT) PBD
 IP (Drinkard) Perfs 6221-7001' F 7 BOPD + 26 BLW. Pot based on
 24 hr test thru 26/64" chk. GOR 246,857; Grav 52.6; CP Pkr; IP
 550#
 IP (Granite Wash) Perfs 7326-88' F 264 BOPD. Pot based on 24 hr
 test thru 20/64" chk. GOR 6818; Grav 49; CP Pkr; IP 1060#
 CONTR MCLE OPR'S ELEV 3350' CL PD 7450' RT

F.R. 9-29-75
 (Drinkard & Granite Wash)
 9-29-75 Drlg 2375' salt & anhy
 10-6-75 TD 4899'; SD Rig Repairs
 10-13-75 Drlg 6830' dolo & cht
 10-22-75 TD 7425'; Prep Run 7" csg
 DST (Granite Wash) 7200-7425', open 1 hr 33
 mins, GTS in 7 mins, rec out 23 BO (Grav 44.6),
 1 hr 2 min ISIP 2703#, FP 1218-2563#, 3 hr
 FSIP 2703#, HP 3861-3908#, BHT 128 deg
 30-27-75 TD 7425'; Drlg Cmt
 11-3-75 TD 7425'; Prep Perf Drinkard
 Perf (Granite Wash) 7326-71', 7379-88' w/1 SPF

1-5-16 NM

Continued

11-9-75
Acid (7326-88') 1000 gals
Flwd 2300 MCFGPD + 10 BOPH in 3 hrs 30 mins
thru 24/64" chk, TP 1000# (7326-88')
11-12-75 TD 7425'; Flwg Ld
Perf (Drinkard) 6221-6739' w/60 shots (overall)
& 6746-7001' w/29 shots (overall)
Acid (6221-7001') 10,000 gals
Frac (6221-7001') 64,800 gals wtr + 97,100# sd
11-17-75 TD 7425'; SI
Flwd 750 MCFGPD + 2 BO + 26 BW in 24 hrs thru
24/64" chk, TP 300-500# (6221-7001')

1-5-16 NM

12-1-75 TD 7425'; Rng Dual Equip
Flwd 1650 MCFGPD + 2% oil + 82 BLW in 24 hrs
thru 20/64" chk, TP 650# (6221-7001')
12-8-75 TD 7425'; Tstg
Flwd 173 BO + trace wtr in 24 hrs thru 16/64"
chk, GOR 9826; TP 1425# (7326-88')
Flwd 1640 MCFGPD + 7 BO + 42 BLW in 24 hrs
thru 28/64" chk, TP 475# (6221-7001')
12-15-75 TD 7425'; SI
Flwd 264 BO in 24 hrs thru 20/64" chk, GOR
6818; TP 1060# (7326-88')
Flwd 7 BO + 26 BLW + 1728 MCFGPD in 24 hrs
thru 26/64" chk, TP 550# (6221-7001')
1-6-76 TD 7425'; WO Pct

1-5-16 NM

LEA
TEXAS PACIFIC OIL CO., INC. 2 Elliott "B-12"
Drinkard & Wantz
Sec 12, T22S, R37E

NM
Page #3

1-26-76

TD 7425'; Complete
Granite Wash Complete 12-10-75
LOG TOPS: Rustler 1125', Base Salt 2337', Yates
2473', Seven Rivers 2932', Queen 3288', Grayburg
3620', San Andres 3880', Glorieta 4996', Blinebry
5418', Tubb 5896', Drinkard 6235', Granite Wash
7037'

1-31-76

COMPLETION ISSUED

1-5-16 NM
IC 30 025 70060 75