

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO REOPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
2. Name of Operator Gulf Oil Corporation	5. State Oil & Gas Lease No.
3. Address of Operator P. O. Box 670, Hobbs, N.M. 88240	7. Unit Agreement Name
4. Location of Well UNIT LETTER <u>A</u> <u>660</u> FEET FROM THE <u>north</u> LINE AND <u>990</u> FEET FROM THE <u>east</u> LINE, SECTION <u>30</u> TOWNSHIP <u>22S</u> RANGE <u>38E</u> NMPM.	8. Firm or Lease Name Vivian
	9. Well No. 11
	10. Field and Pool, or Wildcat Wantz Granite Wash
15. Elevation (Show whether DF, RT, GR, etc.) 3370' GL	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	
OTHER <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MGF Drilling Company spudded 12 $\frac{1}{4}$ " hole July 9, 1976. Drilled to 1240' and completed 12 $\frac{1}{4}$ " hole. Ran 29 jts & 1 cut jt, 1229', 9-5/8" 40# N-80 LT&C R-3 8 RT Class B casing. Insert float at 1197', casing shoe at 1240'. Cemented with 350 sacks Cl. C w/4% Gel, 2% CaCl<sub>2</sub> plus 200 sacks Cl. C w/2% CaCl<sub>2</sub>. Cement circulated. WOC 18 hours. Tested casing with 1000# for 30 minutes, OK.

Started drilling 8-3/4" hole at 1240' at 9:00 p.m., 7-11-76.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Elyn Stone TITLE Project Petroleum Engineer DATE 7-12-76  
Orig. Signed by John Runyan  
Geologist  
APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

JUL 14 1976