

Office

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 South First, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Drive
Santa Fe, NM 87505

FORM C-103
Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-25293
1. Type of Well: <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5. Indicate Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE
2. Name of Operator Apache Corporation		6. State Oil & Gas Lease No.
3. Address of Operator 2000 Post Oak Blvd., Ste. 100, Houston, Texas 77056-4400		7. Lease Name or Unit Agreement Name E N Grizzell
4. Well Location Unit Letter G : 1880 Feet From The North Line and 2090 Feet From The East Line Section 6 Township 21S Range 37E NMPM Lea County		8. Well No. 2
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3449' GR		9. Pool name or Wildcat Drinkard


11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: <input type="checkbox"/> Perform Remedial Work <input checked="" type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon <input type="checkbox"/> Change Plans <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Other		SUBSEQUENT REPORT OF: <input type="checkbox"/> Remedial Work <input type="checkbox"/> Altering Casing <input type="checkbox"/> Commence Drilling Operations <input type="checkbox"/> Plug and Abandonment <input type="checkbox"/> Casing Test and Cement Job <input type="checkbox"/> Other
---	--	---

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1.) Set CIBP @ 6500' and cap w/ 35' cement
- 2.) Spot cement plug 3400' - 3500' w/ 75 sx
- 3.) Spot cement plug 1050' - 1200' w/ 125 sx - Tag top of plug
- 4.) Spot cement plug 0' - 60' w/ 20 sx
- 5.) Install P&A marker

→ SPOT CEMENT PLUG F/300'-400'

THE COMPLETION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE 	TITLE Sr. Engineering Technician DATE 2/20/2002
TYPE OR PRINT NAME Debra J. Anderson	TELEPHONE 712-2002338
(This space for State Use)	
APPROVED BY _____	DATE FEB 22 2002
CONDITIONS OF APPROVAL, IF ANY:	

ORIGINAL SIGNED BY

DATE

OFFICE REPRESENTATIVE


3
2
5

myP

WELL: E N Grizzell No. 2
 POOL: Drinkard
 LOCATION: 1880' FNL & 2090' FEL
 Unit G, Sec 6, T-21S, R-37E
 COUNTY/STATE: Lea County, New Mexico

API No. 30-025-06549

Current Completion



TD @ 6800'
 PBTD @ 6766'


11" Hole
 8-5/8" 32# J-55 CSA 1113'
 Cement w / 500 sx
 Circulated to Surface

DV Tool @ 3807'

Drinkard Perfs:
 6558' – 6682 (40 Holes)

7-7/8" Hole
 5-1/2" 15.5/17# J-55 CSA 6800'
 Cement w / 1900 sx
 DV Tool @ 3807'
 Circulated to Surface

P&A Proposal



Install P&A Marker
 Cement Plug 0' – 60'
 w/ 50 sx

Cement Plug 1050' – 1200'
 w/ 125 sx – Tag top of plug

Cement Plug 3400' – 3500'
 w/ 75 sx

CIBF 6500'
 w/ 35' cement

