

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL <input checked="" type="checkbox"/> WELL GAS <input type="checkbox"/> WELL OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Gulf Oil Corporation	8. Farm or Lease Name A. L. Christmas (NCT-C)
3. Address of Operator P. O. Box 670, Hobbs, NM 88240	9. Well No. 13
4. Location of Well UNIT LETTER <u>A</u> , <u>660</u> FEET FROM THE <u>North</u> LINE AND <u>850</u> FEET FROM THE <u>East</u> LINE, SECTION <u>18</u> , TOWNSHIP <u>22S</u> , RANGE <u>37E</u> , NMPM.	10. Field and Pool, or Wildcat Drinkard
15. Elevation (Show whether DF, RT, GR, etc.) 3413' GL	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <u>Frac</u> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

POH with rods & pump. Frac with 11,500 gals x-linked pad, 13,000# 10/20 sand, (4) 7/8" RCNB's & 300# rock salt. Form screened out. Clean out fill. Pump 3000 gals 15% NEFE slick acid while dropping (4) 7/8" RCNB's every 600 gals. Pumped at 5 BPM, avg pres 3800#, ISIP 1720# at 5 min. Frac with 21,050 gals x-linked pad, 27,500# 20/40 sand, (8) 7/8" RCNB's & 300# rock salt. Balled out, pumped 2500 gals flush at 5680#, ISIP 2300#, SIP after 15 min 1950#. RIH with MA, perf nipple, SN, pump & rods on 2-3/8" tubing. Hang well on. Before frac job, well pumped 17 BO & 1 BW with 139 MCF gas; after frac job, well pumped 11 BO & 23 BW with approximately 72 MCF gas in 24 hours. Complete after frac 10-8-80.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED R. D. Pitzer TITLE Area Engineer DATE 10-17-80

APPROVED BY [Signature] TITLE [Signature] DATE [Signature]

CONDITIONS OF APPROVAL, IF ANY: