- G. The proposed roads are staked.
- 3. Locations of Existing Wells

See Exhibit "C"

- 4. Location of Existing and/or Proposed Facilities
 - A. Tank Batteries: The existing production header is located in the SW/4 of Section 19 and located on Exhibit "C".
 - B. Producing Facilities: No additional producing facilities are required.
 - C. Gas Lines: The gas line will lay (not buried) approximately 7/10 of a mile west to existing battery.
 - D. Other Lines: Will lay water line down side of road to rig.
 - E. Rehabilitation: Pits will be backfilled and leveled as soon as practical to original condition. Commencement of rehabilitation operations will immediately follow removal of drilling and completion equipment from location and rehabilitation of the surface is planned to be completed within 45 days from commencement.

5. Water Supply

Will lay water line down side of road to rig from a water well 3/4 of a mile northwest of well location.

6. Source of Construction Materials

- A. Caliche for surfacing the new road and the well pad will be obtained from an existing pit in the SW/SW Section 18, T-23S, R-33E as shown on Exhibit "C".
- B. Caliche to be purchased from W. H. Brinninstool.
- C. The caliche to be hauled is located on the SW/4 of SW/4 of Section 18. From location go .5 of a mile west, turn back north 1.2 miles and caliche pit will be on west side.

7. Methods for Handling Waste Disposal

Waste Disposal: Well Cuttings will be disposed in reserve pit. Barrel trash containers to be in accessible locations within drill site area during drilling and completion procedures. All detrimental waste will be hauled away, burned or buried with a minimum cover of 24" of dirt. See Exhibit "D" for location of pits. If well is productive, maintenance waste will be placed in special trash cans and hauled away periodically. Any produced water will be collected