

PROPOSED WELL PLAN

WELL NAME <u>Meyer B-31A No. 5</u>		FIELD	NMFU
<u>ATTACHMENT</u>	<u>NO.</u>	<u>REQUIRED</u>	<u>NOT REQUIRED</u>
CASING CENTRALIZERS, SCRATCHERS	_____	X	_____
CEMENTING	_____	X	_____
MUD PROGRAM	_____	X	_____
WELL PLAN OUTLINE	_____	X	_____
PORE PRESSURE - FRAC GRADIENT	_____	_____	_____
PROJECTED PROGRESS	_____	_____	_____
CROSS SECTION OR WELL COURSE	_____	_____	_____
HYDRAULICS PROGRAM	_____	_____	_____
BIT PROGRAM	_____	_____	_____
VENDER USAGE LIST	_____	_____	_____

DRILLING AND COMPLETION PROCEDURE

- (1) 0' - 1600' Drill 12 $\frac{1}{4}$ " hole. Set and cement surface casing. Pressure test and drill out after 18 hours.
- (2) 1600' - 3880' Drill 7 7/8" hole. Pressure test to 300 psi after drilling out shoe. Run open hole logs. Set and cement production casing.
- (3) Detailed completion procedure to be prepared after open hole logs are analyzed. Anticipated 20 to 30 shots, 3,000 gallon acid job, and frac w/20,000 pounds sand and 10,000 gallons gel.