

NATOMAS
NORTH
AMERICA
INC.

SUPRON FED "14" COMM #1
Sec. 14-23S-34E
Lea Co., New Mexico

$\frac{1}{2}^{\circ}$	@	240'
$\frac{3}{4}^{\circ}$	@	630'
2°	@	1088'
$2\frac{1}{2}^{\circ}$	@	1518'
$1\frac{1}{4}^{\circ}$	@	1917'
1°	@	2409'
$2\frac{1}{4}^{\circ}$	@	3098'
$2\frac{1}{2}^{\circ}$	@	3530'
$1-3/4^{\circ}$	@	4013'
$1-3/4^{\circ}$	@	4602'
$3/4^{\circ}$	@	5095'
$1-3/4^{\circ}$	@	5354'
$1\frac{1}{4}^{\circ}$	@	5991'
$\frac{1}{2}^{\circ}$	@	6281'

$\frac{1}{4}^{\circ}$	@	7009'
1°	@	7580'
$\frac{3}{4}^{\circ}$	@	8021'
1°	@	8485'
$2\frac{1}{4}^{\circ}$	@	8999'
3°	@	9463'
$2-3/4^{\circ}$	@	9850'
$3\frac{1}{4}^{\circ}$	@	10,560'
3°	@	11,022'
3°	@	11,290'
3°	@	12,483'
$2-3/4^{\circ}$	@	13,017'
$2-3/4^{\circ}$	@	13,600'

Subscribed and Sworn To Before Me This 17th Day of October, 1980.

My Commission Expires March 27, 1983.

Diana M. Knott
NOTARY PUBLIC

P. O. BOX 1980
HOBBS, NEW MEXICO 88240

NOTICE OF GAS CONNECTION

DATE Nov. 11, 1980

This is to notify the Oil Conservation Division that connection for the purchase of
gas from the Natomas North America, Inc.
OPERATOR

Supron "14" Federal #1

LEASE & WELL

Lea

COUNTY

K 14-23S-34E

UNIT S-T-R

Antelope Ridge Atoka

El Paso Natural Gas Co.

POOL

NAME OF PURCHASER

was made on November 11, 1980

DATE

30291

01

SITE CODE & SITE WELL NUMBER

El Paso Natural Gas Co.

PURCHASER

M. H. Metchum

REPRESENTATIVE

Assistant Chief Division Dispatcher

TITLE

MHM:bl

cc: Operator

Oil Conservation Division - Santa Fe, NM

H. P. Logan

M. E. McEuen

R. L. Tabb

Proration Dept.

Measurement Dept.

Earl Smith

File

OIL CONSERVATION DIVISION
P. O. BOX 1980
HOBBS, NEW MEXICO 88240

NOTICE OF GAS CONNECTION

DATE 11/11/80

This is to notify the Oil Conservation Division that connection for the purchase of
gas from the Natomas North America, Inc.
OPERATOR

Supron "14" Federal #1, Lea, K 14-23S-34E
LEASE & WELL COUNTY UNIT S-T-R

Antelope Ridge Morrow, El Paso Natural Gas Co.
POOL NAME OF PURCHASER

was made on November 12, 1980, 30289, 01
DATE SITE CODE & SITE WELL NUMBER

El Paso Natural Gas Co.

PURCHASER

M. H. McEuen
REPRESENTATIVE

Assistant Chief Division Dispatcher

TITLE

MHM: b1

cc: Operator
Oil Conservation Division - Santa Fe, NM

H. P. Logan
M. E. McEuen
R. L. Tabb
Proration Dept.
Measurement Dept.
Earl Smith
File

DATE 11/18 19 80

ADVICE ON WELLS TIED INTO GAS GATHERING SYSTEMS

Name of Producer Natomas North America, Inc.

Well Name and Number Supron "14" Federal #1

Location 1980'FSL, 1980'FWL, Sec. 14, T-23-S, R-34-E, Lea Co., NM

Pool Name Antelope Ridge

Producing Formation Morrow

Top of Gas Pay 12,850'

Oil or Gas Well Gas

Gas Unit Allocation 320 Acres

Date Tied Into Gathering Systems 11/9/80

Date of First Delivery 11/12/80

Gas Gathering System Lea County 400# G/S

Processed through Gasoline Plant (yes or no) Yes

Station Number 58-370-01

Remarks: Not produced when tied-in due to waiting on operator to complete testing of Atoka side

Site Code: 30289-9-01

By: *[Signature]*, Dispatching

DATE 11/17 19 80

ADVICE ON WELLS TIED INTO GAS GATHERING SYSTEMS

Name of Producer Natomas North America, Inc.

Well Name and Number Supron "14" Federal #1

Location 1980' FSL, 1980' FWL, Sec. 14, T-23-S, R-34-E, Lea Co., NM

Pool Name Antelope Ridge

Producing Formation Atoka

Top of Gas Pay 12,000'

Oil or Gas Well Gas

Gas Unit Allocation 320 Acres

Date Tied Into Gathering Systems 11/11/80

Date of First Delivery 11/11/80

Gas Gathering System Lea County 400# Gathering System (Lat. A-14)

Processed through Gasoline Plant (yes or no) Yes

Station Number 58- 369-01

Remarks: Site Code: 30291-0-01

By: *[Signature]* Dispatching

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. ☐ OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR
NATOMAS NORTH AMERICA, INC.

3. ADDRESS OF OPERATOR
1000 First Place, Tulsa, Oklahoma 74103

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
Unit letter K, 1980' FWL and 1980' FSL HOBBS, NEW MEXICO
Section 14-T23S-R34E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
3377.4 GR

5. LEASE DESIGNATION AND SERIAL NO.
NM - 15035

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Antelope Ridge

8. FARM OR LEASE NAME
Supron Fed Comm ¹⁴ ~~14~~

9. WELL NO.
1

10. FIELD AND POOL, OR WILDCAT
Antelope Ridge

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 14-23S-34E

12. COUNTY OR PARISH
Lea

13. STATE
New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) Casing Test and Cement Job ☒

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

DATE	SIZE HOLE	CASING SIZE	CEMENT VOLUME	WOC	TEST PRESS	LENGTH OF TEST	REMARKS
5/17/80	26"	20"	1325	24 hrs	None	None	Circ to surface
6/7/80	17½"	13-3/8"	4200	24 hrs	1500 psi	30 min	DV tool set @ 1500'; circ to surface
7/23/80	12¼"	9-5/8"	900	48 hrs	2000 psi	30 min	Est. TOC @ 9650'
8/23/80	8½"	7-5/8"	325	48 hrs	2000 psi	60 min	Diff. test 2600 psi.

18. I hereby certify that the foregoing is true and correct

SIGNED Gary SnowdenTITLE Administrative CoordinatorDATE October 28, 1980

(This space for Federal or State office use)

APPROVED BY W. CHESTER

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

NOV 4 1980

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-15035

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL ☐ GAS ☒ OTHER ☐
WELL WELL

2. NAME OF OPERATOR

Natomas North America, Inc.

3. ADDRESS OF OPERATOR

1000 First Place, Tulsa, Oklahoma 74103

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.
At surface

1980' FWL & 1980' FSL Sec. 14-23S-34E

U. S. GEOLOGICAL SURVEY

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, R, or B) **HOBS, NEW MEXICO**

3375.4 CR

12. COUNTY OR PARISH

Lea

13. STATE

New Mexico

10. FIELD AND POOL, OR WILDCAT

Antelope Ridge Morrow &

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 14-23S-34E

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) Casing Test & Cement Job

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

7/23/80 Ran 11850'-9 5/8" 47#(0'-8850') P-110 csg.; 9 5/8" 53.5#
(8850'-11850') S-95 csg. Cemented csg. W/550
SX HLC and 350 SX CL. "C" cement

8/23/80 Ran 13595' 7 5/8" 39# P-110 TS Hydril Liner cemented W/325
SX CL. "C" cement

ACCEPTED FOR RECORD

OCT 27 1980

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Gary W. Snowden

TITLE

Admin. Coordinator

DATE

October 15, 1980

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

[Faint, illegible handwritten text]

RECEIVED

NOV 4 1980

U.S. GOVERNMENT PRINTING OFFICE

OIL CONSERVATION DIVISION
DISTRICT I

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

DATE 11/28/80

RE: Proposed MC X
Proposed DHC _____
Proposed NSL _____
Proposed NSP _____
Proposed SWD _____
Proposed WFX _____
Proposed PMX _____

Gentlemen:

I have examined the application for the:

Watonian North America Inc. Supron¹⁴ Ltd Com #1-K 14-23-34
Operator Lease and Well No. Unit, S - T - R

and my recommendations are as follows:

OK

Yours very truly,

/mc