

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back into a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other ☐
2. NAME OF OPERATOR
Shell Oil Company
3. ADDRESS OF OPERATOR
P.O. Box 991, T&C 459, Houston, Texas 77001
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1650' FNL & 1980' FEL, Sec. 27, T23S, R34E
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	☐	☐
FRACTURE TREAT	☐	☐
SHOOT OR ACIDIZE	☐	☐
REPAIR WELL	☐	☐
PULL OR ALTER CASING	☐	☐
MULTIPLE COMPLETE	☐	☐
CHANGE ZONES	☐	☐
ABANDON*	☐	☐

(other) **Set whipstock to sidetrack junk**

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5-23-80: **Packer set @ 9320'. Set 700' cmt. plug from 9320' to 8607' w/300 sx Class H cmt + 1% CFR₂. Cmt in place @10:15 p.m. 35 1/2 hours WOC. Drilled cmt. to 8883'. Kick off w/Dynadrill in a random manner @ 8607'.**

5-28-80: **Measured drilling depth @ 8928'. Offset operators notified 5-28-80.**

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED A. J. Fore **A. J. Fore** TITLE **Senior Engr. Tech.** DATE **5-28-80**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

5. LEASE
LC-071949
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Antelope Ridge Unit
8. FARM OR LEASE NAME
Antelope Ridge
9. WELL NO.
7
10. FIELD OR WILDCAT NAME
Atoka/Morrow
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 27, T23S, R34E
12. COUNTY OR PARISH
Lea 13. STATE
NM
14. API NO.
30-025-26668
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3471.4' GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

ACCEPTED FOR RECORD

JUN 5 1980

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

GPO : 1976 O - 214-149

Antelope Ridge #7

THICK RED BEDS 555'

16" @ 450'

DEKWARE LIME 5075'

10 3/4" @ 5076'

FINE SPRING 5555'

TOP OF PLUG 8607'
WELL DEPTH TO 5553'

11,8928'

THICK 9220'

WOLF CREEK 11,325'

BACKED OFF @ 9778

DES MOINES 11,375

EST TOC 9782'

- TOP OF DC'S 11,192'

11,430' OLD TD

11,405'

11,000'

11,400' - 11,400'

100-100000-100000

100-100000-100000

RECEIVED

JUN 10 1980

OIL CONSERVATION DIV.