

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State ☒ Fee ☐

5. State Oil & Gas Lease No.
V-1811

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER: Re-entry	7. Unit Agreement Name
2. Name of Operator Marshall & Winston, Inc.	8. Farm or Lease Name State "IG"
3. Address of Operator 310 West #10 Desta Drive, Midland, Texas 79705	9. Well No. 1
4. Location of Well UNIT LETTER B 660 FEET FROM THE North LINE AND 1980 FEET FROM THE East LINE, SECTION 32 TOWNSHIP 23-S RANGE 32-E NMPM.	10. Field and Pool, or Wildcat South Sand Dunes B.S.
15. Elevation (Show whether DF, RT, GR, etc.) 3664' GR	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER: Re-entry <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Began re-entry operations on 11-18-86. Drilled out retainer @ 608' and cement to 816'. Drilled cmt plug 1292-1398', 4852-4960', 6128-6311' & 8648-8749'. Tested casing to 1500#, OK. Set CIBP @ 10,020' & dumped 20' of cement on same. Perforated Bone Springs 9800-9816' & 9824-9836' w/ 1 SPF (30 holes). Fraced perms w/ 40,000 gals Mini-Max 3-40 carrying 63,000# 20/40 sand. Flowed back load and put well on 1-1/2" rod pump. On 1-26-87, well pumped 28 BO, 65 BW w/ 21.6 MCF gas.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED J. M. Brandt TITLE Engineer DATE January 28, 1987

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT 1 SUPERVISOR

APPROVED BY _____ TITLE _____ DATE FEB 4 1987

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED
JAN 30 1987
OCD
HOBBS OFFICE