

COUNTY **LEA** FIELD **Antelope Ridge** STATE **NM**
OPR **BTA OIL PRODUCERS** API **30-025-27166**
NO **1** LEASE **Antelope 8006 JV-P** MAP
Sec 2, T23S, R34E CO-ORD
1980 FNL, 2180 FWL of Sec 5-3-24 NM
23 mi SE/Halfway SPD 12-6-80 CMP 4-12-81

WELL CLASS. INIT	WF FIN DG	LSE. CODE	
		FORMATION	DATUM
TD 13,600 (CSTR)	PBD	13,015	

IP (Atoka) Perfs 12,241-265 F 3760 MCFGPD + 252 BOPD. Pot
based on 24 hr test thru 11/64 chk. GOR 14; gty (oil) 56;
CP Pkr; TP 7400

CONTR **Parker #85** OPRSELY **3370 GL** PD **13,500 RT**

5-16-81 F.R. 12-8-80
(Atoka)
AMEND FIELD & ZONE. Formerly reported as Wildcat
(Atoka-Morrow)
1-6-81 Drig 3770
1-13-81 Drig 4334
1-20-81 Drig 5000
2-3-81 Drig 9520 lm & cht
2-10-81 Drig 12,302
2-17-81 TD "Right"
3-3-81 Drig 12,606 lm & sh
3-10-81 Drig 12,772 sh, lm & cht
3-17-81 TD 13,095; Prep Run Inr
3-24-81 TD 13,095; Tstg Inr
3-31-81 TD 13,600; Prep Test Oil
30 to 13,600
4-7-81 TD 13,600; Run logs

LEA
BTA OIL PRODUCERS

Antelope Ridge
1 Antelope 8006 JV-P
Sec 2, T23S, R34E

NM
Page #2

4-14-81 TD 13,600; RUCU
4-21-81 TD 13,600; PBD 13,015; SI
PB to 13,015
Perf (Atoka) 12,241-254, 12,262-265 w/2 SPF
Acid (12,241-265) 2500 gals
5-11-81 TD 13,600; PBD 13,015; Complete
LOG TOPS: Rustler 1702, Delaware 5094, Bone
Spring 8450, Wolfcamp 10,555, Pennsylvanian
11,230, Strawn 11,812, Atoka 12,194, Morrow
12,466
5-16-81 COMPLETION ISSUED

5-3-24 NM

COUNTY LEA FIELD Antelope Ridge STATE NM
OPR BTA OIL PRODUCERS API 30-025-27166
NO 1 LEASE Antelope 8006 JV-P MAP
Sec 2, T23S, R34E CO-ORD
1980 FNL, 2180 FWL of Sec 5-3-24 NM
23 mi SE/Halfway SPD 12-6-80 CAIP 10-14-81

CSC	WELL CLASS: INIT WF FIN DG LSE. CODE			
	FORMATION	DATUM	FORMATION	DATUM
20-703-1375 sx				
13 3/8-4858-5400 sx				
9 5/8-11,754-3000 sx				
7 5/8-lnr-11,370-13,093-375	sx			
3 1/2-12,047				
	ID 13,600 (CSTR)		PBD 13,015	

IP (Atoka) Perfs 12,241-265 CAOF 7650 MCFGPD. GOR 12,229;
gty (Gas) .6783; (Cond) 53; SIWHP 6102; SIBHP 6115

P.L.C.: Phillips Petroleum Co.

CONTR Parker #85 OPRSELEV 3370 GL sub-s

5-16-81 F.R. 12-8-80
AMEND FIELD & ZONE: Formerly reported as Wildcat (Atoka-Morrow)
1-6-81 Drlg 3770
1-13-81 Drlg 4334
1-20-81 Drlg 5000
2-3-81 Drlg 9520 lm & cht
2-10-81 Drlg 12,302
2-17-81 TD "Tight"
3-3-81 Dalg 12,606 lm & sh
3-10-81 Drlg 12,772 sh, lm & cht
3-17-81 TD 13,095; Prep Run lnr
3-24-81 TD 13,095; Tstg lnr
3-31-81 TD 13,600; Prep Test OH
DO to 13,600
4-7-81 TD 13,600; Rng Logs

5-3-24 NM

LEA
BTA OIL PRODUCERS

Antelope Ridge
1 Antelope 8006 JV-P
Sec 2, T23S, R34E

NM
Page 2

4-14-81 TD 13,600; RUCU
4-21-81 TD 13,600; PBD 13,015; SI
PB to 13,015
Perf (Atoka) 12,241-254, 12,262-265 w/2 SPF
Acid (12,241-265) 2500 gals
5-11-81 (Atoka) FOUR POINT GAUGES:
Flwd 1181 MCFGPD, chk (NR), 60 mins, TP 5875
Flwd 2107 MCFGPD, chk (NR), 60 mins, TP 5520
Flwd 3091 MCFGPD, chk (NR), 60 mins, TP 5015
Flwd 4460 MCFGPD, chk (NR), 60 mins, TP 4255
LOG TOPS: Rustler 1702, Delaware 5094, Bone
Spring 8450, Wolfcamp 10,555, Pennsylvanian 11,230,
Strawn 11,812, Atoka 12,194, Morrow 12,466

5-3-24 NM

5-16-81 COMPLETION ISSUED
11-7-81 RE-ISSUE TO ADD CAOF & 4 POINT GAUGES

5-3-24 NM
IC 30-025-70598-80