

UNITED STATES

SUBMIT IN DUPLICATE

Form approved.
Budget Bureau No. 42-R355.5.P. O. BOX 670
HOBBS, NEW MEXICO 88240
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY(See other in-
structions on
reverse side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL ☒	GAS WELL ☐	DRY ☐	Other _____						
b. TYPE OF COMPLETION:		NEW WELL ☐	WORK OVER ☐	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESVR. ☒	Other _____				
2. NAME OF OPERATOR						7. UNIT AGREEMENT NAME					
Chevron U.S.A. INC.						Triste Draw Federal					
3. ADDRESS OF OPERATOR						9. WELL NO.					
P.O. Box 670 Hobbs, NM 88240						1					
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*						10. FIELD AND POOL OR WILDCAT					
At surface 660' FSL & 1980' FWL						Diamond Fair					
At top prod. interval reported below						Bone Springs					
At total depth						11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA					
						Sec 11, T23S, R32E					
14. PERMIT NO.				DATE ISSUED							
15. DATE SPUDDED		16. DATE T.D. REACHED		17. DATE COMPL. (Ready to prod.)		18. ELEVATIONS (DF, REB, RT, GR, ETC.)*		19. ELEV. CASINGHEAD			
4/14/85		4/23/85		5/10/85		3728 GL					
20. TOTAL DEPTH, MD & TVD		21. PLUG, BACK T.D., MD & TVD		22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY		ROTARY TOOLS			
15950		12058				→		X			
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*								25. WAS DIRECTIONAL SURVEY MADE			
11741-9931 Bone Springs								No			
26. TYPE ELECTRIC AND OTHER LOGS RUN								27. WAS WELL CORED			
Schlumberger- CNL, FDC, BHC Sonic, DLL w/RXO								No			
28. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
No new casing.											
29. LINER RECORD										30. TUBING RECORD	
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*		SCREEN (MD)		SIZE	
										2 7/8	
										11700	
										11700	
31. PERFORATION RECORD (Interval, size and number)										32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
11967-11971 1/2" JH 8 Total										DEPTH INTERVAL (MD)	
11261-11741 1/2" JH 44 Total										AMOUNT AND KIND OF MATERIAL USED	
9916-9931 1/2" JH 16 Total										11967-11971 1500 gal 15% NEFE	
										11261-11741 8000 gal 15% NEFE	
										11261-11741 40000 gal gelled BW 20000 gal 15% NEFE	
										9916-9931 3500 gal 15% NEFE	
33.* PRODUCTION											
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)						WELL STATUS (Producing or shut-in)			
5/10/1985		Pumping						Producing			
DATE OF TEST		HOURS TESTED		CHOKE SIZE		PROD'N. FOR TEST PERIOD		OIL—BBL.		GAS—MCF.	
9/20/1985		19		WO		→		23		11	
FLOW. TUBING PRESS.		CASING PRESSURE		CALCULATED 24-HOUR RATE		OIL—BBL.		GAS—MCF.		WATER—BBL.	
		30		→		29		14		48	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)										OIL GRAVITY-API (CORR.)	
Waiting on connection										45.5 @ 60°	
35. LIST OF ATTACHMENTS										TEST WITNESSED BY	
										JAN 18 1986	
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records											
SIGNED		M. W. Casey				TITLE		Division Proration Engineer		DATE	
										1-9-1986	

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
			No drill stem tests taken.	Morrow	14,964	
				Atoka	14,312	
				Strawn	14,040	
				Wolfcamp	12,160	
				Bone Springs	8,808	
				Delaware	4,955	

RECEIVED

JAN 14 1986

HOBBS OFFICE