1. oil

N. M. DIL CONS. COMMISSION

Form Approved.

UNITED	STATES	P. O. BOX
--------	--------	-----------

Budget Bureau No. 42-R1424

UNITE	D :	SIAIE	:S	P. O.	50	*15.41	NAN.	
UNITE DEPARTMENT	OF	THE	INTERI	qt08	35.	MEAA	''	

EXECOEAS 2.10

	NM 13838
6.	IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME ALTA FEDERAL

10. FIELD OR WILDCAT NAME

SUNDRY NOTICES AND REPORTS ON WELL	SUNDRY	NOTICES	AND	REPORTS	ON	WELLS
------------------------------------	---------------	---------	-----	----------------	----	--------------

GEOLOGICAL SURVEY

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)

other

gas well 🗓 well 2. NAME OF OPERATOR

ESTORIL PRODUCING CORPORATION

3. ADDRESS OF OPERATOR

LLth FLOOR, VAUGHN BLDG., MIDLAND, TX

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) SEC. 10, 660' FSL & 1980' FWL AT SURFACE: AT TOP PROD. INTERVAL: AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

ROSWELL, NEW MEXICO

Sec. 10, T20S, R34E 12. COUNTY OR PARISH 13. STATE

LEAN 14. API NO.

AREA

9. WELL NO. ONE

15. ELEVATIONS (SHOW DF, KDB, AND WD) 3389.9' GL

(NOTE: Report results of multiple completion or zone

15 perse of Form 9-330.)

11. SEC., T., R., M., OR BLK. AND SURVEY OR

UNDESIGNATED BONES SPRINGS

REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE

REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES

ABANDON* SQUEEZED PERFS. (other)

OIL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Mixed and pumped 100 sx "H" cmt. w/.5% CFR-2. Squeezed perfs. 7-29-82 from 6992-7002' to 3000#. Reversed out 1 1/2 bbls. excess cmt. POH w/2-3/8" tbq. PU 4-3/4" bit, csq. scraper & (4) 3-1/2" OD DC's on 2-3/8" tbq. WIH. RU Reverse unit. SI & SD.

SUBSEQUENT REPORT OF:

Subsurface Sa	fety Valve: Manu. and Type	Set @ Ft.
	? ertify that the foregoing is true and correct	
SIGNED Le	igh he MSill TITLE PROD. CLERK D	7-29-82
	ACCEPTED FOR RECORDIS space for Federal or State office use)	
APPROVED BY	(ORIG. SGD.) DAVID R. GLASS	DATE
	APPROVAL, IF ANY:	The control of the co
	OCT 1 5 1982	
	U.S. GEOLOGICAL SURVEY Instructions on Reverse Side	

AM MARIA

•

OCT 18 1982