

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐

2. NAME OF OPERATOR  
ESTORIL PRODUCING CORPORATION

3. ADDRESS OF OPERATOR 11th Floor Vaughn Bldg.  
Midland, Tx 79701

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 660' FSL & 1980' FWL of Sec. 10  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) Csg. Report.		

5. LEASE

NM-13838

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

ALTA FEDERAL

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Undesignated Bones Springs

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 10, T.23 S., R. 34 E.

12. COUNTY OR PARISH 13. STATE

Lea

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)


3398.9' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spud @ 2 pm 6-9-82.

6-14-82 Ran 13 jts. 12-3/4" 35# csg. = 605', Sect csg. @ 600'.  
Cmt. w/500 sx "C" cmt. + 4% gel + 1/4# per sx Celloseal.  
Slurry wt. 13.5#. Followed by 200 sx "C", 2% cmt. 14.8#. Circulate 25 sx cmt. to surf.



Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.


18. I hereby certify that the foregoing is true and correct

SIGNED Leigh Anne McGill TITLE Production Clerk DATE 6-14-82

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side



RECEIVED

JUL 2 1982

O.C.D.  
HOBBS OFFICE