

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
P. O. BOX 1980  
HOBBS, NEW MEXICO 88240

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐  
well well other

2. NAME OF OPERATOR

BEACH EXPLORTION, INC.

3. ADDRESS OF OPERATOR MIDLAND, TEXAS 79703

800 N. MARIENFIELD, SUITE 200

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE:

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON\* ☐

(other) Preparing to start completion

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

11-20-82 Preparing to move in Ram Well Servicing Company to start completion. Will be tallying the tbg and rigging up today.

(NOTE: ~~Check~~ results of multiple completion or zone change on Form 9-330.)

OIL & GAS  
MINERALS MGMT. SERVICE  
ROSWELL, NEW MEXICO

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Linda Weston TITLE Agent DATE 11-19-82

ACCEPTED FOR RECORD

(This space for Federal or State office use)

APPROVED BY (ORIG. SGD.) DAVID R. GLASS

CONDITIONS OF APPROVAL NOV 24 1982 TITLE DATE

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

\*See Instructions on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR  
BEACH EXPLORATION, INC.
3. ADDRESS OF OPERATOR  
800 N. Marienfield, Suite 200
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>

(other) drilling operations cont.

5. LEASE  
DANCIGER
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
30240
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME  
DANCIGER
9. WELL NO.  
1
10. FIELD OR WILDCAT NAME  
JALMAT YATES SEVEN RIVERS
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 1, T23S, R35E
12. COUNTY OR PARISH  
Lea
13. STATE  
N.M.
14. API NO.  
3002527989
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3500.8

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

RECEIVED  
NOV 17 1982

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \*MINERALS RIGHT, SECTION  
ROSWELL, NEW MEXICO

11-12-82 Ran Welex Compensated Density, Computer Analysis & Gaurd Foroxo Logs. Today's TD 3845', drilled 30' more. Circ for 2 hrs and POH and laid down DC's. Ordered cmt for casing.

11-13-82 Depth TD 3875'. Ran 4½" 10.5# ST&C casing, shoe on bottom, 8 centrailizers. TD w/ pipe 3869' - final TD. Cmt'd w/ 600 sx Halco Lite 15# salt ¼# flocele. Tailed in w/500 sx class C 50-50 poz mix plus 9# salt and ¼# flocele 2% gel per sx. Circ out 150 sx cmt to tank. PD @ 11:00 a.m. 11-14-82. Float held and plug held. RR and MORT. Cleaning up loc. No Report until activity

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Linda L. Vooten TITLE Agent DATE 11/15/82

ACCEPTED FOR RECORD

(This space for Federal or State office use)

APPROVED BY (ORIG. SGD.) DAVID R. CLASS

CONDITIONS OF APPROVAL, IF ANY:

DATE \_\_\_\_\_

NOV 18 1982

U.S. GEOLOGICAL SURVEY

ROSWELL, NEW MEXICO \*See Instructions on Reverse Side

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
HOBBS, NEW MEXICO

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR  
Beach Exploration, Inc.

3. ADDRESS OF OPERATOR  
800 N. Marienfield, Suite 200

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐

SUBSEQUENT REPORT OF:

(other) drilling operations cont'

5. LEASE

DANCIGER

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

DANCIGER

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

JALMAT YATES SEVEN RIVERS

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 1, T23S, R35E

12. COUNTY OR PARISH 13. STATE

Lea

N.M.

14. API NO.

3002527989

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3500.8

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

11-10-82 Tripping out of hole @ 2767'. Drilling in salt. ST 3/4 deg @ 2231'.  
11-11-82 Drilling @ 3250' in anhy and salt. Made 516'/13 hrs.  
11-12-82 Drilling @ 3704'. Made 454'/24 hrs. Drilling in anhydrite. MW 9.7, vis 40, solids 38. Bit #3 has made 2364'/71 1/2 hrs.

Subsurface Safety Valve: Manu. and Type

Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Linda Wooten*

TITLE

*Clerk*

DATE

*Nov. 12, 1982*

APPROVED BY  
CONDITIONS OF APPROVAL

ACCEPTED FOR RECORD  
(ORIG. SGD.) DAVID R. GLASS

NOV 16 1982

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

See Instructions on Reverse Side

RECEIVED

NOV 15 1982

OIL & GAS  
MINERALS DIVISION  
ROSWELL, NEW MEXICO

N. M. OIL CONS. COMMISSION  
P. O. BOX 1980  
HOBBS, NEW MEXICO 88240

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug a well to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐OIL & GAS  
MINERALS MGMT. SERVICE  
ROSWELL, NEW MEXICO

2. NAME OF OPERATOR

Beach Exploration, Inc.

3. ADDRESS OF OPERATOR

800 N. Marienfield, Suite 200

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE:

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐CHANGE ZONES ☐ABANDON\* ☐

(other) Setting surface casing &amp; Spud date

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

11-6-82 Prep to move in rig, plan on spudding on 5th.

11-7-82 MIRU. Spudded @ 2:30 p.m. on 6th. Drilled to 350' and ran 339' of 8 5/8" pipe and set at 339'. Cmt'd w/ 225 sx Cl-C 2% cacl. Circ 50 sx cmt. MW 8.9, vis 38.

11-8-82 Stuck at 1000'. ST 1 deg @ 874'.

11-9-82 Drilling @ 1903' in anhy.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED David R. Glass TITLE Clerk DATE November 9, 1982

ACCEPTED FOR RECORD (this space for Federal or State office use)

APPROVED BY (ORIG. SCD.) DAVID R. GLASS TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL IF ANY:

NOV 10 1982

U.S. GEOLOGICAL SURVEY

ROSWELL, NEW MEXICO \*See Instructions on Reverse Side

N. M. OIL CONS. COMMISSION  
P. O. BOX 30  
HOBBBS, NEW MEXICO 88240  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*  
(Other instructions on  
reverse side)

Form approved.  
Budget Bureau No. 42-R1425.

30-025-27989

5. LEASE DESIGNATION AND SERIAL NO.

NM 39160

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Danciger

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Jalmat-Yates-Seven Rv

11. SEC., T., R., M., OR BLK.  
AND SURVEY OR AREA

Sec. 1, T-23-S, R35E

12. COUNTY OR PARISH 13. STATE

Lea

NM

1a. TYPE OF WORK

DRILL ☒X

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL  
WELL ☒X

GAS  
WELL ☐

OTHER

SINGLE  
ZONE ☐

MULTIPLE  
ZONE ☐

2. NAME OF OPERATOR

Beach Exploration, Inc.

3. ADDRESS OF OPERATOR

800 N. Marienfield, Suite 200, Midland Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*

At surface

1650' FEL & 330' FNL of Section 1

At proposed prod. zone

Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

11 miles SW Eunice, NM

15. DISTANCE FROM PROPOSED\*

LOCATION TO NEAREST  
PROPERTY OR LEASE LINE, FT.  
(Also to nearest drlg. unit line, if any)

330' "B"

16. NO. OF ACRES IN LEASE

240

17. NO. OF ACRES ASSIGNED  
TO THIS WELL

40

18. DISTANCE FROM PROPOSED LOCATION\*

TO NEAREST WELL, DRILLING, COMPLETED,  
OR APPLIED FOR, ON THIS LEASE, FT.

None

19. PROPOSED DEPTH

4000

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

3500.8


22. APPROX. DATE WORK WILL START\*

10-15-82

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8 5/8"	23	325'	150 sxs
7 7/8"	4 1/2"	10.50#	3900'	300 sxs



OIL & GAS  
U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

*Linda Hooten*

TITLE Regulatory Agent

DATE 10-1-82

(This space for Federal or State office use)

(Orig. Sgd.) GEORGE H. STEWART

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions On Reverse Side