

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
P.O. Box 1980
Hobbs, NM 88241

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

ADAMS OIL & GAS

3. Address and Telephone No.

901 E. DALLAS KERMIT, TEXAS

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEC 17 T-23-S R-33-E 1980 FNL 660 FWL

5. Lease Designation and Serial No.

NMM 19450

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

FED #1

9. API Well No.

30025285790051

10. Field and Pool, or Exploratory Area

CRUZ DELAWARE

11. County or Parish, State

LEA, N.M.

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
☒ Notice of Intent	☒ Abandonment
☐ Subsequent Report	☐ Recompletion
☐ Final Abandonment Notice	☐ Plugging Back
	☐ Casing Repair
	☐ Altering Casing
	☐ Other
	☐ Change of Plans
	☐ New Construction
	☐ Non-Routine Fracturing
	☐ Water Shut-Off
	☐ Conversion to Injection
	☐ Dispose Water

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- 1) SET 5 1/2 C.I.B.P. AT 5050' CAP W/25 SACKS CEMENT TO COVER BASE OF SALT
- 2) LOAD HOLE W/MUD
- 3) SPOT 100' CEMENT PLUG AT 1300' TO COVER TOP OF SALT
- 4) SPOT 100' CEMENT PLUG AT 450' TO COVER 8 5/8 SHOE 50' IN 50' OUT
- 5) SPOT 20' SURFACE PLUG SET P.A. MARKER

RECEIVED
DEC 11 2 30 PM '96
BUREAU OF LAND MGMT
HOBBS, NM

I hereby certify that the foregoing is true and correct

Signed Raymond D. Maldonado

Title Supervisor

Date 12-11-96

(This space for Federal or State office use)

(ORIG. SGD.) ARMANDO A. LOPEZ

Approved by

Title PETROLEUM ENGINEER

Date 12/11/96

Conditions of approval, if any:

BEFORE

COMPANY ADAMS OIL & GAS

LEASE & WELL NO. FED #1

FORMATION

COUNTY & STATE LEA, N.M.

13 3/8 40' CIRCULATE



RAYMOND MALDONADO
SUPERVISOR, P & A OPERATIONS
BUS. (505)393-9171
FAX (505)393-3848
MOBILE (505)390-0540

8 5/8 400' CEMENT W/320 SACKS CIRCULATE

TOP SALT 1250'

PERFORATIONS 5105 - 5155

5 1/2 5300' CEMENT W/1025 SACKS CIRCULATE

CONVERSION FACTORS

MULTIPLY	By	TO OBTAIN
Barrels	5.6146	Cubic Feet
Cubic Feet	7.4806	Gallons
Gallons	0.1337	Cubic Feet
Pounds/gal.	7.4808	Pounds/Cu. Ft.

PIPE VOLUMES

0.00545 x I.D.² in inches = Cu. Ft./Ft.
0.0407 x I.D.² in inches = Gals./Ft.
0.00097 x I.D.² in inches = Bbls./Ft.

HYDROSTATIC PRESSURE

FOR WATER:
0.434 x Depth in Feet = PSI.
FOR OTHER FLUIDS:
0.434 x Depth x Sp. Gr. = PSI.

AFTER

COMPANY ADAMS OIL & GAS
LEASE & WELL NO. FED #1
FORMATION
COUNTY & STATE Lea, N.M.



RAYMOND MALDONADO
SUPERVISOR, P & A OPERATIONS
BUS. (505)393-9171
FAX (505)393-3848
MOBILE (505)390-0540

13 3/8 40' CIRCULATE

8 5/8 400' CEMENT W/320 SACKS CIRCULATE

Top Salt 1250'

PERFORATIONS 5195' - 5155

5 1/2 5300' CEMENT W/ 1025 SACKS CIRCULATE

CONVERSION FACTORS

MULTIPLY	By	TO OBTAIN
Barrels	5.6146	Cubic Feet
Cubic Feet	7.4806	Gallons
Gallons	0.1337	Cubic Feet
Pounds/gal.	7.4806	Pounds/Cu. Ft.

PIPE VOLUMES

0.00545 x I.D. in inches = Cu. Ft./Ft.
0.0407 x I.D. in inches = Gals./Ft.
0.00097 x I.D. in inches = Bbls./Ft.

HYDROSTATIC PRESSURE

FOR WATER:
0.434 x Depth in Feet = PSI.
FOR OTHER FLUIDS:
0.434 x Depth x Sp. Gr. = PSI.