

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil & Gas Division
P.O. Box 1980
Hobbs, NM 88241

FORM APPROVED
Budget Bureau No. 1004-0133
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Adams Oil & Gas

3. Address and Telephone No.

901 E. Dallas, Kermit Texas

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec. 17 T-23-S R-33-E

5. Lease Designation and Serial No.

NMNM 19450

6. If Indian, Allotment or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Fed #2

9. API Well No.

30025286670051

10. Field and Pool, or Exploratory Area

Cruz DeLaware

11. County or Parish, State

Lea, N.M.

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- (1) Set 5 1/2 CIBP at 5050' cap w/25 sacks of cement to cover base of salt
(2) Load hole with mud
(3) Spot 100' cement plug at 1300' to cover top of salt
(4) Spot 100' cement plug at 550' to cover 9 5/8 shoe 50' in 6 5/8" out
(5) Spot 20' Surface plug - Set P.A. marker

RECEIVED
DEC 11 2 30 PM '96
BUREAU OF LAND MANAGEMENT
HOBBS, NM

I hereby certify that the foregoing is true and correct

Signed Raymond Maldonado

Title Supervisor

Date 12-11-96

(This space for Federal or State office use)

Approved by (ORIG. SGD.) ARMANDO A. LOPEZ

Title PETROLEUM ENGINEER

Date _____

Conditions of approval, if any:

18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

BEFORE

COMPANY Adams Oil & Gas

LEASE & WELL NO. Fed #2

FORMATION

COUNTY & STATE Lea, N.M.

16' 40' Cir.



RAYMOND MALDONADO
SUPERVISOR, P & A OPERATIONS
BUS. (505)393-9171
FAX (505)393-3848
MOBILE (505)390-0540

9 5/8" 500' Cmt. w/250 sacks Cir.

Top Salt 1250'

Perforations 5124' - 5166'

5 1/2" 5300' Cmt. w/1025sxs Cir.

CONVERSION FACTORS

MULTIPLY	By	TO OBTAIN
Barrels	5.6146	Cubic Feet
Cubic Feet	7.4806	Gallons
Gallons	0.1337	Cubic Feet
Pounds/gal.	7.4806	Pounds/Cu. Ft.

PIPE VOLUMES

0.00545 x I.D. ² in inches = Cu. Ft./Ft.
0.0407 x I.D. ² in inches = Gals./Ft.
0.00097 x I.D. ² in inches = Bbls./Ft.

HYDROSTATIC PRESSURE

FOR WATER:
0.434 x Depth in Feet = PSI.
FOR OTHER FLUIDS:
0.434 x Depth x Sp. Gr. = PSI.

AFTER

COMPANY Adams Oil & Gas

LEASE & WELL NO. Fed #2

FORMATION

COUNTY & STATE Lea, N.M.

16" 40' Cir



RAYMOND MALDONADO
SUPERVISOR, P & A OPERATIONS
BUS. (505)393-9171
FAX (505)393-3848
MOBILE (505)390-0540

9 5/8 500' Cmt. w/250 sxs Cir.

Top Salt 1250'

Perforations 5124' - 5166'

5 1/2 5300' cmt. w/1025 sxs Cir.

CONVERSION FACTORS

MULTIPLY	By	TO OBTAIN
Barrels	5.6146	Cubic Feet
Cubic Feet	7.4808	Gallons
Gallons	0.1337	Cubic Feet
Pounds/gal.	7.4808	Pounds/Cu. Ft.

PIPE VOLUMES

0.00545 x I.D. ² in inches	= Cu. Ft./Ft.
0.0407 x I.D. ² in inches	= Gals./Ft.
0.00097 x I.D. ² in inches	= Bbls./Ft.

HYDROSTATIC PRESSURE

FOR WATER:	
0.434 x Depth in Feet	= PSI.
FOR OTHER FLUIDS:	
0.434 x Depth x Sp. Gr.	= PSI.