

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE  
(Other instructions  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. ☒ OIL WELL ☒ GAS WELL ☐ OTHER  
2. NAME OF OPERATOR  
TEXACO INC  
3. ADDRESS OF OPERATOR  
P.O. BOX 728; HOBBS, NEW MEXICO 88240  
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface  
UNIT LETTER K, 1980' FSL & 1980' FWL

5. LEASE DESIGNATION AND SERIAL NO.

LC-032104

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

A.H. BLUNE BRY FED. NCT-1

9. WELL NO.

42

10. FIELD AND POOL, OR WILDCAT

SOUTH BRUNSON DRINKARD ABO

11. SEC., T., R., M., OR B.L. AND  
SURVEY OR AREA

SECT 33, T-22S, R-38E

12. COUNTY OR PARISH

LEA

13. STATE

NEW MEXICO

14. PERMIT NO.

30-025-28823

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3366.6 K.B.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

ON JUNE 6, 1988. MIRU. POOL w/ PRODUCTION EQUIPMENT. PERFORATE SOUTH BRUNSON DRINKARD ABO POOL AT 6450'-57' 97'-98', 6528'-30', 51'-57', 61'-64', 68'-71', 84'-85', 90'-91', 6600'-04', 14', 27', 40', 58'-59', AND 6678'-79'. 2SPF, 44 FT, 88 SHOTS.

TIH w/ 5 1/2" RBP AND PKR ON 2 7/8 W.S. SET RBP @ 6720'. SET PKR @ 6300'. ACIDIZE SOUTH BRUNSON DRINKARD ABO PERFORATIONS 6450'-6679' w/ 5000 GALS 15% NEFE ACID AND 100 BALLSEALERS. SWAB LOAD BACK.

3. FRACTURE STIMULATE SOUTH BRUNSON DRINKARD ABO PERFORATIONS 6450'-6679' w/ 24,000 GALS 20% GELLED NEFE ACID w/ 24,000 GALS GELLED 40 LB PAD w/ 18,000 LBS 100 MESH SAND AND 60 BALLSEALERS. SI-OVERNIGHT.

1. FLOW WELL BACK. RELEASED PKR AND TOH. TIH AND RETRIEVED RBP. c/w well

2. TIH w/ PRODUCTION EQUIPMENT. PRODUCE WELL

ON JULY 6, 1988; 24 HR POTENTIAL TEST ENDING AT 8:30 A.M.

Pmp 26°/114 w/ 4154<sup>GOR</sup> GRAVITY 37.4°C 60°F, PRODUCING FROM SOUTH BRUNSON DRINKARD ABO 6450'-7311'

18. I hereby certify that the foregoing is true and correct

SIGNED

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

ACCEPTED FOR RECORD

Peter W. Chapter

JUL 20 1988

DATE

7/8/88

DATE

9 23 11 '88

RECEIVED

\*See Instructions on Reverse Side

CARLSBAD, NEW MEXICO