

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-195
Revised 1-1-99

WELL API NO.
30-025-28872

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
V-4986

7. Lease Name or Unit Agreement Name

Keller ATF State

8. Well No.

1

9. Pool name or Wildcat

Antelope Ridge Atoka

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

b. Type of Completion:
NEW WELL ☐ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIPP RESVR ☒ OTHER Re-entry

2. Name of Operator
YATES PETROLEUM CORPORATION (505) 743-1471

3. Address of Operator
105 South 4th St., Artesia, NM 88210

4. Well Location
Unit Letter G : 1750 Feet From The North Line and 1980 Feet From The East Line

Section 21 Township 23S Range 34E NMPM Lea County

10. Date Spudded Re-entry 9-19-2000 11. Date T.D. Reached 12-9-2000 12. Date Compl. (Ready to Prod.) 1-26-2001 13. Elevations (DF& RKB, RT, GR, etc.) 3486' GR 14. Elev. Casing Head

15. Total Depth 13993' 16. Plug Back T.D. 13772' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By Rotary Tools 0-13993' Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name 12652-12675' Atoka 20. Was Directional Survey Made No

21. Type Electric and Other Logs Run GR/CBL/CCL log 22. Was Well Cored No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"	94#	621'	26"	In place	
13-3/8"	68# & 72#	5110'	17-1/2"	In place	
9-5/8"	43# & 47#	12000'	12-1/4"	In place	
5-1/2"	23#	13990'	7-7/8"	790 sacks	

24. LINER RECORD				25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SIZE	DEPTH SET	PACKER SET
				2-3/8"	12474'	12484'

26. Perforation record (interval, size, and number)		27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
12652-12675' w/46 .41" holes		DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
		12652-12675'	Acidized with 2500 gallons 15% IC HCL acid and ball sealers

28. PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
4-21-01		Flowing				Producing	
Date of Test	Hours Tested	Choke Size	Prod'n Per Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
6-10-01	24	18/64"		6	895	0	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
235#	Packer		6	895	0	N/A	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold Test Witnessed By Frank Moreno

30. List Attachments
Log

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Rusty Klein Printed Name Rusty Klein Title Operations Tech. Date 9-27-2001

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southwestern New Mexico

T. Anhy	T. Canyon	12250'
T. Salt	T. Strawn	12436'
B. Salt	T. Atoka	
T. Yates	T. Miss	
T. 7 Rivers	T. Devonian	
T. Queen	T. Silurian	
T. Grayburg	T. Montoya	
T. San Andres	T. Simpson	
T. Glorieta	T. McKee	
T. Paddock	T. Ellenburger	
T. Blinberry	T. Gr. Wash	
T. Tubb	T. Delaware Sand	
T. Drinkard	T. Bone Springs	
T. Abo	T.	
T. Wolfcamp	T.	11666'
T. Penn	T.	
T. Cisco (Bough C)	T.	

Northwestern New Mexico

T. Ojo Alamo _____	T. Penn. "B" _____
T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Pictured Cliffs _____	T. Penn. "D" _____
T. Cliff House _____	T. Leadville _____
T. Menefee _____	T. Madison _____
T. Point Lookout _____	T. Elbert _____
T. Mancos _____	T. McCracken _____
T. Gallup _____	T. Ignacio Otzte _____
Base Greenhorn _____	T. Granite _____
T. Dakota _____	T. _____
T. Morrison _____	T. _____
T. Todilto _____	T. _____
T. Entrada _____	T. _____
T. Wingate _____	T. _____
T. Chinle _____	T. _____
T. Permain _____	T. _____
T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

..... IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO.

30-025-28872

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

V-4986

7. Lease Name or Unit Agreement Name:

Keller ATF State

7. Well No.

#1

8. Pool name or Wildcat

Antelope Ridge Morrow

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator

Yates Petroleum Corporation

3. Address of Operator

105 S. 4th Street Artesia, NM 88210

4. Well Location

Unit Letter **G** : **1750** feet from the **North** line and **1980** feet from the **East** line

Section **21**

Township **23S**

Range **34E**

NMPM

Lea

County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

3486' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☒

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: perforate, acidize ☒

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/16/00 - Move in and rig up pulling unit.

12/18-12/19/00 - TIH with 8-1/2" bit. Tag cement at liner top at 11,425'. TOH.

12/21/00 - TIH with 4-1/2" bit. Tag packer at 11,433'. Drill 5', fell through. Tag Cement at 13,772'.

12/22/00 - Run CBL. Shut down for holidays.

12/29/00 - 1/3/01 - TIH with packer set at 11,370'. Swab to test liner. SI for pressure buildup, no pressure.

1/4/01 - Perforate Atoka 12,652-12,675', 46 holes, .41" holes.

1/9/01 - Acidize perms 12,652-12,675' with 2500 gals 15% IC HCL + ball sealers. Swab.

1/11/01 - Rig down and move out pulling unit.

1/19/ - 1/24/01 - Rig up swab unit. Swab.

1/25/01 - Turn well over to production department.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Susan Herpin

TITLE

Engineering Technician

DATE **September 26, 2001**

Type or print name **Susan Herpin**

Telephone No. **505-748-1471**

(This space for State use)

APPROVED BY

TITLE

DATE

Conditions of approval, if any: