

WRS COMPLETION REPORT

COMPLETIONS

PI# 30-T-0007 06/05/89

SEC 33 TWP 22S RGE 38E
30-025-30283-0000

PAGE 1

NMEX

LEA

*

660FSL 1700FWL SEC

SE SW

STATE

COUNTY

FOOTAGE

TEXACO INC

OPERATOR

SPOT

D DO

1

FEDERAL (USA) "K"

WELL CLASS INIT FIN

WELL NO

3373KB 3358GR

OPER ELEV

BRUNSON S

FIELD POOL AREA

API 30-025-30283-0000

03/05/1989

04/14/1989 ROTARY

LEASE TYPE NO

PERMIT OR WELL ID NO

SPUD DATE

COMP DATE

TYPE TOOL

7500 ABO

BASIN

OIL

PROJ. DEPTH

PROJ FORM

CONTRACTOR PB 7400

RIG SUB 14

DTD 7459

FM/TD ABO

DRILLERS T.D.

LOG T.D.

PLUG BACK T.D.

OLD T.D.

FORM T.D.

LOCATION DESCRIPTION

8 MI SE EUNICE, NM

CASING/LINER DATA

CSG 11 3/4 @ 1355 W/ 2000 SACKS
CSG 5 1/2 @ 7459 W/ 2550 SACKS

TUBING DATA

TBG 2 7/8 AT 7344

INITIAL POTENTIAL

IPP 6BOPD 93 MCFD 60BW 24HRS
DRINKARD PERF W/ 100/IT 6500- 6657 GROSS
ABO PERF W/ 172/IT 6719- 7380 GROSS
GTY 40.0 GOR 15500
FIELD /RESERVOIR /ABO

COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	BLINEBRY		5726 -2353	
LOG	TUBB		6226 -2853	
LOG	DRINKARD		6445 -3072	
LOG	ABO		6709 -3336	
SUBSEA MEASUREMENTS FROM KB				

CONTINUED IC# 300257008088

Petroleum Information

Copyrighted 1989
Petroleum
Information Corporation

DB a company of
The Dun & Bradstreet Corporation

PI WRS GE
Form No 18

COMPLETIONS
PI# 30-T-0007 06/05/89 SEC 33 TWP 22S RGE 38E
30-025-30283-0000 PAGE 2

D DO

TEXACO INC
1

FEDERAL (USA) "K"

PRODUCTION TEST DATA

ABO PERF
PERF 7370- 7380
ACID 7370- 7380 3000GALS
15% NEFE
W/ 20/IT 7370- 7380

ABO PERF
PERF 6719- 6722 6796- 6799 6808- 6810 6835- 6839
PERF 6845- 6850 6852- 6854 6856- 6858 6864- 6868
PERF 6872- 6874 6889- 6891 6896- 6898 6902- 6902
PERF 6962- 6964 6992- 6992 7008- 7012 7029- 7034
PERF 7038- 7042 7050- 7052 7054- 7060 7084- 7086
PERF 7117- 7117
ACID 6719- 7117 11700GALS
15% NEFE
RBP @ 6700 6719- 7380

PTP 9BOPD
DRINKARD PERF
PERF 6500- 6502 288BW
PERF 6592- 6612 W/ 100/IT 6500- 6657 GROSS
ACID 6500- 6657 6515- 6517 6553- 6560 6568- 6570
15% NEFE 6628- 6634 6637- 6639 6655- 6657
SAFR 6500- 6657 5400GALS
24000GALS 18000LBS SAND ADDTVGELA

20%
PTP 1BO
DRINKARD PERF 55 MCFD 80BW 6500- 6657 GROSS 19HRS

PTP 17BOPD
DRINKARD PERF 162 MCFD 116BW 6500- 6657 GROSS 24HRS
FWTR
PLD RBP @ 6700

PTP 1BOPD
DRINKARD PERF 119 MCFD 225BW 6500- 6657 GROSS 24HRS
ABO PERF 6719- 7380 GROSS
COMMINGLED

PTP 6BOPD
DRINKARD PERF 60BW 6500- 6657 GROSS 24HRS
ABO PERF 6719- 7380 GROSS

CONTINUED

COMPLETIONS SEC 33 TWP 22S RGE 38E
 PI# 30-T-0007 06/05/89 30-025-30283-0000 PAGE 3

TEXACO INC
 1

FEDERAL (USA) "K"

D DO

PRODUCTION TEST DATA

GTY 40.1 GOR 15500
 COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 5000-	7458 GR	5000-	7458 DLL	5000-	7458 MSFL
LOGS 5000-	7458 SONL	5000-	7458 CAL	5000-	7459 CNL
LOGS 5000-	7459 FDC	5000-	7459 CAL	0-	7459 GR
LOGS 5000-	7400 GR	5000-	7400 CBL		

DRILLING PROGRESS DETAILS

TEXACO INC
 BOX 728
 HOBBS, NM 88240
 505-393-7191
 LOC/1988/
 02/12 MIRT
 03/03 DRLG 1355
 03/07 1355 TD, NU BOP
 03/10 DRLG 4573
 03/15 DRLG 7026
 03/22 7459 TD, WOCT
 03/29
 03/29 DEVIATION SURVEYS @ 293 (1/2 DEG), 744 (1/2 DEG)
 1233 (1/2 DEG), 1355 (3/4 DEG), 1799 (1 DEG),
 2423 (1/2 DEG), 2800 (1/2 DEG), 2990 (3/4 DEG),
 3073 (1 DEG), 3558 (1 DEG), 3976 (2 DEG), 4101
 (1 1/2 DEG), 4341 (2 DEG), 4436 (1 1/2 DEG),
 4530 (1 1/2 DEG), 4667 (1 1/2 DEG), 4814 (2 DEG)
 4968 (1 3/4 DEG), 5135 (1 3/4 DEG), 5374 (1 1/4
 DEG), 5573 (1 DEG), 5865 (1 DEG), 6240 (1 1/2
 DEG), 6708 (1 DEG), 7182 (1/2 DEG), 7450 (1/4
 DEG)
 04/05 7459 TD, PB 7400, PREP TREAT
 04/12 7459 TD, PB 7400, SWBG
 04/19 7459 TD, PB 7400, TOP
 04/26 7459 TD, PB 7400, TOP
 05/03 7459 TD, PB 7400, TOP
 05/10 7459 TD, PB 7400, TOP
 05/24 7459 TD, PB 7400, WOCT
 06/01 TD REACHED 03/23/89 RIG REL 03/27/89
 7459 TD, PB 7400

CONTINUED

COMPLETIONS SEC 33 TWP 22S RGE 38E
PI# 30-T-0007 06/05/89 30-025-30283-0000 PAGE 4

TEXACO INC
1

FEDERAL (USA) "K"

D DO

DRILLING PROGRESS DETAILS

COMP 4/14/89, IPP 6 BO, 93 MCFG, 60 BWPB,
GOR 15500, GTY 40
PROD ZONE - ABO 6500-7380
(COMMINGLED)
NO CORES OR DSTS RPTD