## MARCH 10, 1994

Zachary Oil Operating Company PO Box 1969 Eunice, New Mexico 88231-1969

Mr. Jerry Sexton Oil Conservation Division PO Box 1980 Hobbs, New Mexico 88241-1980

RE: Zachary Oil Operating Company Hinton #7 I 12-22S-37E 30-025-30607

Dear Jerry;

Due to mistakes I made on the Oil Conservation Division forms when I completed this well, I had it classified as a Wantz Granite Wash completion instead of a Brunson Drinkard Abo, South well. After conferring with you, I have completed the required forms to have the well changed to the Brunson Drinkard Abo, South pool. When we drilled the well, we drilled it to the Granite Wash and attempted to make a well in that zone. We perforated the Granite Wash from 7398' to 7556'-36 holes. We ran a packer and acidized perforations using ball injection and balls. After treatment, I swabbed the well dry, no shows of oil or gas. We then set a Halliburton cast iron retainer at 7390' with 10' of cement on top. Tested plug to 4,000# and held okay. Perforated the Abo section 7034'-7091'-7231'-7281'-7311' & 7339' and tested each section separately. Made a producing oil and gas well.

On behalf of Zachary Oil Operating Company and myself, I wish to apologize for the extra work and inconvenience I have caused by my mistakes. Thank you very much for your assistance.

Sincerely,

ay a Pierce Rav A.(Pierce

Production Superintendent

Rad ary 951 Operating Company 20 Fea 1969 Enuice, New Maxico - 88231-1967

Mr. farry Serton Oil Convergation Newision FO Fox 1980 Robis, New Mexico - 48241-1900 RE: Zachery Oil Operating Company Hinton 47 I 12-228-378

. ۱۹۰۹ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰ - ۲۰۰۰

36-025-30607

Seat Jerry:

Bet to distances I made on the Orl Conservation Division forms when i completed this welt. I had it classified as a shate Granite Wash translation instead of a browson Drinkerd Abo, South well. Also conferring with you, I have completed the required forms be reverties well changed to the Completed Drinkerd Abo, South pool.

When we drilled the well, we drilled it to the Granite Drob and with spied to make a well in that zone. We performed the Granite Wark from 7298 to 7556'-36 holes. We ran a packer and acidited out mations using ball injection and balls. After treatment, i cubbed the well dry, no shows of oil or gas. We then set a will builton cast from retaines at 7390' with 10' of dement on top. Tested ping to 4,000# and held okay. Perforated the Abo section 7024'-7091'-7231'-7351' & 7339' and tested each section separately. Made a producing oil and gas well.

(m helf of Zachery 011 Operating Company and myself, I wish to appli bize for the estra work and inconvenience I have caused by my mistaken. Wherk you very such for your assistance.

A to de parte

Pierc.

ery Litteres Production Superinterden: