O3/02/1990 03/27/1990 ROTARY VERT G SPUD DATE COMP DATE TINSLEY & SON 3 RIG SUB PROJ DEPTH PROJ FORM CONTRACTOR DTD 3525 PB 3440 FM/TD SVN 1 DTL 3525 PB 3440 FM/TD SVN 1 DRILLERS T.D. CONTRACTOR DTL SSEEDED TO THE PLUG BACK TD COLD T.D. FORM LOCATION DESCRIPTION 9 MI SW EUNICE, NM WELL IDENTIFICATION/CHANGES PROJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL IPF 436 MCFD 48/64CK 2 YATES PERF W/ 25/IT 3116- 3270 GROSS P/L CON SID RICHARDSON GOR DRY P/L CON SID RICHARDSON TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	AHOE ENERGY D ERATOR COCHISE COCHISE COCHISE COCHISE COCHISE COCHISE COCHISE COCHISE COCHISE COMPLEASE NAME CONTRACTOR CONPLEASE NO CONPLEASE NO CONTRACTOR CONPLEASE NO CONTRACTOR CONTRACTO
1 COCHISE WELL NO. LEASE NAME 3384KB 3374GR JALMAT OPER ELEV API 30-025-30812 O3/02/1990 03/27/1990 REASE NO. PERNI OF WELL ID NO. SPUD DATE COMP. DATE SPUD DATE COMP. DATE OS50 YATES TINSLEY & SON STOD DEPTH PROJ FORM DTD 3525 PROJ DEPTH FORM VOCATION DESCRIPTION PROJ DEPTH FORM UCCATION DESCRIPTION PROJ MI SW EUNICE, NM LOCATION DESCRIPTION WELL IDENTIFICATION/CHANGES PROJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL IPF 436 MCFD YATES GOR DRY YATES PERF W/ 25/IT 3116- 3270 GROSS GOR DRY GOR DRY YOF GOR DRY GYL (GAS)-NO DETAILS <t< td=""><td>COCHISE LEASE NAME 3384KB 3374GR JALMAT FIELD POOL AREA API 30-025-30812 COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE CONTRACTOR PLUE BACK TO CONTRACTOR PLUE BACK TO PLUE B</td></t<>	COCHISE LEASE NAME 3384KB 3374GR JALMAT FIELD POOL AREA API 30-025-30812 COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE COMP DATE CONTRACTOR PLUE BACK TO CONTRACTOR PLUE BACK TO PLUE B
3384KB 3374GR JALMAT OPER ELEV FIELD POOL AREA OPER ELEV API 30-025-30812 03/02/1990 03/27/1990 ROTARY VERT SPUD DATE COMP DATE SERVIT OR WELL LD. NO.STO SPUD DATE COMP DATE SERVIT OR WELL LD. NO.STO SPUD DATE COMP DATE SON 3 STOR DATE TINSLEY & SON 3 RIG SUB PROJ DEFTH PROJ FORM CONTRACTOR DID DTD 3525 PB 3440 FM/TD SVN I DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. PROJ DEFTH MELL IDENTIFICATION/CHANGES PROJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CSG 8 5/8 844 /250 SACKS CSG 4 1/2 3514 W/ 700 SACKS CSG 4 1/2 6 MCFD 48/64CK 2 YATES PERF W/ 25/IT 3116- 3270 GROSS TP 55 CP 65<	3384KB 3374GR JALMAT ER ELEV API 30-025-30812: 03/02/1990 03/27/1990 REAS 03/02/1990 IDENTIFICATION FM/TD MILER IDENTIFICATION/CHARGES REAS COJ FM G
API 30-025-30812 03/02/1990 03/27/1990 ROTARY VERT G SPUD DATE COMP DATE TYPE TOOL HOLE TYPE 3550 YATES TINSLEY & SON 3 RIG SUB PROJ DEPTH PROJ FORM CONTRACTOR DTD 3525 PB 3440 FM/TD SVN I DRILLERS T.D. LOCATION DESCRIPTION 9 MI SW EUNICE, NM WELL IDENTIFICATION/CHANGES PROJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL INITIAL POTENTIAL INITIAL POTENTIAL INITIAL POTENTIAL PF 436 MCFD YATES PERF W/ 25/IT 3116- 3270 GROSS P/L CON SID RICHARDSON GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	API 30-025-30812- D3/02/1990 03/27/1990 ROTARY VERT G, DD DATE COMP. DATE TYPE TOO. HOLE TYPE S550 YATES TINSLEY & SON 3 RIG SUB D) DEPTH PROJ FORM CONTRACTOR LOCATION DESCRIPTION MI SW EUNICE, NM WELL IDENTIFICATION/CHANGES CASING/LINER DATA CASING/LINER DATA CASING C
03/02/1990 03/27/1990 ROTARY VERT G. SPUD DATE COMP. DATE TYPE TOO. HOLE TYPE 3550 YATES TINSLEY & SON 3 RIG SUB PROJ. DEPTH PROJ. FORM DTD 3525 PB 3440 FM/TD SVN 1 DTD 3525 PB 3440 FM/TD SVN 1 DRILLERS T.D. TOT TO THE TOP PLUG BACK TD TO TO T.D. FORM LOCATION DESCRIPTION 9 MI SW EUNICE, NM WELL IDENTIFICATION/CHANGES PROJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL IPF 436 MCFD YATES PERF W/ 25/IT 3116- 3270 GROSS P/L CON SID RICHARDSON GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	13/02/1990 03/27/1990 ROTARY VERT G, 10 DATE COMP DATE TYPE TOOL HOLE TYPE TOOL HOLE TYPE TOOL TOOLE TYPE TOOLE TOOLE TO TOOLE TYPE TOOLE TOOLE TO TOOLE
PROJ DEPTH PROJ FORM CONTRACTOR DTD 3525 PB 3440 FM/TD SVN I DRILLERS T.D. IOG T.D. PLUG BACK TD OLD T.D. FORM LOCATION DESCRIPTION 9 MI SW EUNICE, NM WELL IDENTIFICATION/CHANGES PROJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL IPF 436 MCFD 48/64CK 2 YATES PERF W/ 25/IT 3116- 3270 GROSS P/L CON SID RICHARDSON GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	DD DEPTH SPROI FORM CONTRACTOR TD 3525 PB 3440 FM/TD SVN I LOCATION DESCRIPTION LOCATION DESCRIPTION MI SW EUNICE, NM WELL IDENTIFICATION/CHANGES COJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CASING/LINER D
9 MI SW EUNICE, NM WELL IDENTIFICATION/CHANGES PROJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL IPF 436 MCFD 48/64CK YATES PERF W/ 25/IT 3116- 3270 GROSS P/L CON SID RICHARDSON GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	LOCATION DESCRIPTION MI SW EUNICE, NM WELL IDENTIFICATION/CHANGES 30J FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CASING/LINER DATA CA
WELL IDENTIFICATION/CHANGES PROJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL IPF 436 MCFD 48/64CK 2 YATES PERF W/ 25/IT 3116- 3270 GROSS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	WELL IDENTIFICATION/CHANGES OJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA INITIAL POTENTIAL PT 436 MCFD CASING MCFD COR DRY 436 MCFD 436 MCFD 436 MCFD 436 MCFD 436 MCFD 436 MCFD 436 MCFD COR DRY 436 MCFD 436 MCFD 48/64CK 2 GOR DRY 436 MCFD 48/64CK 2 48/64CK 2 48/64CK 2 GOR DRY 436 MCFD 48/64CK 2 48/64CK
PROJ FM CHGD FROM YATES-SEVEN RIVERS CASING/LINER DATA CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL IPF 436 MCFD 48/64CK 2 YATES PERF W/ 25/IT 3116- 3270 GROSS P/L CON SID RICHARDSON GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA CASING/LINER DATA INITIAL POTENTIAL INITIAL POTENTIAL PE 436 MCFD 48/64CK 2 48/64CK 2 48/64CK 2 48/64CK 2 48/64CK 2 48/64CK 2 CON SID RICHARDSON Y (GAS) -NO DETAILS PE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB G RUSTLER 1315 2059 G TANSILL 2853 521 G YATES 3014 360 G SVN RVRS 3273 101 BSEA MEASUREMENTS FROM GR
CASING/LINER DATA CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL IPF 436 MCFD 48/64CK YATES PERF W/ 25/IT 3116- 3270 GROSS TP 55 CP 65 GOR DRY P/L CON SID RICHARDSON GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	CASING/LINER DATA GG 8 5/8 @ 384 W/ 250 SACKS GG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL F 436 MCFD 48/64CK 2 TES PERF W/ 25/IT 3116- 3270 GROSS 55 CP 65 GOR DRY L CON SID RICHARDSON Y (GAS) -NO DETAILS PE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB G RUSTLER 1315 2059 G TANSILL 2853 521 G YATES 3014 360 G SVN RVRS 3273 101 BSEA MEASUREMENTS FROM GR
CSG 8 5/8 @ 384 W/ 250 SACKS CSG 4 1/2 @ 3514 W/ 700 SACKS INITIAL POTENTIAL IPF 436 MCFD 48/64CK 2 YATES PERF W/ 25/IT 3116- 3270 GROSS TP 55 CP 65 GOR DRY P/L CON SID RICHARDSON GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	initial potential initial potential <t< td=""></t<>
INITIAL POTENTIAL IPF 436 MCFD 48/64CK 2 YATES PERF W/ 25/IT 3116- 3270 GROSS TP 55 CP 65 GOR DRY P/L CON SID RICHARDSON GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	INITIAL POTENTIAL F 436 MCFD 48/64CK 2 TES PERF W/ 25/IT 3116- 3270 GROSS 55 CP 65 GOR DRY L CON SID RICHARDSON Y (GAS)-NO DETAILS PE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB G RUSTLER 1315 2059 G TANSILL 2853 521 G YATES 3014 360 G SVN RVRS 3273 101 BSEA MEASUREMENTS FROM GR
IPF 436 MCFD 48/64CK 28/64CK YATES PERF W/ 25/IT 3116- 3270 GROSS TP 55 CP 65 GOR DRY P/L CON SID RICHARDSON GOR DRY GTY (GAS) - NO DETAILS BSE DEPTH/SUB LOG RUSTLER 1315 2059	F 436 MCFD 48/64CK 2 TES PERF W/ 25/IT 3116- 3270 GROSS 55 CP 65 GOR DRY L CON SID RICHARDSON Y (GAS)-NO DETAILS PE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB G RUSTLER 1315 2059 G TANSILL 2853 521 G YATES 3014 360 G SVN RVRS 3273 101 BSEA MEASUREMENTS FROM GR
YATES PERF W/ 25/IT 3116- 3270 GROSS TP 55 CP 65 GOR DRY P/L CON SID RICHARDSON GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	TESPERFW/25/IT3116-3270 GROSS55 CP65GOR DRYL CON SID RICHARDSONGOR DETAILSGOR DRYPEFORMATION LTH TOP DEPTH/SUBBSE DEPTH/SUBGRUSTLER13152059GTANSILL2853521GYATES3014360GSVN RVRS3273101BSEAMEASUREMENTS FROM GR
GOR DRY GTY (GAS)-NO DETAILS TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1315 2059	GOR DRY Y (GAS)-NO DETAILS PE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB G RUSTLER 1315 2059 G TANSILL 2853 521 G YATES 3014 360 G SVN RVRS 3273 101 BSEA MEASUREMENTS FROM GR
LOG RUSTLER 1315 2059	G RUSTLER 1315 2059 G TANSILL 2853 521 G YATES 3014 360 G SVN RVRS 3273 101 BSEA MEASUREMENTS FROM GR
LOG RUSTLER 1315 2059 LOG TANSILL 2853 521	G TANSILL 2853 521 G YATES 3014 360 G SVN RVRS 3273 101 BSEA MEASUREMENTS FROM GR
LOG YATËS 3014 360 LOG SVN RVRS 3273 101 SUBSEA MEASUREMENTS FROM GR	CONTINUED 1C# 3002570072

. .

-

-

The Dunk Bradstreet Corporation

 COMPLETIONS
 SEC
 12 TWP
 23S RGE
 36E

 P1#
 30-T-0023
 06/15/90
 30-025-30812-0000
 PAGE
 PAGE 2 D DG TAHOE ENERGY COCHISE PRODUCTION TEST DATA

 rir
 436
 MCFD
 48/64CK
 24HI

 YATES
 PERF
 W/
 25/IT
 3116 3270
 GROSS

 PERF
 3116,
 3119,
 3121,
 3125,
 3128,
 3140,
 3145,
 3154

 PERF
 3161,
 3171,
 3174,
 3192,
 3208,
 3211,
 3214,
 3217

 PERF
 3225,
 3227,
 3230,
 3250,
 3252,
 3255,
 3264,
 3270

 ACID
 3116 3270
 4000GALS
 15%
 HCL
 SWFR
 3116 3270
 500005
 24HRS SWFR 3116- 3270 50000GALS 95000LBS SAND 50000 LBS 20/40 45000 LBS 12/20 GOR DRY LOGS AND SURVEYS / INTERVAL, TYPE/ MICL SONL DLL LOGS DRILLING FROM TAHOE ENERGY 3909 W INDUSTRIAL MIDLAND, TX 79703 915-697-7938 LOC/1990/ DRLG 3401 3525 TD, PB 3440, WOCT 3525 TD, PB 3440, WOPT 3525 TD, PB 3440, WO STATE FORMS RIG REL 03/11/90 3525 TD, PB 3440 COMP 3/27/90, IPF 436 MCFGPD, 48/64 CHK, GOR DRY, GTY (NR), FTP 55, FCP 65 DRILLING PROGRESS DETAILS 02/26 03/08 03/15 03/29 04/12 06/14 FCP 65 PROD ZONE - YATES 3116-3270 NO CORES OR DSTS RPTD



DISTRICT | P.O. Box 1980, Hobbs, NM 88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section

erator					Lease				Weil No.	
TAHOE ENERGY, INC						COCHISE				1
Unit Letter Section Township					Range		·····	County	L	
F		12		23 South		36 East	NMPM	Lea		
tual Footage Loc	ation of We	11:	l	<u></u>				*		
2000	feet from		North	line and	1500		feet from	the West	line	
ound level Elev.			Formation		Pool				Dedicated Act	eage:
3373.5		Yates	Seven	Rivers	Jalmat	Tansill	Yates SR		160	Acres
		-		ct well by colored p well, outline each as				ig interest and i	oyalty).	
3. If more unitized	e than one ution, force- Yes	lease of diffe pooling, etc.	erent ownen .? No	ship is dedicated to t If answer is "yes" t	he well, have the	e interest of all o	wners been consol	idated by comm		
this form No allow	i if neccess: able will b	try	the well u	escriptions which has bil all interests have h interest, has been a	been consolidat	ed (by communiti			g, or otherwise)	
OF UDD1 a			TURING SOCI					l hereby ontained herei	OR CERTIF certify that n in true and ladge and belief	the informa complete to
		-2000'						ignature . <u>A</u> rinted Name K. A. F	elen i	m
77777	777	777,	777.	77	·			omition Preside Company		
15	00'	0		2				Tahoe E Date	lnergy, I	nc.
/				1		 - 		9-22-90 SURVEY	OR CERTI	FICATIO
		G GAS C Existing G			FROF	Epsing a		on this plat w sctual surveys supervison, an	y that the wel nas plotted fro made by m id that the so is best of my	m field not e or unde me is true
				/				Date Surveyed Feb Signature & Se Professional Se	ruary 14,	1990
		 						Line ha		Wir
		L	• . · · · · · · · · · · · · · · · · · ·	<u>I</u>				/	RONALD J EI	DSON,

R-9136