

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department
OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240
DISTRICT II
P.O. Drawer Dd, Artesia, NM 88210
DISTRICT III
1000 Rio Brazos Rd., Aztec, Nm 87410

API NO. (assigned by OCD on New Wells)	
30-025-31582	
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No. N/A	
7. Lease Name or Unit Agreement Name ARROWHEAD GRAYBURG UNIT	
8. Well No. 213	
9. Pool name or Wildcat ARROWHEAD/GB	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator CHEVRON U.S.A. INC.	
3. Address of Operator P.O. BOX 1150 MIDLAND, TX 79702 ATTN: P.R. MATTHEWS	
4. Well Location Unit Letter <u>N</u> : <u>370</u> Feet From The <u>SOUTH</u> Line and <u>1880</u> Feet From The <u>WEST</u> Line Section <u>7</u> Township <u>22S</u> Range <u>37E</u> NMPM <u>LEA</u> County	
10. Elevation(Show whether DF, RKB, RT, GR, etc.) 3428 GE	

11 Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CMT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <u>DRILLING SUMMARY</u> <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations(Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MIRU ROD-RIC #4 ON 6-22-92, SPUD 12.25" HOLE AND DRILL TO 1065'.
RUN 8 5/8" CASING FROM 0'- 1065'. PUMP 750 SXS. CMT AND CIRCULATE 178 SXS. TO SURFACE.
WAIT ON CEMENT FOR 12 HOURS, DRILL OUT FLOAT AND SHOE.
DRILL TO TD AT 3868. WITH 7 7/8" BIT.
LOG HOLE: GGR-DDL-MSLF-CAL-MLL.
RUN 5 1/2" CASING FROM SURFACE TO 3868'.
PUMP 700 SXS. CMT AND CIRCULATE 75 SXS. TO SURFACE.
INSTALL WELLHEAD AND TEST TO 3000#-OK.
RELEASE RIG AT 04:30 HRS. ON 6-28-92.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE <u>P.R. Matthews</u>	TITLE <u>TECH. ASSISTANT</u>	DATE <u>6-30-92</u>
TYPE OR PRINT NAME <u>P.R. MATTHEWS</u>		TELEPHONE NO. <u>(915)687-7812</u>
APPROVED BY <u>ORIGINAL SIGNED BY JERRY SEXTON</u>		DATE <u>JUL 06 '92</u>
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED

JUL 02 1992

IN HOUSE OFF