to Appropriate

State of New Mexico

Submit 3 Copies Form C-103 Energy, Minerals and Natural Resources Department Revised 1-1-89 District Office DISTRICT I P.O. Box 1980, Hobbs, NM 88240 OIL CONSERVATION DIVISION WELL API NO. P.O. Box 2088 30-025-31929 **DISTRICT II** Santa Fe, New Mexico 87504-2088 P.O. Drawer DD, Artesia, NM 88210 5. Indicate Type of Lease STATE X FEE L DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 6. State Oil & Gas Lease No. V-3925 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 7. Lease Name or Unit Agreement Name DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) TRISTE DRAW " 36 " STATE 1. Type of Well: OEL WELL X WELL 2. Name of Operator 8. Well No. MERIDIAN OIL INC. Address of Operator 9. Pool name or Wildcat P.O. Box 51810, Midland, TX 79710-1810 TRISTE DRAW DELAWARE Well Location Unit Letter E : 1980 Feet From The N 510 Feet From The W _____ Line and ___ Section 36 Township 23S ship 23S Range 32E 10. Elevation (Show whether DF, RKB, RT, GR, etc.) NMPM LEA County 3682' GR Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data 11. NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK **ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS** COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT **PULL OR ALTER CASING** CASING TEST AND CEMENT JOB OTHER: OTHER: SET INTERMEDIATE CASING 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. DRILLED A 12 1/4" HOLE TO 4867'. RAN //7 JTS 8 5/8" 28#/32" K-55 CASING. SET AT 4867'. USED TWELVE (12) CENTRALIZERS. CEMENTED W/: 1 STAGE: 365 SXS " LITE, 15 PPS SALT, 1/4 PPS FLOCELLE, TAIL: 200 SXS NEAT. 2ND STAGE: 2300 SXS " " LITE, 15 PPS SALT, 1/4 PPS FLOCELLE, TAIL: W/100 SXS PREMIUM PLUS, 2% CACI2. BUMPED PLUG TO 150 PSI FOR 30 MINUTES. OKAY. WOC 29,2 HRS. I hereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE PRODUCTION ASSISTANT TYPE OR PRINT NAME DONNA WILLIAMS TELEPHONE NO. 915-688-6943 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON

DATESEP 07 1993

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY -

DISTRICT I SUPERVISOR

FINED

SED 0 7 1993

OFFICE

Submit 3 Copies to Appropriate District Office

Type of Well: WELL X

2. Name of Operator

4. Well Location

MERIDIAN OIL INC. 3. Address of Operator

Section 36

work) SEE RULE 1103.

State of New Mexico

DISTRICT I	
P.O. Box 1980, Hobbs, NM	88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

WELL T

OIL CONSERVATION DIVISION

Form C-103 Energy, Minerals and Natural Resources Department Revised 1-1-89 WELL API NO. P.O. Box 2088 30-025-31929 Santa Fe, New Mexico 87504-2088 5. Indicate Type of Lease STATE FEE 6. State Oil & Gas Lease No. V-3925 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 7. Lease Name or Unit Agreement Name DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) TRISTE DRAW " 36 " STATE 8. Well No. 9. Pool name or Wildcat P.O. Box 51810, Midland, TX 79710-1810 TRISTE DRAW DELAWARE Unit Letter E : 1980 Feet From The N 510 Feet From The W _____ Line and _ Line Township 23S ship 23S Range 32E 10. Elevation (Show whether DF, RKB, RT, GR, etc.) NMPM LEA County 3682' GR SUBSEQUENT REPORT OF:

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data 11. NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK **ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS** COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT **PULL OR ALTER CASING** CASING TEST AND CEMENT JOB OTHER: OTHER: SET SURFACE CSG 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed

5/12/93: SPUD - DRILLED A 17 1/2" HOLE TO 652'. RAN 15 JTS OF 13 3/8" H-40 48# CASING. SET @ 652'. USED THREE (3) CENTRALIZERS. CEMENTED W/700 SXS CLASS "C" LITE, 2% KCL, 1/4 PPS CELLOSEAL. CIRC 200 SXS TO PIT. BUMPED PLUG TO 750 PSI FOR 30 MINUTES. OKAY. WOC 18 HOURS.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE PRODUCTION ASSISTANT TYPE OR PRINT NAME DONNA WILLIAMS TELEPHONE NO. 915-688-6943 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON

DISTRICT I SUPERVISOR

TITLE

SEP 07 1993

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY-

RECEIVED

SEP 0 7 1993

Office