

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-32334
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Lease Name or Unit Agreement Name Snakeweed 31 State
2. Name of Operator Parker & Parsley Development L.P.	8. Well No. 1
3. Address of Operator P.O. Box 3178, Midland, TX 79702	9. Pool name or Wildcat Wildcat Delaware
4. Well Location Unit Letter H : 660 Feet From The East Line and 1980 Feet From The North Line Section 31 Township 23-S Range 33-E NMPM Lea County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3680.5' GL	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: Plug back and recomplete <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Propose plugging Brushy Canyon perfs and recompleting in the Bell Canyon.
See Wellbore schematic attached.

Set CIBP @ 8800', capped with 35' of cement
Set CIBP @ 5300', capped with 35' of cement
Perforate the Bell Canyon at 5114', 16', 19', 39', 43' 47', 55', 60', 1 JSPF.
Acidize with 1500 gals 15% HCL and test.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. Michael Reeves TITLE Sr. Operations Engineer DATE 10/7/96
TYPE OR PRINT NAME J. Michael Reeves TELEPHONE NO. 915/571-1240

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:



Parker & Parsley
Development L P

SNAKEWEED 31 STATE # 1

API No. 30-025-32334
PROPERTY No.

SNAKEWEED 31 STATE # 1

660' FEL & 1980' FNL
Unit H, SEC. 31, T-23-S, R-33-E
WILDCAT (DELAWARE)
LEA Co., N.M.

DRILLING CONTRACTOR: NABORS Rig # 347

SPUD: 10:00 PM, 12/18/93.

RR @ 6:00 AM, 1/8/94.

RKB: 3697'

GL: 3680.5'

COMPLETED: 11/06/93.

GL-RKB: 16.5'

BHT 126 °

Proposed Perfs:

5114', 16', 19'.

5139', 43', 47', 55', 60'.

Current Wellbore Diagram

