

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

New Mexico Oil Conservation Division, District 7
1625 N. French Drive
Hobbs, NM 88240

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
EOG Resources Inc.

3a. Address
P.O. Box 2267 Midland, Texas 79702

3b. Phone No. (include area code)
915 686 3689

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 34, T-23-S, R-34-E

32 1980/84 2310/E

5. Lease Serial No.

MM62225

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or N

8. Well Name and No.

Diamond 34 Fed

9. API Well No.

31-625-32879

10. Field and Pool, or Exploratory Area
Undes Triste Draw (BS)

11. County or Parish, State

Lea

NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- | | | | |
|---|---|--|---|
| <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete | <input type="checkbox"/> Other |
| <input type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon | |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input checked="" type="checkbox"/> Water Disposal | |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

1. Water is produced from the Delaware formation.

2. The wells make approximately 25 bbls per day.

3. Water analysis is attached.

4. Water is stored in a 500 bbl fiberglass tank.

5. Water is transported to disposal by transfer pump to SWD.

6. Water is disposed of at the Triste Draw 36-1 well located 1980' ENL & 510' FWL Unit E
Sec 36, T-23-S, R-32-E, Lea County. Permit Number SWD-608.

SEE ATTACHED FOR
CONDITIONS OF APPROVAL

SUBJECT TO
LIKE APPROVAL
BY STATE

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Stan Wagner

Title

Reg Analyst

Date 6/17/02

APPROVED
JUL 2 2002
GARY GOURLEY
PETROLEUM ENGINEER

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GWTW

Water Production & Disposal Information

In order to process your disposal request, the following information must be

Completed: **Diamondtail 34-1**

1. Name of formations producing water on the lease. Delaware
2. Amount of water produced from all formations in barrels per day. 25 BPD
3. Attached a current water analysis of produced water from all zones showing at least the total dissolved solids, ph, and the concentrations of chlorides and Sulfates. (one sample will suffice if the water is commingled)
4. How water is stored on the lease. 500 BBL Fiberglass Tank
5. How water is moved is moved to the disposal facility. Transfer Pump
6. Identify the Disposal Facility by:
 - A. Facility operators name EOG Resources, Inc.
 - B. Name of facility or well name & number. Triste Draw 36-1
 - C. Type of facility or well (WDW) (WIW) etc. WDW
 - D. Location by 1 ¼ 1 ¼ Section 36 Township 23S Range 32E
1980' FNL & 510' FWL in Unit E
7. Attach a copy of the State issued permit for the Disposal Facility.

Submit to this office, 414 West Taylor, Hobbs, NM 88240, the above required information on a Sundry Notice 3160-5. Submit 1 original and 5 copies, within the required time frame. (This form may be used as an attachment to the Sundry Notice,) call me at 505-393-3612 if you need to further discuss this matter.



Bio Tech, Inc.

Water Analysis Form

Operator : EnronDate : 12/01Lease : Diamond Tail 34County : LeaWellid : Fed #1State : NMBio Tech Dist : West TexasRequested By : T. Ratliff

Lab Measurements

Oxygen	<u>1.0</u>	<u>mg/L</u>	Specific Gravity	<u>1.1800</u>
Carbon Dioxide	<u>1,860</u>	<u>mg/L</u>	Total Dissolved	
Bicarbonate	<u>25</u>	<u>mg/L</u>	Solids (TDS) Calc.	<u>158,284</u> <u>mg/L</u>
Hydrogen Sulfide	<u>1.0</u>	<u>mg/L</u>	Barium	<u>0</u> <u>mg/L</u>
pH	<u>5.0</u>		Sulfate	<u>1,117</u> <u>mg/L</u>
Temperature	<u>66</u>	<u>°F</u>	Chloride	<u>98,900</u> <u>mg/L</u>
Iron	<u>5.20</u>	<u>mg/L</u>	Total Hardness	<u>60,400</u> <u>mg/L</u>
Oil in Water	<u>n/a</u>	<u>mg/L</u>	Calcium Hardness	<u>42,700</u> <u>mg/L</u>

Cations (+)	mg/L	mEq/L	Anions (-)	mg/L	mEq/L
Barium (Ba)	<u>0</u>	<u>0.00</u>	Carbonate (CO ₃)	<u>0</u>	<u>0.00</u>
Calcium (Ca)	<u>17,080</u>	<u>854.00</u>	Bicarbonate (HCO ₃)	<u>25</u>	<u>0.41</u>
Magnesium (Mg)	<u>4,317</u>	<u>353.86</u>	Chloride (Cl)	<u>98,900</u>	<u>2785.92</u>
Sodium (Na) Calc.	<u>36,840</u>	<u>1601.74</u>	Sulfate (SO ₄)	<u>1,117</u>	<u>23.27</u>
Iron (Fe) Total	<u>5.20</u>	<u>0.19</u>			

Probable Scale Composition

Compound	mEq/L	mg/L	Scale Formation Potential @ 70°F
Barium Sulfate	<u>0.00</u>	<u>0</u>	Scale Formation Potential Exists
Calcium Carbonate	<u>0.41</u>	<u>33</u>	
Calcium Sulfate	<u>23.27</u>	<u>1,584</u>	

NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION

Artesia

WELL FILE

ADMINISTRATIVE ORDER SWD-608

**APPLICATION OF MERIDIAN OIL COMPANY FOR SALT WATER DISPOSAL,
LEA COUNTY, NEW MEXICO.****ADMINISTRATIVE ORDER
OF THE OIL CONSERVATION DIVISION**

Under the provisions of Rule 701(B), Meridian Oil Company made application to the New Mexico Oil Conservation Division on October 10, 1995, for permission to complete for salt water disposal its Triste Draw "36" State Well No.1 located 1980 feet from the North line and 510 feet from the West line in Unit E of Section 36, Township 23 South, Range 32 East, NMPM, Lea County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

- (1) The application has been duly filed under the provisions of Rule 701(B) of the Division Rules and Regulations.
- (2) Satisfactory information has been provided that all offset operators and surface owners have been duly notified; and
- (3) The applicant has presented satisfactory evidence that all requirements prescribed in Rule 701 will be met.
- (4) No objections have been received within the waiting period prescribed by said rule.

IT IS THEREFORE ORDERED THAT:

- (1) The applicant herein, Meridian Oil Company is hereby authorized to complete its Triste Draw "36" State Well No.1 located 1980 feet from the North line and 510 feet from the West line in Unit E of Section 36, Township 23 South, Range 32 East, NMPM, Lea County, New Mexico, in such a manner as to permit the injection of salt water for disposal purposes into the Bell Canyon formation at approximately 5364 feet to approximately 6138 feet through 2 7/8 inch plastic lined tubing set in a packer located at approximately 5300 feet.

Administrative Order SWD-608
Meridian Oil Company
October 31, 1995
Page 2

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing, or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to no more than 1073 psi.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Bell Canyon formation. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of disposal equipment and of the mechanical integrity test so that the same may be inspected and witnessed.


The operator shall immediately notify the supervisor of the Hobbs district office of the Division of the failure of the tubing, casing, or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.

PROVIDED FURTHER THAT, jurisdiction of this cause is hereby retained by the Division for the entry of such further order or orders as may be deemed necessary or convenient for the prevention of waste and/or protection of correlative rights; upon failure of the operator to conduct operations in a manner which will ensure the protection of fresh water or in a manner inconsistent with the requirements set forth in this order, the Division may, after notice and hearing, terminate the injection authority granted herein.

Administrative Order SWD-608
Meridian Oil Company
October 31, 1995
Page 3

The operator shall submit monthly reports of the disposal operations in accordance with Rule 706 and 1120 of the Division Rules and Regulations.

Approved at Santa Fe, New Mexico, on this 31st day of October, 1995



WILLIAM J. LEMAY, Director

xc: Oil Conservation Division - Hobbs
State Land Office - Oil & Gas Division

WJL/BES