Submit to Appropriate District Office State Lease-6 copies Fee Lease-5 copies		e of New Mexicals and Natur.		urces	<u> </u>			
DISTRICT I 1625 N. French Dr., Hobbs, NM 88240							Form C-105	
DISTRICT II					WELL API NO		Revised March 25, 1999	
811 South First, Artesia, NM 88210 OIL CONSERVATION DIVISION						30-025-35134		
DISTRICT III		2040 South Pacheco			5. Indicate Type of Lease			
1000 Rio Brazos Rd., Aztec, NM 87410 <u>DISTRICT IV</u>	Sant	a Fe, NM 875	005		6. State Oil & 0			
2040 South Pacheco, Santa Fe, NM 87505					o. olate on a c	343 2.0450 110.		
	ON OR RECOMPLETIC	N REPORT A	AND L	ЭG				
1a. Type of Well:	[read				7. Lease Name	or Unit Agreement	t Name	
OIL WELL GAS W		OTHER	_			А	B Baker	
New Well Workover	Deepen Plug Ba	ck 🛄 Diff.	Resvr.	Other				
2. Name of Operator Apache Corporation					8. Well No.	7		
3. Address of Operator					9. Pool name of			
2000 Post Oak Blvd., Ste. 100, I 4. Well Location	Houston, Texas 77056-4	400 / 713-296	-6000		Penrose S	Skelly; Gray	/burg	
4. Well Location Unit Letter P :	727 Feet From The	South	Line and	827	Feet From The	Eas	St Line	
Section 10 Town			37E	NMP	-	County		
10. Date Spudded 11. Date T.D. Reached 10/5/00 10/10/0	-		13. Elevati	ous (DF& RKB, RT, GF	R, etc.)	14. Elev. Casingh	ead	
16. Fing Back T.D				3380' 18. Intervals	GR Rotary Tools		Cable Tools	
4305 42	220 Many Zones?			Drilled By		X		
Grayburg 3612 - 3690	San Andres 3742 - 421	3				20. Was Direction NO	al Survey Made	
21. Type Electric and Other Logs Run GR-CNL / GR-AZL					22. Was Well C			
23.		—			_l	NO		
CASING SIZE WEIGHT LB.		ECORD (Rer HOLE SI						
8-5/8 24#	1138	12-1/4			NTING RECO		AMOUNT PULLED	
5-1/2 17#	4305	7-7/8						
			······					
	INER RECORD		25.			UBING REC	ORD	
	OTTOM SACKS CEMENT	SCREEN		size 2-7/8		<u>гн set</u> 587	PACKER SET	
	· · · · · · · · · · · · · · · · · · ·	1		<u> </u>	1	507	·	
26. Perforation record (interval, size, and	number)			D, SHOT, FRAC	TURE, CEME			
Grayburg 3612-15, 34-38, 41-45, 60-70,	. 84-90 - 4" - 113 Holes		DEPTH INTERVAL 3612 - 3690		AMOUNT AND KIND MATERIAL USED Acidize w/ 2000 gals 15% HCL			
				012-3030	Actuize w/ 2	000 gais 15 %		
RBP @ 3710' (Pending Downhole Com	nningle Application)				_			
San Andres 3742-48, 54-64, 3800-14, 48	8-52, 55-57, 60-64, 72-77,		3742 - 4213		Acidize w/ 5000 gals 15% HCL			
88-90, 92-94, 97-3900, 06-09, 28-36, 44-					TICICIZE W/ J	000 gais 15 /	IICL .	
96-4010, 84-88, 4113-19, 30-33, 36-42, 5	54-64, 4204-13 - 4" - 283 H	loles						
28.		PRODUCT						
Date First Production	Production Metho	od (Flowing, gas lift, pr		e and type pump)		Well Statu	is (Prod. or Shut-in)	
11/9/00 Date of Test Hours Tested	Pu	mping - 1.5" I	Rod Ins	ert			Producing	
11/21/00 24	i I	In For Oi Period	а-вы. 6	Gas - MCF 48	Water - Bbl		Gas - Oil Ratio 8000	
Flow Tubing Press. Casing Pressure	Calculated 24- Oil - Bbl. Hour Rate	Gas - MC		Water - Bbl.		Oil	Gravity - API - (Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.	-				······	Tes	35.6 t Witnessed By	
Sold 30. List Attachments					Apache C	orporation		
Logs, Deviation Report, C-104	()							
31. I hereby certify that the information shown on bot	th sides of this form is true and complete	to the best of my know! Printed	edge and be	lief		· · · · · ·		
Signature VCDA	finderson	Nune Deb	ra J. Ai	nderson	Tide Sr. E	Engineering	Technician Date 11/22/00	
TIAN)							

INSTRUCTIONS

This form is to filed with the appropriate District Office of the Division Office not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

T. Anhy		New Mexico)		NOITHWEStern	New Mexico	
		T. Canyon		T. Ojo Alamo		T. Penn. "B"	
T. Salt		T. Strawn		T. Kirtland-Fruit	tland	T. Penn. "C"	
B. Salt		T. Atoka		T. Pictured Cliff	s	T. Penn. "D"	
T. Yates	2496	T. Miss		T. Cliff House		T. Leadville	
T. 7 Rivers		T. Devonian		T. Menefee		T. Madison	<u></u>
T. Queen	3282	T. Silurian		T. Point Lookou	it	T. Elbert	
T. Grayburg	3568	T. Montoya		T. Mancos		T. McCracken	
T. San Andres	3881	T. Simpson		T. Gallup		T. Ignacio Otzte	
T. Glorieta		T. McKee		Base Greenhorn		T. Granite	
T. Paddock	· _ ·	T. Ellenburg	·····	T. Dakota		_T	
T. Blinebry		T. Gr. Wash		T. Morrison	*	_T.	<u>. </u>
T. Tubb		T. Delawa		T. Todilto		_T	
T. Drinkard	,	T. Bone Spri	-	T. Entrada		T'	
T. Abo		T. Rustler	109	0 T. Wingate		T.	
T. Wolfcamp		Т		T. Chinle		T	
T. Penn		Т			•	_T	
T. Cisco (Bough C)		Т.		T. Penn "A"		_T.	
			OIL OR GAS SAI				
No. 1, from			No. 3, froi	n		to	
No. 2, from		to	No. 4, fror IMPORTANT W			to	
Include data on rate of ¹ No. 1, from					feet		
Include data on rate of No. 1, from			totototo	h additional sh	feet		
No. 1, from No. 2, from No. 3, from	I Thickness in	LITHOLOG	to to Y RECORD (Attac	h additional sh	feet	T	
No. 1, from No. 2, from	1		to to Y RECORD (Attac		feet		