J Corm 3160-3 (July 1992)						
		NITED STATES	625 N. French	ICTIONS ON		hu
	DEPARIM	NITED STATES ENT OF THE IN	iobbs, NM 88	Jde)	OMB N( Expires: Fe	D. 1004-0136 bruary 28, 1995
	BUREAU	OF LAND MANAGE			5. LEASE DESIGNAT	ION AND BERIAL N
AP	PLICATION FOF	PERMIT TO D			NM-62223	
1a. TYPE OF WORK				<u>=N</u>	6. IF INDIAN, ALLOT	TES OR TRIBE NAI
b. TYPE OF WELL	DRILL	DEEPEN			7. UNIT AGREEMENT	E NAMB
2. NAME OF OPERATO	OAS WELL OTHER		SINGLE M	ULTIPLE	8	
	STRIES, INC.			שאנ	8. FARM OR LEASE NAME, SHARBRO FED	
3. ADDRESS AND TELEPHON	S NO.				9. API WELL NO.	
4. LOCATION OF WELL	40, Artesia, NM	88211-0840	(505)748-4274		30-025 -	35154
990 <del>660</del> FNL &	(Report location clearly)	and in accordance with a	ny State requirements.*)		LIVINGSTON H	Idge
At proposed prod.		JNIT LETTER D	÷		II. BEC., T., E., M., OF AND BURVEY OF	
SAME	ES AND DIRECTION FROM N				SEC. 7-T23S-	
39-MILES	WEST AND NORTH C	LIEEST TOWN OR POST OF F .1Δ1 NM	FICE		12. COUNTY OR PARIS	
15. DISTANCE FROM PR LOCATION TO NEAR	OPUSED*		NO. OF ACRES IN LEASE		LEA	NM
13. DISTANCE FROM TH	irig. unit line, if any)		617.2		ACRES ASSIGNED	
TO NEAREST WELL, OR APPLIED FOR, ON		19.	PROPOSED DEPTH 8600 1	20. ROTAR	OR CABLE TOOLS	
	whether DF, RT, GR, etc.)	<b>I</b>				
GL 35 <b>U</b>			·····		22. APPROX. DATE WO 30-DAYS	EK WILL START
		PROPOSED CASING A	ND CEMENTING PROGR	RAM		
173"	GRADE SIZE OF CASING	WEIGHT PER FOOT 48# H-40	SETTING DEPTH		QUANTITY OF CEMEN	T
124"	8-5/8"	<u>48# H-40</u> 32# J-55	<u>860 38</u> 4600 '	500-SXS		
7-7/8"	5-1/2"	17# K-55	8600'	900-SXS	S(CIRCULATE) (TIE BACK TO	
MYCO INDUSTRIES APPROXIMATELY 8 CIRC. IF COMMERC		CASTNO UTLE D	ATTACKINATELT	4000° UF	INTERMEDIATE	W/CMT
THE WELL WILL BE ELECTRICITY IS A	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM	CASING WILL BE STIMULATED AS PRODUCTION.	E RUN AND CMT. NEEDED FOR PRO	4800° OF TIED BACK DUCTION.	INTERMEDIATE TO THE INTER A 640-PUMPING	W/CMT. RMEDIATE. G UNIT WIT
THE WELL WILL BE ELECTRICITY IS A A FIELD SURVEY F AREA AND A COPY	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU	CASING WILL BE STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED B	E RUN AND CMT. NEEDED FOR PRO	TIED BACK DUCTION. THERE ARE BEST, AUBU	INTERMEDIATE ( TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY	W/CMT. RMEDIATE. G UNIT WIT MICKENS IN G IS ATTACH
THE WELL WILL BE ELECTRICITY IS A A FIELD SURVEY F AREA AND A COPY	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU	CASING WILL BE STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED B	E RUN AND CMT. NEEDED FOR PRO	TIED BACK DUCTION. THERE ARE BEST, AUBU	INTERMEDIATE ( TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY	W/CMT. RMEDIATE. G UNIT WIT HICKENS IN G IS ATTAC
THE WELL WILL BI ELECTRICITY IS A A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU MPTION TO PRAIRIN	CASING WILL BE STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED E E CHICKEN STIPS	E RUN AND CMT. NEEDED FOR PRO TERMINED THAT Y DR. TROY L. F FOR DRILLING,	TIED BACK DUCTION. THERE ARE BEST, AUBU	INTERMEDIATE ( TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY	W/CMT. RMEDIATE. G UNIT WIT MICKENS IN G IS ATTACH
THE WELL WILL BI ELECTRICITY IS A A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU MPTION TO PRAIRIN	CASING WILL BE STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED E E CHICKEN STIPS S DRILLING STIP	E RUN AND CMT. NEEDED FOR PRO TERMINED THAT Y DR. TROY L. F FOR DRILLING,	4600 OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO	INTERMEDIATE ( TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY	W/CMT. RMEDIATE. G UNIT WIT MICKENS IN G IS ATTACH
THE WELL WILL BI ELECTRICITY IS A A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU MPTION TO PRAIRIN IPTION TO THE H23 OPER. OGRIE	CASING WILL BI STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED B E CHICKEN STIPS S DRILLING STIP NO. /5445	TERMINED THAT Y DR. TROY L. F FOR DRILLING, S.	4600 OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO	INTERMEDIATE ( TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE . SUBJECT TO	W/CMT. RMEDIATE. G UNIT WIT MICKENS IN G IS ATTACH
THE WELL WILL BI ELECTRICITY IS A A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRID PROPERTY N POOL CODE	CASING WILL BE STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED E E CHICKEN STIPS S DRILLING STIP NO. <u>/5445</u> O. <u>(734</u> ) A 614 9	E RUN AND CMT. NEEDED FOR PRO TERMINED THAT Y DR. TROY L. H FOR DRILLING, S.	4000 OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETION APPROVAL GENERAL	INTERMEDIATE ( TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE . SUBJECT TO	W/CMT. RMEDIATE. G UNIT WIT HICKENS IN IS ATTACH R PURPOSES
CIRC. IF COMMER( THE WELL WILL BI ELECTRICITY IS / A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM ** REQUEST EXEM	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRIE PROPERTY N POOL CODE 1 EFF. DATE 9-	CASING WILL BI STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED B E CHICKEN STIPS S DRILLING STIP NO. <u>/5445</u> O. <u>(734</u> ] 6. <u>49</u> - 11-00	TERMINED THAT Y DR. TROY L. F FOR DRILLING, S.	4000 OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO APPROVAL GENERAL SPECIAL J	INTERMEDIATE TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE SUBJECTIO SUBJECTIO SUBJECTIONS	W/CMT. RMEDIATE. GUNIT WIT ICKENS IN IS ATTACH R PURPOSES
CIRC. IF COMMER( THE WELL WILL BI ELECTRICITY IS / A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM ** REQUEST EXEM IN ABOVE SPACE DESCRIBE deepen directionally, give pertin 24.	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRID PROPERTY N POOL CODE 1 EFF. DATE 2- API NO. 30-0	CASING WILL BE STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED E CHICKEN STIPS DRILLING STIP NO. <u>/5445</u> O. <u>/734</u> MO. <u>/734</u> MO. <u>/545</u> O. <u>/734</u> MO. <u>/545</u>	TERMINED THAT Y DR. TROY L. F FOR DRILLING, S.	4000 OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO APPROVAL GENERAL SPECIAL J	INTERMEDIATE TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE SUBJECTIO SUBJECTIO SUBJECTIONS	W/CMT. RMEDIATE. UNIT WIT ICKENS IN IS ATTACH R PURPOSES
CIRC. IF COMMER( THE WELL WILL BI ELECTRICITY IS / A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM ** REQUEST EXEM IN ABOVE SPACE DESCRIBE deepen directionally, give pertin 24.	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRID PROPERTY N POOL CODE 1 EFF. DATE 2- API NO. 30-0	CASING WILL BI STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED E E CHICKEN STIPS S DRILLING STIP NO. <u>/5445</u> O. <u>/734</u> <u>6149</u> <u>1/-00</u> <u>225-35/5</u>	ERUN AND CMT. NEEDED FOR PRO TERMINED THAT Y DR. TROY L. H FOR DRILLING, S.	4000° OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO APPROVAL GENERAL SPECIAL J ond proposed new p	INTERMEDIATE TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE SUBJECTIO SUBJECTIO SUBJECTIONS	W/CMT. RMEDIATE. UNIT WIT ICKENS IN IS ATTACH R PURPOSES
CIRC. IF COMMER( THE WELL WILL BI ELECTRICITY IS / A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM ** REQUEST EXEM IN ABOVE SPACE DESCRIBE deepen directionally, give pertin 24.	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRID PROPERTY N POOL CODE S EFF. DATE 9- API NO. <u>30-0</u> MUMMY, PE	CASING WILL BI STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED E E CHICKEN STIPS S DRILLING STIP NO. <u>/5445</u> O. <u>/734</u> <u>6149</u> <u>1/-00</u> <u>225-35/5</u>	TERMINED THAT Y DR. TROY L. F FOR DRILLING, S.	4000° OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO APPROVAL GENERAL SPECIAL J ond proposed new p	INTERMEDIATE TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE SUBJECTIO SUBJECTIO SUBJECTIONS	W/CMT. RMEDIATE. UNIT WIT ICKENS IN IS ATTACH R PURPOSES
IN ABOVE SPACE DESCRIBE deepen directionally, give pertin CIRC. IF COMMER( THE WELL WILL BI ELECTRICITY IS / A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM ** REQUEST EXEM IN ABOVE SPACE DESCRIBE deepen directionally, give pertin CHIS SPACE DESCRIBE (This space for Federal PERMIT NO.	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRID PROPERTY N POOL CODE S EFF. DATE 9- API NO. <u>30-7</u> MUMBER PEND I OF STATE OFFICE USE	CASING WILL BE STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED B E CHICKEN STIPS S DRILLING STIP NO. <u>/5445</u> O. <u>/734</u> <u>6149</u> <u>1/-00</u> <u>225-35/54</u>	ERIN AND CMT. NEEDED FOR PRO TERMINED THAT Y DR. TROY L. H FOR DRILLING, S.	TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO COMPLETIO GENERAL SPECIAL J and proposed new p ter program, if any.	INTERMEDIATE (TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE SUBJECT TO TO TPULATIONS TO TO DATE 7/2//	W/CMT. RMEDIATE. UNIT WIT ICKENS IN IS ATTACH R PURPOSES CAND
IN ABOVE SPACE DESCRIBE deepen directionally, give pertin CIRC. IF COMMER( THE WELL WILL BI ELECTRICITY IS / A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM ** REQUEST EXEM IN ABOVE SPACE DESCRIBE deepen directionally, give pertin CHIS SPACE DESCRIBE (This space for Federal PERMIT NO.	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRID PROPERTY N POOL CODE S EFF. DATE 9- API NO. <u>30-7</u> MUMBER PEND I OF STATE OFFICE USE	CASING WILL BE STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED B E CHICKEN STIPS S DRILLING STIP NO. <u>/5445</u> O. <u>/734</u> <u>6149</u> <u>1/-00</u> <u>225-35/54</u>	ERIN AND CMT. NEEDED FOR PRO TERMINED THAT Y DR. TROY L. H FOR DRILLING, S.	TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO COMPLETIO GENERAL SPECIAL J and proposed new p ter program, if any.	INTERMEDIATE (TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE SUBJECT TO TO TPULATIONS TO TO DATE 7/2//	W/CMT. RMEDIATE. UNIT WITH ICKENS IN IS ATTACH R PURPOSES (3.\ND salis to drill or 2000
IN ABOVE SPACE DESCRIBE deepen directionally, give pertin 24. SIGNED UP FOR	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRIE PROPERTY N POOL CODE S EFF. DATE S API NO. <u>30-0</u> Mump PE I or State office use)	Antholds legal or equitable title	ERATIONS MANAGE	4000° OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO COMPLETIO COMPLETIO APPROVAL GENERAL SPECIAL J ord proposed new p for program, if any.	INTERMEDIATE (TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE SUBJECT TO TO TPULATIONS TO TO DATE 7/2//	W/CMT. RMEDIATE. UNIT WITH ICKENS IN IS ATTACH R PURPOSES (3.\ND salis to drill or 2000
IN ABOVE SPACE DESCRIBE deepen directionally, give pertin 24. SIGNED UP FOR	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRID PROPERTY N POOL CODE S EFF. DATE 9- API NO. <u>30-7</u> MUMBER PEND I OF STATE OFFICE USE	CASING WILL BI STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED B E CHICKEN STIPS S DRILLING STIP ONO. /5445 O. /734/ 26/49 -//-00 225-35/54 CAS TITLE OPE Acting	ERATIONS MANAGES REATIONS MANAGES RATIONS MANAGES RATI	4000° OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO COMPLETIO APPROVAL GENERAL SPECIAL J and proposed new p for program, if any.	INTERMEDIATE (TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE SUBJECT TO TO TPULATIONS TO TO DATE 7/2//	W/CMT. RMEDIATE. UNIT WITH ICKENS IN IS ATTACH R PURPOSES CAND
CIRC. IF COMMER( THE WELL WILL BI ELECTRICITY IS / A FIELD SURVEY F AREA AND A COPY ** REQUEST EXEM ** REQUEST EXEM ** REQUEST EXEM IN ABOVE SPACE DESCRIBE deepen directionally, give pertin 24. SIGNED	CIAL, PRODUCTION E PERFORATED AND ANTICIPATED FOR HAS BEEN PERFORM OF THE FIELD SU IPTION TO PRAIRIN IPTION TO PRAIRIN IPTION TO THE H2S OPER. OGRIE PROPERTY N POOL CODE S EFF. DATE S API NO. <u>30-0</u> Mump PE I or State office use)	CASING WILL BI STIMULATED AS PRODUCTION. ED WHICH HAS DE RVEY PREPARED B E CHICKEN STIPS S DRILLING STIP ONO. /5445 O. /734/ P/0/49 -//-00 225-35/54 CAS TITLE OPE 	ERATIONS MANAGES REATIONS MANAGES RATIONS MANAGES RATI	4000° OF TIED BACK DUCTION. THERE ARE BEST, AUBU COMPLETIO COMPLETIO APPROVAL GENERAL SPECIAL J and proposed new p for program, if any.	INTERMEDIATE (TO THE INTER A 640-PUMPING NO PRAIRIE CH RN UNIVERSITY N AND WORKOVE SUBJECT TO TO TPULATIONS TO TO DATE 7/2//	W/CMT. RMEDIATE. GUNIT WITH HICKENS IN IS ATTACH R PURPOSES IS AND sal is to drill or <u>2000</u> operations thereon.

DISTRICT I P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II P.O. Drawer DD, Artonia, NM 85211-0719

DISTRICT III 1000 Rio Brazos Rd., Astec, NM 87410

DISTRICT IV P.O. Box 2068, Santa Fe, NM 87504-2088 State of New MexiCO

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

#### OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088

AMENDED REPORT

8/21/00

3239

12641 12165

໌00÷ជ÷1021

W.O. Num.

Certificate No. RONALD JF EDSON.

GARY G. EIDSON, MACON MCDONALD,

WELL LOCATION AND ACREAGE DEDICATION PLAT Pool Code API Number Pool Name 30-025-35/54 laware ell'Nun **Property** Code Property Name SHARBRO FEDERAL 34 8 OGRID No. Operator Name Elevation MYCO INDUSTRIES, INC. 5445 3509 Surface Location UL or lot No. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County 990 LOT 1 7 23 S 32 E NORTH 710 WEST LEA Bottom Hole Location If Different From Surface UL or lot No. Section Township Lot Idn Feet from the North/South line Range Feet from the East/West line County Dedicated Acres Joint or Infill **Consolidation** Code Order No. 6 h NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 45.96 OPERATOR CERTIFICATION ACRES I hereby certify the the information sined herein is true and complete to the best of my knowledge and belief. 3496.6' 3511.6 710 (In munu rev 3511.0 512.3 Signature 45.98 AN MUNC ACRES Printed Name -M9CO OPER MGH Title -2000 Date SURVEYOR CERTIFICATION 45.98 3 I hereby certify that the well location shown ACRES on this plat was plotted from field notes of actual surveys made by me or under my supervison, and that the same is true and correct to the best of my belief. AUGUST 18, 2000 ann m Date Surveyed JIP Signature & Seal of 4 46.00 Professional Surveyor ACRES

VICINITY MAP



SEC. 7\_TWP.<u>23-S\_RGE.32-E</u> SURVEY\_\_\_\_\_N.M.P.M.

DESCRIPTION 990' FNL & 710' FWL

OPERATOR MYCO INDUSTRIES, INC.

COUNTY\_\_\_\_\_LEA

ELEVATION \_\_\_\_\_ 3509

LEASE\_\_\_\_\_SHARBRO FEDERAL

SCALE: 1'' = 2 MILES

JOHN WEST SURVEYING HOBBS, NEW MEXICO (505) 393-3117 LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

SEC. 7 TWP.23-S RGE.32-E SURVEY N.M.P.M. COUNTY LEA DESCRIPTION 990' FNL & 710' FWL ELEVATION 3509 OPERATOR MYCO INDUSTRIES, INC. LEASE SHARBRO FEDERAL U.S.G.S. TOPOGRAPHIC MAP BOOTLEG RIDG, N.M. CONTOUR INTERVAL - 10'

JOHN WEST SURVEYING HOBBS, NEW MEXICO (505) 393-3117



# MYCO INDUSTRIES, INC. <u>SHARBRO FEDERAL #8</u> <u>660' FNL & 660' FWL UNIT D</u> <u>S7-T23S-R32E NMPM</u> <u>LEA COUNTY, NM</u> <u>NM-62223</u>

1. The estimated tops of geologic markers are as follows:

Rustler	1020'	Cherry Canyon	5650'	TD	8600'
Bottom of Salt	4420'	Brushy Draw	7500'		
Top of Delaware	4650'				

2. The estimated depths at which anticipated water, oil or gas formations are expected to be encountered:

Water:	150-250'
Oil or Gas	6000' and 8600'

3. **PRESSURE CONTROL EQUIPMENT:** BOP will be installed on the 13 3/8" casing and rated for 3M BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. blowout preventor controls will be installed prior to drilling the surface plug and will remain in use until the well is completed or abandoned. Preventors will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. See Exhibit B.

# **AUXILIARY EQUIPMENT:**

A. Auxiliary Equipment: Kelly cock, pit level indicators, and flow sensor equipment, and a sub with full opening valve to fit the drill pipe and collars will be available on the rig floor in the open position at all times for use when kelly in not in use.

# 4. THE PROPOSED CASING AND CEMENTING PROGRAM:

A. Casing Program: (All New)

<u>Hole Size</u>	Casing Size	Wt./Ft.	Grade	Thread	Coupling	<u>Interval</u>	Length
17 1/2"	13 3/8"	48#	H-40	8R	ST&C	0-860'	860'
12 1/4"	8 5/8"	32#	J-55	8R	LT&C	0-4600	4600'
7 7/8"	5 1/2"	17#	K-55	8R	LT&C	0-8600'	8600'

Minumum Casing Design Factor: Collapse 1.3, Burst 1.5, Tensile Strength 2.0

# B. CEMENTING PROGRAM:

Surface casing : 300 sx. "C" w/ 4% Gel, 2% Cacl2 (wt. 13.5 ppg. Yield 1.74 cu. ft) & 200 sx. Class "C" w/ 2% Cacl2 (wt. 14.8 ppg. yield 1.34 cu. ft) <u>Circulate to surface</u>.

Intermediate Casing: 1300 sx. 35/65 Poz "H" w/6% Gel 5% NaCl, 1/4# Flocele (12.8 ppg. 1.94 cu. ft.) + 200 sx. Class"H"(wt. 15.6 ppg. Yield 1.18 cu ft.) <u>Circulate to surface</u>.

Production Casing: <u>Tie back to  $8-5/8^{\circ}$ </u> with 500-sxs "C" lit (wt. 14.2 pp6 yield 1.35 ft. 3) + 400-sxs "C" modified (wt. 14.8 ppg yield 1.35 ft.)

# 5. MUD PROGRAM AND AUXILIARY EQUIPMENT:

<u>Interval</u>	Type	Weight	<b>Viscosity</b>	Fluid Loss
0-860	FWGel	8.4/8.9	32-36	N/C
860-4600	Brine	10.0	28	N/C
4600-TD	Cut Brine	8.9/9.3	28	<15cc

Sufficient mud material(s) to maintain mud properties, control lost circulation and contain a blow out will be available at the well site during drilling operations. Mud will be checked hourly by rig personnel.

### 6. **EVALUATION PROGRAM**:

Samples: Every 10' from intermediate casing to TD Logging: G/R from surface to TD; CNL/LTD & DLL/MSFL 4600' to TD. Coring: None anticipated DST's: 1 – Bone Springs

7. Abnormal Conditions, Bottom hole pressure and anticipated BHP:

From: 0	To: 860'	Anticipated Max. BHP: 250 PSI
From: 860	To: 4600'	Anticipated Max. BHP: 750 PSI
From: 4600	To: 8600' (TD)	Anticipated Max. BHP: 2800 PSI

Anticipated Potential Hazards: None

Abnormal Pressures Anticipated: None

Lost Circulation Zones Anticipated: None

H2S Zones Anticipated: None – Based on the 4-Myco wells drilled in Sec. 7 (Blue Quail Fed. #1, #2, Sharbro Fed #1, & Bitsy Fed. #1). <u>REQUEST EXEMPTION FOR H2S DRILLING STIPS</u>.

Maximum Bottom Hole Temperature: 165 Degrees F

# 8. **ANTICIPATED STARTING DATE:**

Plans are to drill this well as soon as possible after receiving approval. It should take approximately 15 days to drill the well with completion taking another 20 days. This well lies in the CRMA prarie chicken area as defined by the 1996 NM GAP analysis study; NM State University. <u>MYCO INDUSTRIES, INC. REQUESTS AN EXEMPTION FROM THE MARCH 15 – JUNE 15 PRAIRIE CHICKEN STIPS FOR THE DRILLING, COMPLETION & WORKOVER PHASES OF THIS WELL.</u> Myco contends that there are no prairie chickens in this area. A field survey has been performed which has determined that there are no prairie chickens in the area and a copy of the field survey prepared by Dr. Troy L. Best of Auburn University is attached.

# MULTI-POINT SURFACE USE AND OPERATIONS PLAN Myco Industries, Inc. <u>SHARBRO FEDERAL #8</u> <u>660' FNL & 660' FWL (UNIT D)</u> <u>S7-T23S-R32E NMPM</u> <u>LEA COUNTY, NM</u> <u>NM-62223</u>

This plan is submitted with Form 3160-3, Application for Permit to Drill, covering the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of the surface dissturbance involved and procedures to be followed in rehabilitating the surface after completion of the operations, so that a complete appraisal can be made of the environmental effect associated with the operations.

#### 1. EXISTING ROADS:

-

Exhibit A is a portion of the BLM map showing the well and roads in the vicinity of the proposed location. The proposed wellsite is located approximately 39 miles West and North of Jal, New Mexico and the access route to the location is indicated in red and green on Exhibit A.

DIRECTIONS: 2640' due north of the Myco Blue Quail Federal #2. (660' FSL & 660' FWL/SEC. 7-T23S-R32E).

### 2. PLANNED ACCESS ROAD

- A. The proposed new access road will be approximately **1319**<sup>4</sup> in length due North from the Myco Sharbro Federal #6 as shown on the attached plat (Exhibit A).
- B. The new road will be 14 feet in width (driving surface) and will be adequately drained to control runoff and soil erosion.
- C. The New road will be bladed with drainage on one side. Two traffic turnouts will be built.
- D. The route of the road is visible.
- E. Existing roads will be maintained in the same or better condition.

### 3. LOCATION OF EXISTING WELL

- A. There is drilling activity within a one-mile radius of the wellsite.
- B. Exhibit D shows existing wells within a one-mile radius of the proposed wellsite.

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

A. The common tank battery for the Sharbro Federal #1, Bitsy Federal #1 & Blue Quail Federal #1 & #2 will be used for this well. The common tank battery is located in the SE/4 SE/4 (Unit P) of Section 7.
Produced water will be disposed in the Yates Petroleum Corp. Kiwi "Akx" #8, NMOCD SWD-510, S16-T23S-R32E

(Unit H). (See Exhibit A for details).

SHARBRO FEDERAL #8 Page 1/3

### 5. LOCATION AND TYPE OF WATER SUPPLY:

A. It is planned to drill the proposed well with a fresh water system. The water will be obtained from commercial sources and will be hauled to the location by truck over the existing and proposed roads shown in Exhibit A.

# 6. SOURCE OF CONSTRUCTION MATERIALS:

A. It will be the responsibility of the dirt contractor to obtain caliche from a source of their choice. A likely source would be in the SE/4 NE/4 of Section 2-T23S-R31E.

# 7. METHODS OF HANDLING WASTE DISPOSAL:

- A. Drill cuttings will be disposed of in the reserve pits.
- B. Drilling fluids will be allowed to evaporate in the reserve pits until the pits are dry.
- C. Water produced during operations will be collected in tanks until hauled to an approval disposal system, or separate disposal application will be submitted.
- D. Oil produced during operations will be stored in tanks until sold.
- E. Current laws and regulations pertaining to the disposal of human waste will be complied with.
- F. All trash, junk and other waste materials will be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary land fill. Burial on site is not approved.

# 8. ANCILLARY FACILITIES: NONE

# 9. WELLSITE LAYOUT:

- A. Exhibit C shows the relative location and dimensions of the well pad, the reserve pits, the location of the drilling equipment, rig orientation and access road approach.
- B. The reserve pits will be plastic lined.
- C. A 400' x 400' area has been staked and flagged and is detailed on NMOCD Form C-102 (Attached).

### 10. PLANS FOR RESTORATION

- A. After finishing drilling and/or completion operations, all equipment and other material not needed for further operations will be removed. The location will be cleaned of all trash and debris to leave the wellsite in as aesthetically pleasing a condition as possible.
- B. Unguarded pits, if any, containing fluids will be fenced until they have dried and been leveled.
- C. If the proposed well is non-productive, all rehabilitation and/or vegetation requirements of the Bureau of Land Management will be complied with and will be accomplished as expeditiously as possible. All pits will be filled level after they have evaporated and dried.
- 11. SURFACE OWNERSHIP: Federal surface administered by BLM.

### 12. **OTHER INFORMATION:**

- A. Topography: Refer to the existing archaeological report for a description of the topography, flora, fauna, soil characteristics, dwellings, historical and cultural sites.
- B. The primary surface use is for grazing.

### 13. **OPERATOR'S REPRESENTATIVE**

Nelson Muncy, PELS Operations Manager Myco Industries, Inc. P.O. Box 840 Artesia, New Mexico 88211-0840 Phone (505) 748-4274

SHARBRO FEDERAL #8 Page 2/3

# 14. **CERTIFICATION:**

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Myco Industries, Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditionsunder which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

OPERATIONS MANAGER

7/20/2000 Date

÷...

SHARBRO FEDERAL #8 Page 3/3

# AUBURN UNIVERSITY (LPC-001)

14 April 2000

# Field Survey to Determine the Status of the Lesser Prairie Chicken

(Tympanuchus pallidicinctus) in Southeastern New Mexico:

# Sharbro Federal #1 (T23S R32E Sec. 7) and (ANM #T #B #6) 7/12/00 Sharbro Federal #2 (T23S R32E Sec. 17), Lea County

Submitted to: Ernest L. Carroll, Law Offices of Losee, Carson, Haas, and Carroll, 311 West Quay Avenue, P.O. Box 1720, Artesia, NM 88211-1720, 505/746-3505, FAX 505/746-6316

Submitted by: Troy L. Best, Dept. of Biological Sciences, 331 Funchess Hall, Auburn University, Alabama 36849-5414, 334/844-9260, FAX 334/844-9234, besttro@mail.auburn.edu

#### Purpose:

To determine if breeding sites (leks) of the lesser prairie chicken (Tympanuchus pallidicinctus) are present within the vicinity of the following oil and gas operations sites (please see "A" and "B" on the attached map):

A .-- MYCO Industries, Inc., Sharbro Federal #1, 660' FSL and 660' FEL, Sec. 7-T23S-R32E, Lea Co., NM;

B.--MYCO Industries, Inc., Sharbro Federal #2, 1980' FSL and 660' FEL, Sec. 17-T23S-R32E, Lea Co., NM.

#### Methods:

Census transects were evaluated using standard scientific techniques. Beginning 0.5-1 hour before sunrise, an experienced field biologist began the census transect at Site 1 (see below), listened for 3-5 minutes for the calls made by lesser prairie chickens on leks, recorded GPS coordinates, date, time of observation, and weather conditions, the observer proceeded to the next monitoring site, repeated this protocol, and continued this process until no later than 3 hours after sunrise. Census transects were not conducted under adverse weather conditions.

~,

.

Survey Sites: Please see circled numbers 1-11on the attached map.

•

GPS Coordinates and Legal Description	Date	<u>Time (MST)</u>	<u>Weather Conditions</u>
Site 132°18.341'N, 103°41.698'W T23S R32E, Sec. 17, NE 1/4	27Mar00 12Apr00	0530-0535 0455-0500	high clouds, calm high thick overcast, nearly calm
Site 232°17.922'N, 103°41.377'W T23S R32E, Sec. 16, SW 1/4	27Mar00 <b>12Apr00</b>	0538-0543 0503-0508	high clouds, calm high thick overcast, nearly calm
Site 332°18.351N, 103°42.539W T23S R32E, Sec. 18, NE 1/4	27Mar00 12Apr00	0611-0616 0536-0541	clear, calm high thick overcast, nearly calm
Site 432°18.768N. 103°43.699W T23S R31E, Sec. 12, SE 1/4	27Mar00 12Apr00	0620-0625 0546-0551	clear, calm high thick overcast, nearly calm
Site 532°19.016N, 103°43.482W T23S R31E, Sec. 12, SE 1/4	27Mar00 12Apr00	0627-0632 0553-0558	clear, calm high thick overcast, nearly calm
Site 632°19.692N, 103°43.012W T23S R32E, Sec. 6, SW 1/4	27Mar00 12Apr00	0638-0643 0604-0609	clear, calm high thick overcast, nearly calm
Site 732°19.449N, 103°42.452'W T23S R32E, Sec. 7, NE 1/4	27Mar00 12Apr00	0645-0650 0612-0617	clear, calm high thick overcast, nearly calm
Site 832°18.816N, 103°42.460W T23S R32E, Sec. 7, SE 1/4	27Mar00 12Apr00	0652-0657 0619-0624	clear, calm high thick overcast, nearly calm
Site 932°18.804N, 103°42.705W T23S R32E, Sec. 7, SE 1/4	27Mar00 12Apr00	0658-0703 0627-0632	clear, calm high thick overcast, nearly calm

\* **v** 

Site 1032°19.472'N, 103°41.707'W	12Apr00	0640-0645	high thick overcast, nearly calm
T23S R32E, Sec. 5, SE 1/4	14Apr00	0515-0520	clear, wind 5-10SE
Site 1132°19.444'N, 103°41.440'W	12Apr00	0650-0655	high thick overcast, nearly calm
T23S R32E, Sec. 5, SE 1/4	14Apr00	0505-0510	clear, wind 5-10SE

# Results:

Please see the attached map. No evidence of lesser prairie chickens was heard or observed within the 0.5-mile radius encircling each of the 11 survey sites.

Conclusions:

There are no breeding leks within at least 0.5 mile of Sharbro Federal #1 or Sharbro Federal #2, Lea Co., NM.

3

•								<del></del>	,		Ĺ	1111	
		• •								<u></u>		-1	
		· · · · · · · · · · · · · · · · · · ·								·			
	· · · · · · · ·			• • ··· ; •··								<u>                                      </u>	1
			ļ										4
		•••• • • •											-
		ي رو - دور از المرح				TDO						-	
Å	UBUI	EN-AI	NHVEI	₹SŦŦ¥	MAP	176-	001	I					
	1		1 .	1 * : • •	1 ' .	1	· · · · · · · · · · · · · · · · · · ·	·	·- · ·- ·				
	pproxin	<u> </u>				Las for	Sharhro	Feder	al #1 (A	) and	Sharbro	-Federal	1 #2
A	pproxin B), Lea	nate-loo	cation o	<u>r momi</u>	<u>oring si</u>				hindle 1	with a	radius o	fl.0.5 m	ile-is-
~			NA. circl	9d	There ar	-monit	оппе ы	Les. A	CHUICIC	<b>7101 6</b>	ryana v		[ <u> </u>
à	B), Lea rawn ar	ound e	dch mor	utoring	site to-	indicate	minim	um siz	e of sur	vey ar	ea		d daile i
ų						· · · · · ·	i					<u> </u>	<u> </u>
		 	<u></u>				¦						
								· · · · · ·					
			<u></u>			·			! <u></u> -	¦			
	[		<u> </u>			1			·				+
			· [ · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		[					
		111.					<u> </u>						<u> </u>
			·	└	+			1		1			111
					ļ		<u> </u>	•		+	-		11
	L				·]		<b> </b>	···- ··· ···				1 : : !	<u>                                     </u>
												<u></u>	
	·					1	1	1	!	1	1111.		
	\	<u> </u>						<u> </u>				-	┝┿┿
					<u></u>		7				121		
		- <del></del>	]		//		6			· · · ·	$\pi$	1111	11
	!				<u>.</u>		$\sum \cdots$		$\downarrow$				
			<u> </u>				<u> </u>	+/-		$\gamma \rightarrow \gamma$	1111		
		1 1 1 1			+	6	1ZT			1-1	┍ <del>╽╵╵╵╵╵</del>		
						-	<u> </u>	++-	<u>~</u>	$\frac{1}{1}$	1111:		
		- <u></u>	<u> </u>		+		-70	<u></u>	( <u> </u>	$V \rightarrow A$			
					Z	$\sum \downarrow$	1		<u>\</u>	<b>{</b> −-∕-			
					$\rightarrow$	KY4		$\vdash$	ĐŁ		1/11		
			1 1 1	1-11-	12	ZIN	111	<u>\.</u>	18		╺╊┽┾┿┿	╶┠┊╞┼┼	
				14-	1-6	/₩-)	$\times 8$	-				1111	11
				++++	<u>+</u> @	11.17	5-1-	T			╶ <del>╏╏╏╻</del>		+++++
						TTT-C		$\mathcal{P} \times -$		$\overline{\mathbf{k}}$	1.1.1.1	1111	1
		<u> </u>	<u> </u>		k	$\Lambda$				LB			+:
			+			$1 \rightarrow$		<b>↓↓</b>	1	$\mathbf{H}$			
			<u> </u>		1		18 3	+ + +	$\frac{1}{1}$	1	Nº 16		<u></u>
			1		13	1		· · · · · · · · · · · · · · · · · · ·					
					<u> </u>			$\vdash X$		3		1	
		<u> </u>	<u> </u>						1		+-)		
									<u></u>	<b>1</b>	1/11		
	······			<u>↓</u>				· · · · · · · · · · · · · · · · · · ·	<u> </u>		VIII		1
			1 :		7235	- <u>723</u> - <u>R3</u> 2		<u>  ·</u>	<u> </u>	$\succ$			~
					D215	-232	<u> </u>				1	111.	1.1.1
					RSIE	1 1 1 1 1				·			
			11111	ļ	<u> </u>	<u> </u>			1				
				1		1.1.1.1						1 1 1 1 1 1	111
		•		• • • • •	}			<u>  ·</u>	+	1 4	1 1 1 1 1	1111	1 1
					<u> </u>	1 1 1 1	1	1				- 1 - 1 - 1 - 1 - 1	1 1 1
				· ·		1 1 1 1 1		1				1 1 4 4 4	
	·										1 1 1 1 1 1		1 1 1
					1 1 1 1			1 :		1			
		1				1 1 1 1 1					<u> </u>	1 1 1 1 1	1 1 1
			+			TILL	1111	l .				11111	1
			· · · ·						1				1 1 1
						1 · 1   1	· · · · ·		1			1 1 : : : :	
			1 1 1					ļ	1	1		1 1 1 1 1	
					1			i				1 1 1 1 1	<u> </u>
					1.1	·				·	1		
	1					. <u> </u>	<u>}</u>					オント・オ	
		<u> </u>					· · · · · · · · · · · · · · · · · · ·	1		i			. <u> </u>
								1		·			
	· · · · · · · · · · · · · · · · · · ·									1	<u></u>		-!
				÷			<u></u>	·			_ <u></u>		
				1			1	:					







•



**-** - - --- ....

	n eid 9 1 75 0 419987	525 B+ 140	Texac 8 piece	4 1 93 : A.R.Co 3 32411 8 1 6 8	Cities Strv Bi-72(3) 013 30 2 sonel J. Zone, V. Eleging For base Morr.) Por My prove 1. 2010 1 1 10 2017 2 sone	R (2 ) β (2
		·3 · 0 23 · 3	(Atoka Disc.) Occust 7		20-20-20	intilizani i P → intilizani i P intilizani i P intili P intilizani P intilizani i P intilizani i P in
E	XHIBIT D	Texas Crude 2 1 Wright-Fed 7 To 4765 1 0/A 2 4-52 1	o (Tationa)	Fogo I Ralph June 4 4 1 23 1 Bris For 32411 10.40.2 4 0.45 64 1 U.S.	Gerg ya Chi Sera Ta Si Chi Sera Ta Si Chi Sera Si Chi	6 i 50 : (Union) Grant 1 - 55 t 16 ), 1 - 55 t 16 ),
	Gulf	4 · Pogo 5 Po 03 P-107 · Fe -157 61590 PS2	9353 U.S. 37 Diret 47 Diret 1002C #41 139 OC #41	Call Getty Oil 1/3 Exxon Getty Oil 1/3 9.1.23 A.R.Co.12 77059 8 1.25 4522 8 1.25	Marshalle Getty Oil Winslan A.F.Co 9 1 94 9 76 58821 30 58821 1 Cross Cervin	Grity Oil A R Co 63377 12625 455
1	"'''''''''''''''''''''''''''''''''''''	26	2	I P.J. Zonne, 12 (to base Norrew)		arshall: Artes
	1.	MIDLAND & MAP	r10	C Same I	LEARY PET (OPER)	a prior Antes mitton Peter to 1 1 94 (4 - 4 - 4 - 5 58821 (8 1273) 1 50-7
	U. S.	U.S.	U.S. Niori i 1313 i	US Exxon Senta 9.1-93 A1 FF.F.14 7755 1848.11	MYCO INDUSTRIE	
	M P. Grace 9   1 - 73 04 \$1054	270		4500	SHARBRO FEDERA 660' FNL & 660 SEC. 7-T23S-R3	' FWL UNIT D
	34 MIP Groce Groce Callon Baby Fed. 17	SHARBRO		Jile - 1 31		-62223
	тіл 1-72 74 NTD 5700 U.S.	U.S. RECT	Med no - St."   State 1 24100 312001 74000 -	U.S. I	Store مراجعان معاللا مرودن مدود	U.S. Hala 2020, 1(120, 3(122)
- 100 97 - 413 - 544 - 6	5.67 4151.52 5454 Sonta Fe Ferrer, Matchellener, 2. etal, 1/4 9 1 - 94 8 1953	19. 033(21 3133 V 3133, - 11 	Union 22080	19	kultaFeEner J v Ukúran 14 HBP Dorothy Ukúran 63994 3.1.95 1 62221	i Texaco HAP 18840 JW McCrowfar Barothy Nectory fr. 1997 3:1:05 1:1:55 1:1:55 1:1:55 1:1:55 1:1:55 1:1:55 1:1:55 1:1:55 1:1:55 1:57 1:57
	3 SAND DUA	- 2 Dia 2 18 6 - - 2 Dia 2 18 6 - - 0 - 10 - 10 - 10 - 10 - 10 - 10 - 10		Santa Fe Ener Plotinum-fed Han Sor. Disc	5 Lillie Yates   9.1.95   62223	4
- Fed. "		pisc.	Union	03 MA WCANSE P65 ©1	u, s.	U. S.
ier Tr	Santa Fe Ener. Mitchell Ener. 1 - 1 - 36 etal /22 9 - 1 - 31 5 - 2 5 - 1 - 31 5 - 2 5	Marathon, etal H & P 0404+1 Unian	Unien HBP 22080	• • • • • • • • • • • • • • • • • • •	Техасо нар 18948	Porriliu McGrow 1 95 62224
	0  Santa Isanta Fe Ener.  FERET.	Unian Barlay⊗    toisaoo Max Wilson Bauerdarf.Fed	12	•7. 9.1. 95	D8 Mitchell Ener: 8692.1	9 MaBaaDii Contreat 104805
	1. 1. 36 In the foll /2 1. 57 76 I 9 1 1 3 1.400 5 1 100 1 1 100 1 10	[' 34°2 "D6054 1 0e1450 DA2'23-63 ↔ U.S.	SALLWY FED ES	69.FED HISRO FED	210 99 W bro FED U.S.	U.S.
ont.	Devon Ener, HBP 0405444	Devon Ener. 4 · 1 · 74 0533177	Marathan HRP 0104441 Devan Ener, \$/R	4 1.36	Texoco I Lilic Volcs 16848 4 9 1 Lilic Volcs 16848 4 9 1 2223 5 Fridged 1015 500 1701 500 1701 500 1701 500 1701 500 1701 500 1701 50 1701 50 1701 50 1701 50 1701 50 1701 50 1701 50 100 100 100 100 100 100 100 1	6 - 1 - 53 - 1 - 55 - 55
ES R	15	- HBC 	13	Hank j 18 Amoco		16
Disc.		Tex Amer.) (1) International Control C	НВР 0533177 1	10 15600" 0559533	86152 30%	Stor 2
23	3 U.S. Tex. Amerika Marathon	<u>U.</u> 3	Amax 40635 1 Critican b) Devon Ener.	SDE Fed" U.S. Here Amoco	U.S. Amoco I Santa Fe Ener. HRP 4-1-96	Manhamet Gutteru Datagen 9
ہ 4 - יחרב ا 3 - ירו 4	HEP 0405414	Devon Ener. 0405444	● Frd H¥* ○ Ce-4. 0533177 1 FIE   1	нян нөр нөө нө о 5595 39 , ми м	0559539 1400	Sonta Fe Ener. 21. A. 1.96 G. 1. 06153 C. 1. 14000 T.
31	22	23 (Pra) Cray Ameri 'Ouni Tord Frid	24 •2 •64	19 19	20 Kirklin Fed-Estill 1 to 4443 1 cerange 1 Derange 1 064-055	21
B	Cotoil Muge Fed 10/4 52 62 - U.S.	"Todd-Fed" of U.S. P40	۱ Fed <sup>°</sup> U.S.	יאינאד   U.S.	I     Z.D.     IVates Pet 1       .Grissom (9-1-93)	(), <b>S</b> .
<u></u>	Marathon HBP 0418220 Devon Ener.	(Marathon) (Morathon) oAibizo Inz*** pevon Ener tobascal Siloey Chara	Haron Harolkani (Morathan) HBP 0405444 Devon	4 4.1	Атосо нвр 0559533	Yates Fet. 9-1-93 () 1 77063 202 14 W W:1500 )
	10 base of sil. Dev. 27	Devon Ener The State of the Sta	Skelly 25 Todd-Fed. Todd-Fed. Todd-Fed. Todd-Fed.	1 86927 30 170 20	29 EV 1875 ST	MN Wilson Li Tony con Li Tony con 28 Tony con 28
PCNG Send Dunts Fed. To 1505T		Drvon Ener. Hisisson to base of Sil. Dev. P47 Todd-Fed.	AY 13026	SAND	R.C. Hibbert Americanies III - Americanies Immericanies I	
₽/A\$ 10 90	Sonta te Err	"(. <b>\$</b> .	Line		Sonta fe Ener: ""	U S
Potoil	41-44	ting that it is go it at.	K. MA	Tenaco	V-3407	י יי י אודי יייי



MYCO INDUSTRIES, INC. OIL PRODUCERS P.O. BOX 840 / 331 WEST MAIN, SUITE C ARTESIA, NEW MEXICO 88211-0840 Phone (505) 748-1471

# STATEMENT ACCEPTING RESPONSIBILITY FOR OPERATIONS

The undersigned accepts all applicable terms, conditions, stipulations, and restrictions concerning operations conducted on the leased land or portion thereof, as described below:

Lease No.: NM-62223

Bond Coverage: Indivi

Individually Bonded

Legal Description of Land: Township 23 South Range 32 Fast Section 7: SE/4SE/4 Lea County, New Mexico

'Formation (s) (if applicable):

N/A

. Date: 7-17-93 BLM Bond File No.: 58 59 71

MYCO INDUSTRIES, INC.

COMPLICATION CO **NBICATE WHEN** ABOVE DATE DOES NOF D 2

WILL BE RELEASED