

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.

30-025-35883

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

Santa Rita

8. Well No.

1

9. Pool name or Wildcat  
Wantz Abo (Oil)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Lewis B. Burleson, Inc.

3. Address of Operator

P.O. Box 2479 Midland, Texas 79702

4. Well Location

Unit Letter A : 330 feet from the North line and 467 feet from the East line

Section 27 Township 22S Range 37E NMPM Lea County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3334 GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☒

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

5/6/2002 Set 8-5/8" casing @1160, cemented with 350 sx C 35/65 poz, 2% NaCl, 150 sx C, 2% Cacl, circ 100 sx to pit. Tested casing 1500#. OK WOC 24 hours.

5/23/2002 Set 5-1/5 csg. @7180. DV tool at 5405 1st stage 350 sx, 50/50 poz H 5% salt, 2nd stage 1230 sx 50/50 poz H, Squeezed 400 sx from top to shut off water flow in salt section.

6/1/2002 Perfed 6618-7076 40 holes, acid 4000 gal. 15% NEFE, Swabbed well to pit, started flowing

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Vice-President DATE 6/10/2002

Type or print name Steven L. Burleson Telephone No. 915/683-4747

(This space for State use)

ORIGINAL SIGNED BY

PAUL F. KAUTZ

PETROLEUM ENGINEER

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE JUN 13 2002

Conditions of approval, if any:

5  
C  
S