Form 9-331a (Feb. 1951)

APPROVED

JUL 31 958

T. E. GODERSY

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

ــ مل Office ـ	<u>##1</u>	r de	ri o	2
Lease No	U2	791		
Unit				

NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PALL OR ALTER CASING. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE ABOVE B	NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
SUBSCOUNT REPORT OF RE-DRILLING OR REPAIR. SUBSCOUNT REPORT OF ADADDONMENT SUBPLEMENTARY WELL HISTORY (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OF OTHER DATA) 10	NOTICE OF INTENTION TO CHANGE PLANS	į f
Subsequent report of ABANDONMENT SUBSEQUENT REPORT OF ABANDON IN THE SUBSEQUENT REPORT OF ABAND	NOTICE OF INTENTION TO TEST WATER SHUT-OF	F
NOTICE OF INTENTION TO PULL OR ALTER CASING. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF SUCH BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BATCH DATA)	NOTICE OF INTENTION TO RE-DRILL OR REPAIR	WELL SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) In federal (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) In federal (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT OF REPORT OF REPORT O		
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 1 **Section 15** (All Social Socia		
ell No. 1 is located approximate from bline and approximate from the elevation of the derrick floor above sea level is 1133 ft. DETAILS OF WORK at a names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer long points, and all other important proposed work) It is intention to carill thin well sit rotary tool, a me above location an approximate it of head's death will be concerned in derric see with 3.5 The following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in 9/4. I at 3 6° with 110 sacks of the following casing potter is planned in the planned this will be performed entitled in potter in the following casing potter is planned in the planned that this planned work must receive approval in writing by the Geological Survey before operations may be commenced ompany. The frame, are and blesses, the sacks of cases and the graph of the planned didress 1032 the the pade of sacks of cases and the graph of the planned didress.	NOTICE OF INTENTION TO ABANDON WELL	
ell No. 1 is located *** is line and *** ft. from E line of sec. 15	(INDICATE ABOVE B	Y CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
(Field) (A Set and Sec. No.) (Twp.) (Range) (Range) (Meridian) (State of Territory) (State of Territory	n federal	
he elevation of the derrick floor above sea level is 3183	Vell No. 1 is located 1994	
he elevation of the derrick floor above sea level is 3183	15/h Section 15 26 (1/2 Sec. and Sec. No.) (Ty	wo.) (Range) (Meridian)
DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer ling points, and all other important proposed work) It is intended to carill this well at a rocker tool, a the above location an approximate at oil local, begin this be caucation in decrease and thier a social requirement with be at the weight with the sacks of the following casing potter is plann do to \$\frac{1}{2}\$ at 3.0° with 110 sacks of the circulation to surface. 5 /2° to casing sot at highly with 100 sacks are about this sell be a commercial recorder to call a life by right the part of the circulation. The part of the circulation is all be perfected the comment of the circulation of sacks of cases. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany Tog drown, are and silvers of sacks of cases.		las handas
DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer ing points, and all other important proposed work) It is intended to drill tail well at a rocker tool, a see above location an approximate 1, of hooks. Jesus, it be concented in access are set of .o Interpretation of access require second while be concented in access are set of .o The following reading potter is planned at 5/2 for 3 0° with 110 sacks common to be circulated to surface. 5 /2° to cassing set at 10% of with 100 sacks and to be circulated to surface. 5 /2° to cassing set at 10% of with 100 sacks and about the circulated be a commercial roccorr to exist a 11 be perferated and the cup of sacks of common second column above the clima. Such access the surface of sacks of common are approximate. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany Tomorrow, in and silver of sacks of common second survey before operations may be commenced. By	(Field)	(County or Subdivision) (State or Territory)
DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer ing points, and all other important proposed work) It is intended to drill tail well at a rocker tool, a see above location an approximate 1, of hooks. Jesus, it be concented in access are set of .o Interpretation of access require second while be concented in access are set of .o The following reading potter is planned at 5/2 for 3 0° with 110 sacks common to be circulated to surface. 5 /2° to cassing set at 10% of with 100 sacks and to be circulated to surface. 5 /2° to cassing set at 10% of with 100 sacks and about the circulated be a commercial roccorr to exist a 11 be perferated and the cup of sacks of common second column above the clima. Such access the surface of sacks of common are approximate. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany Tomorrow, in and silver of sacks of common second survey before operations may be commenced. By	he elevation of the derrick floor ab	pove sea level is 3183 ft.
it is intended to crill this well will rockey tool, a line above location an approximate to of hood. Sealed the rockey tool, a line above location an approximate to of hood. Sealed this be considered to decrease the sealed requirement to be considered to the sealed parties and the following called parties is planned to \$/\text{ at 3.0° with 100 sacks common to be circulated to surface. \$\frac{7}{2}\text{ to casing set at \$\text{ to 1 }\text{ to 1 }\text{ to 1 }\text{ to 2 }\t		
It is intended to arill this well at a rotary tool, a the showe location on approximate the of hood. Used a life became in access to a soft description of hoods. Used a life became in access to a soft description of hoods. The following cashing petter is plant do to \$/\tau\$ at 3 0° which the sacks cashe to be circulated to surface. 5 /2" to cashing soft at highly with 100 sacks and the circulated to surface to surface. 5 /2" to cashing soft at highly with 100 sacks and the company contains a like a commercial producer the call a like performance the culture. The same approximate. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany from drawn, who are approval in writing by the Geological Survey before operations may be commenced. By By		DETAILS OF WORK
magness and other special requirements will be compared in access see with door makes and other special requirements will be at 15% of at 30° which 110 sacks compared to be circulated to surface. 5 /2" to easing set at him of with 100 sacks on the circulated to surface, 5 /2" to easing set at him of with 100 sacks on the circulation will be perforated enough expent squeezed behind the pipe to bring the season column above the ctions. Tenth and a object of sacks of common are approximate. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany from drown, dr. and air of the graph of the Geological Survey before operations may be commenced. By	tate names of and expected depths to objective s ing po	ands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- oints, and all other important proposed work)
magness and other special requirements will be compared in access see with door makes and other special requirements will be at 15% of at 30° which 110 sacks compared to be circulated to surface. 5 /2" to easing set at him of with 100 sacks on the circulated to surface, 5 /2" to easing set at him of with 100 sacks on the circulation will be perforated enough expent squeezed behind the pipe to bring the season column above the ctions. Tenth and a object of sacks of common are approximate. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany from drown, dr. and air of the graph of the Geological Survey before operations may be commenced. By		
the following cashing patter is plant do 6 % to at 30° which 110 sacks cashing to be circulated to surface. 5 /2" to cashing sot at blate with 100 sacks can about this well be a commercial producer the called with 100 sacks can about this well be a commercial producer the called with 100 sacks can be about a class above the called the sacks of cashing the cashing above the called and a object of sacks of cashing are approximate. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany for the cash, who said the same are approval of the cashing are approximate. By		
The following cashag patter is plant did 5/2. I at 30° with 110 sacks casha to be circulated to surface. 5 /2° (a cashag sot at hist) with 100 sacks ent. Thould this well be a commercial producer the caling will be perforated enough coment squeezad behind the pipe to bring the seasont column above the ction. Teach make a observed sacks of easing are approximate. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany for drown, are and allowed, easing by the Geological Survey before operations may be commenced. By	= *	
ent. to be circulated to surface. 5 /2" (we easing set at him of with 100 sackent. Should this well be a commercial producer the estimated to like perferated emough coment aqueers. behind the pipe to bring the sessent column above the ction. Tenth which above of sacks of person are approximate. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. ompany for drawn, dr. and size of the sacks of	ndres and ther thecisi re	maile made which be on the write.
ents should this well be a commercial producer the califormal be perforated enough coment squeezed behind the pipe to bring the sessent column above the chical reputs and other of sacks of pages. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. ompany from brown, are an allowed, pages and allowed. By	the following racking pate	er is plana de 6 5/2 - 2 at 3 0° vi h 110 sacks com
ddress 1032 in the mad, income, ex	ment. should this well be a december to execut be	commercial producer the called will be perforated blind the pipe to bring the sesent column above the
ddress 1032 in the mad, income, ex		
ddress 1032 in the mad, income, ex	I understand that this plan of work must recoi	ive approval in writing by the Geological Survey before approved to a second t
ddress 1032 to the load, Cassa, 1023		
By	ompany for drown, dr. and	
e de la companya de	ddress 1032 in the load, i	48886y exa
279.1		By
		Titleperstor.

ME. MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.			Date July 16, 1958				
ratoriul	the other and	Nie Bauah	Lease	• Paliaria	n		
1 No(Unit Letter	Section 1	5	Townshin =	26-S D	ange -32- 5	NMP
nty LA	reet rrom_	Elevation	3177	Feet	From Desir		Lin
e of Producino	i Formation 🌌	Markiro Sand		Dool 54%	Anné		Acre
Is the Operat	or the only c	wner* in the d	dedicated a	creage out	lined on the	plat below	v 2
"ves." Type o	to question by communitiz	one is "no," hation agreemen ontwo is "no," .	nt or other	wise? Yes	No	. If answe	
	wner			Land Descr	iption		
			-				
				·			
ion. B							
		T					
					This is to		
1			1	1	information	certify tha in Section	t the
			1	!		ue and comp	
ļ			İ	1		of my know	
			ı		and belief.		10090
					,	-7	
		T			lon Bin-	+2 tt.	11 K
			I		(Oper	ator)	
			}				
ï			i		(Penros	entative)	
i I					(Webies	entative)	
					16.32 Ca.	ess	ldes
			-1				
					This is to	certify that	t the
			F .i		well locati		
İ			1	. *-	plat in Sec		
i			ļ	*		notes of ac	
j I				1	-	e by me or w	
· - 		+		. — — —	my supervis		
Į.				. 1		e and correc	
			1	1	the best of belief.	my knowied	je and
			1		Date Survey	ed July 15.	1989
:			<u> </u>				-45.00
ļ			i; li	l	超以 A 到0	ede ja	
1		1	H.				
1			1		Registered		
					Registered Engineer an		

INSTRUCTIONS FOR COMPLE" IN:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for \underline{both} oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plate the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)