


COPY 10

Budget Bureau 42-R358.2
Approval expires 12-31-52.

HOBBS (SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

JAN 17 AM 10 19

Field Office LAS CRUCESLease No. 065870-AUnit 11

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Federal February 20, 1959, 19

HILL & MCKINER - OILS ~~WELLS~~

Well No. One is located 600 ft. from N line and 000 ft. from E line of sec. 24

SE4 Sec. 24. 20 N 22 E N.M.P.M.

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

WILDCAT L.S.A. NEW MEXICO.

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (furnish later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well will be drilled to an approximate depth of 5000 feet, or a depth sufficient to adequately test the Delaware sand formation. It will be drilled with rotary to an approximate depth of 950 feet and we will run 3 5/8" casing (24') and will cement back to the surface. From under the surface casing down to top of Delaware, it will be drilled with air, then we will mud up and core to total depth. We will then run 4 1/2" to 9.5 casing to total depth & cement with approximately 250 sacks, to bring cement back to approximately 3000'. Ray section will then be perforated and treated, if necessary.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company HILL & MCKINERAddress 140 Central Building,Midland, TexasBy W. MeekerTitle PARTNER

NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

NOBBS OFFICE 000

Section A.

Date March 5, 1959

Operator HILL & MEEKER Lease No. 047 M-493-19
Well No. One Unit Letter F Section 24 Township 20S Range 32E NMPM
Located 600 Feet From East Line, 600 Feet From South Line
County Lea G. L. Elevation furnish later Dedicated Acreage 40 Acres
Name of Producing Formation Delaware Sand Pool Wildcat

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes X No .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No . If answer is "yes," Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

ILLEGIBLE

Section B

HILL & MEEKER	GULF
GULF	HILL & MEEKER
HILL & MEEKER	GULF
GULF	HILL & MEEKER

0' 660'

Gulf-Ex-tral

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

HILL & MEEKER

(Operator)

[Signature]
(Representative)

Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 3/5/59

[Signature]
Registered Professional Engineer and/or Land Surveyor.

Certificate No. 3114

(See instructions for completing this form on the reverse side)

INSTRUCTIONS FOR COMPLETION:

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

* "Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)