

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. NM 0127A  
Unit 9

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Goedele

October 3, 1962

Well No. 1 is located 660 ft. from DNIX line and 1980 ft. from E line of sec. 10  
SW/4 of SE/4, Sec. 10 26 33 NMPH  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Salado Draw Lea New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3240 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled to 5170, TD. Ran 164 fts. 4 1/2" 9.50# J-55 Casing. Casing set at 5170' and cemented with 200 sx cement with 4300' salt. Plug down at 1:00 P.M. 9-30-62. Top of cement 3900' by temperature survey. WOC 24 hrs. Tested casing with 1500' for 30 minutes. Tested O.K.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address Box 427

Hobbs, New Mexico

By J. A. Green  
Title District Superintendent

USGS (3) NMOCG (2) WAM File

1

1. *Phragmites australis* (Cav.) Trin. ex Steud.  
 2. *Phragmites australis* (Cav.) Trin. ex Steud.  
 3. *Phragmites australis* (Cav.) Trin. ex Steud.  
 4. *Phragmites australis* (Cav.) Trin. ex Steud.  
 5. *Phragmites australis* (Cav.) Trin. ex Steud.  
 6. *Phragmites australis* (Cav.) Trin. ex Steud.  
 7. *Phragmites australis* (Cav.) Trin. ex Steud.  
 8. *Phragmites australis* (Cav.) Trin. ex Steud.  
 9. *Phragmites australis* (Cav.) Trin. ex Steud.  
 10. *Phragmites australis* (Cav.) Trin. ex Steud.

**07-00000**

5

01 - 000 24/52 to 4/52

28140 01-14


[illegible]

194 xcd

2025-01-01

10-11-1964

100-441101-1000



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. NM 0127 A  
Unit 0

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Location September 24, 1962

Well No. 1 is located 660 ft. from N line and 1980 ft. from E line of sec. 10

SW 1/4 of SE 1/4 Sec. 10 26 33 NM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Salado Draw Lea New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 9:15 P.M., 9-19-62. Drilled to 400'. Ran 13 jts. 7 5/8" OD 2 1/2" H-40 casing. Casing set at 400' and cemented with 200 sacks Eg. Neat cement. Plug down at 10:00 A.M., 9-20-62. Cement circulated. WOC 24 hours. Tested casing with 700# for 15 minutes. Tested O.K.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address Box 427

Hobbs, New Mexico

By [Signature]

Title Assistant District Superintendent

USGS (3) NMOC (2) WAM File