Prove testing Prove testing Prove testin						÷ لَيْ
Image: State of the state state of the		No. 42-R358.4. 12-31-60.	Budget Bureau N Approval expires			
United States Department of the interior United States Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior to Beam Subsculpt Report of States Notice of Interior State of States Notice of Interior State of States It be loaded with heavy mud. State of State				N TRIPLICATE)	ALTY (SUBMIT)	(Feb. 1901)
Weilder The DEPARTMENT OF THE INTERIOR Unit Sederal-Littlefa The DEPARTMENT OF THE INTERIOR Unit Sederal-Littlefa The Department of the Interior SUBSCUENT REPORT OF WATER SHUT-OF NOTICE OF INTENTION TO DEAL SUBSCUENT REPORT OF WATER SHUT-OF NOTICE OF INTENTION TO DEAL SUBSCUENT REPORT OF WATER SHUT-OF NOTICE OF INTENTION TO DEAL OR REPAR WILL SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO SHOOT OF ALTER CASING SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO PUL OR ALTER CASING SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO PUL OR ALTER CASING SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO PUL OR ALTER CASING SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO PUL OR ALTER CASING SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO PUL OR ALTER CASING SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO PUL OR ALTER CASING SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO PUL OR ALTER CASING SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO PUL OR ALTER CASING SUBSCUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO PUL OR ALTER CASING SUBSCUENT REPORT OF ALTER CASING NOTICE OF INTENTION TO ALTER CASING SUBSCUENT)-A	Lanse No. 065880-	2 W Structure		
Image: The second se			Hats We day of the		ENDANCE	0
X NOTICE OF INTENTION TO DEAL NOTICE OF INTENTION TO BEARIE SWIT-OFF. SUBSCUENT REPORT OF ALTERIA CASING. NOTICE OF INTENTION TO BEARIE SWIT-OFF. NOTICE OF INTENTION TO ALL OR ALTER CASING. NUMELATE AND/NE BULL OR REPORT OF REPORT OF REPORT OF THE DATA (INDECATE AND/NE BULL OR REPORT. (INDECATE AND/NE BULL OR REPORT OF MERGING TO ALTER DATA (INDECATE AND/NE BULL OR REPORT OF MERGING TO ALTER DATA (INDECATE AND/NE BULL OR CASING. (INDECATE AND/NE BULL OR SUBJECTION OF SUBJECT	101d	411510 07	Tegeral-			
NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE FAMS. NOTICE OF INTENTION TO REAR WILL OR REPAR WILL SUBSCULENT REPORT OF MATER SHUT-OFF. NOTICE OF INTENTION TO REPAR WILL SUBSCULENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO ALTER CASING. NOTICE OF INTENTION TO ALL OR ALTER CASING. NOTIC		San San San		ICAL SURVEY	GEOLOG	X
NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE FLANS. NOTICE OF INTENTION TO REARING WELL OF SUBSCILLENT REPORT OF WATER SHUT-OFF. NOTICE OF INTENTION TO REARING METAL OF SUBSCILLENT REPORT OF ALTERNING CASING. NOTICE OF INTENTION TO REARING METAL NOTICE OF INTENTION TO REARING METAL NOTICE OF INTENTION TO ADDILL OR REPAR WELL NOTICE OF INTENTION TO ADDILL OR ALERE CASING. NOTICE OF INTENTION TO ADALGON WELL NOTICE OF INTENTION TO ADALGON WELL NUMBER OF ADALGON WELL						
NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO SHOOT OF ACIDIZE. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO SHOOT OF ACIDIZE. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO ADAMDON WELL. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO ADAMDON WELL. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO ADAMDON WELL. SUBSEQUENT REPORT OF ALTERING CASING. SUPPLEMENTARY WELL HISTORY. NOTICE OF INTENTION TO ADAMDON WELL. SUBSEQUENT REPORT, NOTICE, OR OTHER DATA) SUBSEQUENT REPORT, NOTICE, OR OTHER DATA) SUBSEQUENT REPORT, NOTICE, OR OTHER DATA) SUBJECT ADAMDON WELL. SUBSEQUENT REPORT, NOTICE, OR OTHER DATA) SUBSEQUENT REPORT, NOTICE, OR OTHER DATA) SUBSEQUENT REPORT, NOTICE, OR OTHER DATA) SUBJECT ADAMDON WELL. SUBJECT ADAMDON MELL.	••**		WELLS	D REPORTS ON	NOTICES AN	SUNI
NOTICE OF INTENTION TO TEST WATER SHUT-OF. NOTICE OF INTENTION TO TEST WATER SHUT-OF. SUBSQUENT REPORT OF SHOTING OR ACIDIZE. SUBSQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO TEST WATER SHUT-OF. SUBSQUENT REPORT OF ALTERNILLING OR REPAR. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO SHOOT WELL. NOTICE OF INTENTION TO ALONG ALTER CASING. SUBSQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO SHOOT WELL. NOTICE OF INTENTION TO SHOUT WELL. NOTICE OF INTENTION TO SHOOT WELL. NOTICE OF INTENTION TO SHOOT WELL. NOTICE OF INTENTION TO SHOUT WELL. NOTIC		· · · · · · · · · · · · · · · · · · ·	SHUTLOFF	SUBSEQUENT REPORT OF WATER		NOTICE OF INTENTION TO
NOTICE OF INTENTION TO RED WILL OF						
NOTICE OF INTENTION TO SHOOT OR ALLER CASING. NOTICE OF INTENTION TO PULL OR ALLER CASING. NOTICE OF INTENTION TO PULL OR ALLER CASING. NOTICE OF INTENTION TO PULL OR ALLER CASING. NOTICE OF INTENTION TO ADAMDON WELL. NOTICE OF INTENTION TO ADAMDON TO AD			IG CASING	SUBSEQUENT REPORT OF ALTERI		
NOTICE OF INTENTION TO PULL OR ALTER CASING						
MOTICE OF INTENTION TO ABANDON WEL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, ON OTHER DATA) January 4,						
January 4,	۰.			SUFFLEMENTANT WELL HISTORY.		
January 4,	;					
Vell No			DATA)	TURE OF REPORT, NOTICE, OR OTHER	TE ABOVE BY CHECK MARK NA	
 Well No. <u>1</u> is located .660 ft. from <u>5</u> line and 660 ft. from <u>5</u> line of sec. <u>19</u> SW/4 Sec. 19 <u>268</u> <u>33E</u> <u>No.M.S.P.M.A.</u> (Webc. and Sec. No.) <u>268</u> <u>33E</u> <u>No.M.S.P.M.A.</u> (Meridian) E1 Mar_(Fish) Delaware) <u>1000</u> (State of Territory) the elevation of the derrick floor above sea level is 3,156 ft. DETAILS OF WORK the above woll has been plugged and abandoned in accordance with the aotice of intention as follows: 1. Hole loaded with heavy mud. 2.5 sx. cement placed across perfs 4711-15'. 3. Shot and recovered 3,700' of 5-1/2" casing. 4. 25 sx. cement plug at top of salt 1100'. 6. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 7. 10 sx. cement plug with regulation marker in surface. 8. When pits are dried, location will be leveled. 		<u>a</u> n	miary A	.to		
SW/4 Sec. 19 268 33E N.M. D.M. (Web) (A bec. No.) 268 (Range) (Meridian) El Mar. (Jobi Delaware) (County or Bubdlevision) (Mey. Merico (State or Territory) he elevation of the derrick floor above sea level is 3,156 ft. DETAILS OF WORK Sate names of and espected depths to objective and; show size, weights, and lengths of proposed casings; indicate mudding jobs, consent- ing points, and all other important proposed work) The above well has been plugged and abandoned in accordance with the aotice of intention as follows: 1. Hole loaded with heavy mud. 2. 25 sx. cement placed across perfs 4711-15'. 3. Shot and recovered 3,700' of 5-1/2" casing. 4. 25 sx. cement plug at top of salt 1100'. 6. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 7. 10 sx. cement plug with regulation marker in surface. 8. When pits are dried, location will be leveled.		, 19.	audij *)	• •		
SW/4 Sec.19 265 33E N.M. D.M. (W Boc. and Box. No.) 268 (Twp.) (Range) M.M. D.M. El Mar. (Delaware) 268 (Meridian) (Meridian) El Mar. (Joelaware) 268 (Meridian) (State or Territory) he elevation of the derrick floor above sea level is 3,156 ft. DETAILS OF WORK tate names of and espected depths to objective and a box wights, and lengths of proposed easings; Indicate mudding jobs, consent- ing points, and all other important proposed work) The above well has been plugged and abandoned in accordance with the motice of intention as follows: 1. Hole loaded with heavy mud. 2. 25 sx. cement placed across perfs 4711-15'. 3. Shot and recovered 3,700' of 5-1/2" casing. 4. 25 sx. cement plug at top of salt 1100'. 6. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 7. 10 sx. cement plug with regulation marker in surface. 8. When pits are dried, location will be leveled.		·	d e 1	A).		All No.
SW/4 Sec. 19 268 33E N.M. D.M. (Web) (A bec. No.) 268 (Range) (Meridian) El Mar. (Jobi Delaware) (County or Bubdlevision) (Mey. Merico (State or Territory) he elevation of the derrick floor above sea level is 3,156 ft. DETAILS OF WORK Sate names of and espected depths to objective and; show size, weights, and lengths of proposed casings; indicate mudding jobs, consent- ing points, and all other important proposed work) The above well has been plugged and abandoned in accordance with the aotice of intention as follows: 1. Hole loaded with heavy mud. 2. 25 sx. cement placed across perfs 4711-15'. 3. Shot and recovered 3,700' of 5-1/2" casing. 4. 25 sx. cement plug at top of salt 1100'. 6. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 7. 10 sx. cement plug with regulation marker in surface. 8. When pits are dried, location will be leveled.		19	$m \left\{ \begin{matrix} \clubsuit \\ W \end{matrix} \right\}$ line of sec.	$\overline{\mathbf{S}}$ line and 660 ft. fro	ed . 660 it. from	ell INO <u>1</u>
El Mar (rich) Delaware) (County or Subdivision) Mey Merico (State or Territory) he elevation of the derrick floor above sea level is 3,156 ft. DETAILS OF WORK water names of and expected depths to objective sands; show sizes, weights, and lengths of proposed easings; indicate mudding jobs, commen- ing points, and all other important proposed work) The above woll has been plugged and abandoned in accordance with the motice of intention as follows: 1. Hole loaded with heavy mud. 2. 25 sx. cement placed across perfs 4711-15'. 3. Shot and recovered 3,700' of 5-1/2" casing. 4. 25 sx. cement plug placed at 5-1/2" casing stub. 5. 25 sx. cement plug at top of salt 1100'. 6. 25 sx. cement plug at bottom of fourface 8-5/8" at 362'. 7. 10 sx. cement plug with regulation marker in surface. 8. When pits are dried, location will be leveled.			[]	, ,		
The elevation of the derrick floor above sea level is 3.156 ft. DETAILS OF WORK Kate names of and expected depths to objective sands; show size, weights, and lengths of proposed easings; indicate mudding jobs, essent- ing points, and all other important proposed work) The above well has been plugged and abandoned in accordance with the motice of intention as follows: 1. Hole loaded with heavy mud. 2. 25 sx. cement placed across perfs 4711-15'. 3. Shot and recovered 3,700' of 5-1/2" casing. 4. 25 sx. cement plug placed at 5-1/2" casing stub. 5. 25 sx. cement plug at top of salt 1100'. 6. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 7. 10 sx. cement plug with regulation marker in surface. 8. When pits are dried, location will be leveled.				nge) (Meridian)	(Twp.) (Ra	(16 Bec. and Sec. No.)
he elevation of the derrick floor above sea level is 3.156 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show size, weights, and lengths of proposed easings; indicate mudding jobs, essent- ing points, and all other important proposed easings; indicate mudding jobs, essent- ing points, and all other important proposed easings; indicate mudding jobs, essent- ing points, and all other important proposed easings; indicate mudding jobs, essent- ing points, and all other important proposed easings; indicate mudding jobs, essent- ing points, and all other important proposed easings; indicate mudding jobs, essent accordance with the motice of intention as follows: 1. Hole loaded with heavy mud. 2. 25 sx. cement placed across perfs 4711-15'. 3. Shot and recovered 3,700' of 5-1/2" casing. 4. 25 sx. cement plug placed at 5-1/2" casing stub. 5. 25 sx. cement plug at top of salt 1100'. 6. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 7. 10 sx. cement plug with regulation marker in surface. 8. When pits are dried, location will be leveled.			W-Nexico	Netherland)Lea	El Mar (Del
DETAILS OF WORK Reste names of and espected depths to objective sands; show sizes, weights, and lengths of proposed easings; indicate mudding jobs, coment- ing points, and all other important proposed work) The above well has been plugged and abandoned in accordance with the motice of intention as follows: 1. Hole loaded with heavy mud. 2. 25 sx. cement placed across perfs 4711-15'. 3. Shot and recovered 3,700' of 5-1/2" casing. 4. 25 sx. cement plug placed at 5-1/2" casing stub. 5. 25 sx. cement plug at top of salt 1100'. 6. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 7. 10 sx. cement plug with regulation marker in surface. 8. When pits are dried, location will be leveled.			(State or Territory)			
 I have a spected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) The above well has been plugged and abandoned in accordance with the notice of intention as follows: Hole loaded with heavy mud. 25 sx. cement placed across perfs 4711-15'. Shot and recovered 3,700' of 5-1/2" casing. 25 sx. cement plug placed at 5-1/2" casing stub. 25 sx. cement plug at top of salt 1100'. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 10 sx. cement plug with regulation marker in surface. When pits are dried, location will be leveled. 				is 3,158 ft.	floor above sea level	ne elevation of the
 I have a spected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) The above well has been plugged and abandoned in accordance with the notice of intention as follows: Hole loaded with heavy mud. 25 sx. cement placed across perfs 4711-15'. Shot and recovered 3,700' of 5-1/2" casing. 25 sx. cement plug placed at 5-1/2" casing stub. 25 sx. cement plug at top of salt 1100'. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 10 sx. cement plug with regulation marker in surface. When pits are dried, location will be leveled. 				OF WORK	DETAILS	
The above well has been plugged and abandoned in accordance with th notice of intention as follows: 1. Hole loaded with heavy mud. 2. 25 sx. cement placed across perfs 4711-15'. 3. Shot and recovered 3,700' of 5-1/2" casing. 4. 25 sx. cement plug placed at 5-1/2" casing stub. 5. 25 sx. cement plug at top of salt 1100'. 6. 25 sx. cement plug at bottom of surface 8-5/8" at 362'. 7. 10 sx. cement plug with regulation marker in surface. 8. When pits are dried, location will be leveled.		- h	nes indiase	wighte and langths of summer to a	objective sands: show sizes w	ate names of and expected
	ihe	e with	n accordance '. 'stub. 5/8" at 362' in surface.	d and abandoned i i. i. ss perfs 4711-15 of 5-1/2" casing at 5-1/2" casing of salt 1100'. ton of surface 8- sgulation marker	s been plugged on as follows with heavy music t placed across overed 3,700' it plug placed it plug at top it plug at both it plug with re	The above we notice of in 1. Hole 10 2. 25 sx. 3. Shot and 4. 25 sx. 5. 25 sx. 6. 25 sx. 7. 10 sx.
	•	nenced.	operations may be comme	ng by the Geological Survey before (nust receive approval in writi	understand that this play
	:					
ddress P. O. Box 1058	:	7, ,	, (1			
But III th		H	to IV 1	R.		
Hobbs, New Moxico By MUMAN Veles		les	182 Vel	By Iau	W-Mexico	Hobb r
Title Agent			· · · · · · · · · · · · · · · · · · ·	Bu		
U. B. GOVERNMENT PRINTING OFFICE: 1958 0 - 463339				1 ILIC		

•

(-

•

£

. هر

Form 9-881a				Budget Bureau No. 42-R368.4. Approval expires 12-31-60.
(Pob. 1961)	19 Martin (SUBM	IT IN TRIPLIC	CATE)	Land Office Las Cruces
E. W. Erster	NA UN	ITED STAT	ES	Federal-
	DEPARTME	NT OF THE	INTERIOR	Unit Littlefield "DQ"
		OGICAL SUR		
X				
				DECZ JUM
SUNDRY N	IOTICES	AND REP	PORTS ON	N WELLS
NOTICE OF INTENTION TO DRILL		SUBSFOUE		SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLAN				ING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER	SHUT-OFF	1 11		ING CASING
NOTICE OF INTENTION TO RE-DRILL OR	REPAIR WELL	1 11		LLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR AC	IDIZE			ONMENT
NOTICE OF INTENTION TO PULL OR ALT	ER CASING			
NOTICE OF INTENTION TO ABANDON WEL	1			
		<u> </u>	*	
(INDICATE A	BOVE BY CHECK MAR	K NATURE OF REPO	RT, NOTICE, OR OTHER	R DATA)
			Deg	cember 6,, 19.61
	RCO			
ell No. 1 is located	ft. fror	m. Eline an	d 660 ft fr	Ine of sec 19
JW/4 Sec.19	0.00	[S]		W me or sec.
	265	33E	N.M.P.M.	
(14 Sec. and Sec. No.) El Mar (Delaware)	(Twp.)	(Range)	(Meridian)	
(Field)	Le	or Subdivision)		(State or Territory)
he elevation of the derrick flo	or above sea le	evel is 31 58	ft.	
		ILS OF WO		
tate names of and expected depths to obj	ective sands; show si- ing points, and all	zes, weights, and le other important pr	ngths of proposed car oposed work)	ings; indicate mudding jobs, cement-
orris R. Antweil pur	chased th	e above w	ell from G	ulf Oil Corp., sub-
***************************************	7 OF LA WOLL A	<u>an wana a</u>		
Promotive ING MI 4	MIII ISI TAN		0 ho n/i / m / /	
reconcrete hrast lec	over the :	recoverab	le 5-1/2"	Casing and abandon
			•	
1. Load Hole w/heav	'y mu d	6. 25 sx	coment pl	ug at bottom 8-5/8"
2. 25 sx cement plu	g across	surfa	ce casing	set at 362'
perfs 4711-15'		7. 10 sx	cement au	rface plug w/regulatio
3. Recover approx.	3500' of	marke:	r	brag witefit
5-1/2" casing				
A 05 mm				to its original and
4. 25 SX. Cement pl	ug at			to its original conto
5-1/2" casing st	ub			
5-1/2" casing st	ub			to its original conto
5-1/2" casing st 5. 25 sx.cement plu Junderstand that this plan of work mus	ub g at 1100 ¹ freceive approval in			
5. 25 SX. COMENT plu I understand that this plan of work mus	ub g at 1100 ¹ freceive approval in			
5-1/2" casing st 5. 25 sx.cement plu I understand that this plan of work must company Morris R.	ub g at 1100 Antweil			
5-1/2" casing st 5. 25 sx.cement plu I understand that this plan of work mus	ub g at 1100 Antweil			
5-1/2" casing st 5. 25 sx.cement plu I understand that this plan of work must company Morris R. Morris R.	ub g at 1100 freedwapprovalin Antwei1 1058			
5-1/2" casing st 5. 25 sx.cement plu I understand that this plan of work mut mpany Morris R.	ub g at 1100 freedwapprovalin Antwei1 1058			
5-1/2" Casing st 5. 25 sx.cement plu I understand that this plan of work mus mpany Morris R. dress P. O. Box	ub g at 1100 freedwapprovalin Antwei1 1058		logical Survey before	operations may be commenced.
5-1/2" casing st 5. 25 sx.cement plu I understand that this plan of work must mpany Morris R. dress P. O. Box	ub g at 1100 freedwapprovalin Antwei1 1058	top salt	logical Survey before	
5-1/2" casing st 5. 25 sx.cement plu I understand that this plan of work must ompany Morris R. ddress P. O. Box	ub g at 1100 Antwei1 1058 N.	top salt	By But tie Age	operations may be commenced.

- }

ĺ

		TRIPLICATE)	Budget Bureau No. 42-R368.4. Approval expires 12-31-60. Land Office 065880 *A	
DEPARTMI	ENT OF LOGICA	STATES THE INTERIOR L SURVEY	Unit Fod-Littlefield	"DQ"
NOTICE OF INTENTION TO DRILL. NOTICE OF INTENTION TO CHANGE PLANS		UBSEQUENT REPORT OF ALTERIN UBSEQUENT REPORT OF RE-DRIL UBSEQUENT REPORT OF ABANDO UPPLEMENTARY WELL HISTORY.	NG OR ACIDIZING IG CASING LING OR REPAIR NMENT	
(INDICATE ABOVE BY CHECK M	ARK NATURI	e of report, notice, or other	рата) , ј9_ 61	
Well No is located 660 ft. fr	$\operatorname{om}_{-} \begin{cases} \mathbf{R} \\ \mathbf{S} \end{cases}$	line and 660 ft. fro	$\mathbf{m} \left\{ \begin{matrix} \mathbf{E} \\ \mathbf{W} \end{matrix} \right\}$ line of sec. 19	

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Morris R. Antweil purchased the above well from Gulf Oil Corporation and drilled the fl-X Federal Littlefield "DQ" location 330° from the S&W lines of Sec. 19-265-33E, being on the same 40 acres. We have now completed the fl-X as an allowable oil producer and wish to temporarily abandon the fl Well until such time as the casing is recovered and permanently abandoned. The fl well presently is

33E

(Range)

DETAILS OF WORK

(County or Subdivision)

266

(Twp.)

The elevation of the derrick floor above sea level is 3156 ft.

capped and is in a temporarily abandoned status.

Les

MAM

(Meridian)

New Mexico

(State or Territory)

Section 19

ware)

nd Sec. No.)

(Field)

SH/4

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced,					
Company	MORRIS R. ANTWELL				
Address	P. O. BOX 1058	211/11			
	HOBBS, NEW MEXICO	By Burnale to			
		Title Agent			

U. S. GOVERNMENT PRINTING OFFICE: 1958 O - 463339

and the second

A second s