	1	· <b>1</b>	Budget Bureau 42-R358.3. Approval expires 12-31-55.
Form 9-331a (Feb. 1951)	(SUBMIT IN TRIPLICATE)	Land Office	Nobbe IN 02965-1
	UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY	Unit	· · · · · · · · · · · · · · · · · · ·
			9

## SUNDRY NOTICES AND REPORTS ON WELLS

Well No. is loca Conter Will of Swi (% Bec. and Sec. No.)	Sector Sec.	<b>33%</b>	ft. from $\begin{bmatrix} E \\ W \end{bmatrix}$ line of s	sec. <b>21</b>
Well No is loca	ated	( ) Trate	ft. from $\begin{bmatrix} \mathbf{x} \\ \mathbf{E} \\ \mathbf{W} \end{bmatrix}$ line of the second seco	sec. <b>21</b>
Well No is loca	Sector Sec.	rom $\begin{cases} \mathbf{N} \\ \mathbf{S} \end{cases}$ line and	ft. from $\begin{bmatrix} \mathbf{E} \\ \mathbf{E} \\ \mathbf{W} \end{bmatrix}$ line of a	sec. <b>21</b>
_				
(INDIC	ATE ABOVE BY CHECK	MARK NATURE OF REPORT, NOTIC	E, OR OTHER DATA)	48
NOTICE OF INTENTION TO ABANDO	4 WELL			
NOTICE OF INTENTION TO PULL OR			LL HISTORY	
NOTICE OF INTENTION TO SHOOT C			T OF ABANDONMENT	
NOTICE OF INTENTION TO TEST WA NOTICE OF INTENTION TO RE-DRILI			SUBSEQUENT REPORT OF ALTERING CASING.	
		oobolgolat her on	T OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO CHANGE	PLANS	SUBSEQUENT REPOR		1

The elevation of the derrick floor above sea level is \_\_\_\_\_\_ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

> Filled with ement from 4200' to 4990' T.D. Filled with and from 4200' to 1400' 25 mack essent plug from 1490' to 1360' Filled with and from 1360' to 500' 25 mack essent plug from 500' to 455' Filled with and from 455' to 50' 25 mack essent plug from 50' to top of Geller.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company				
Address	P. C. Box 962	11 IF		
	Odenne, Texas	By Mill Shorto L		
		Title Secretary - Francesor		

U. S. GOVERNMENT PRINTING OFFICE 16-S437-6