(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFE
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	X.	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	: 	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	· 	SUBSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

			Assist 6.	, 19 51
Well No. 2-Lynn is loca	ted <u>320</u> ft.	from ${\mathbb{N} \atop S}$ line a	and 33%ft. from $\left \frac{\mathbb{E}}{\mathbf{w}} \right $ line	e of sec20
374 354 - 28	233	36		
(14 Sec. and Sec. No.)	(Tw p.)	(Range)	(Meridian)	
Cooper-Jal	£. 6 a		lew /exico	
(Field)	(County or Subdivision)		(State or Territory)	

The elevation of the derrick floor above sea level is 335 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

ist and computed 128% of $9-5/6^{\circ}$ - 320 - d_{10} usein at 127% with 125 secks comput (100 shoks much said 325 secks 40 gel) on 9-5-51 at 2:00 pm. Fill test 2:00 pm on 6-7-51.

Company

Address

1203 Fallas (at length sand will like a length sand will lik