| Form 9-33 (March 194 | 1 a. | . 4 | | - | | , | | |
|-------------------------|------|-----|-----|---|---|---|---------|--|
| 1 | | | į | , | ř | ٠ | n Tu | |
| | | | . f | | | | | |

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| Land Office | ្ឋិង១ | Oruces |
|-------------|-------|--------|
| Lease No | 0301 | 39 (a) |
| Unit | J | |

New Mexico (State or Territory)

| SUNDRY | NOTICES | AN | D REPORTS ON WELLS | | |
|--|--|-----|--|--|--|
| NOTICE OF INTENTION TO RE-DRILL NOTICE OF INTENTION TO SHOOT OR NOTICE OF INTENTION TO PULL OR A | LANS ER SHUT-OFF OR REPAIR WELL ACIDIZE ALTER CASING | | The state of the s | | |
| (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) LOVELLET 18, 1951 | | | | | |
| Well No. 3 Lynn is loc | | , | line and 1050ft, from $\begin{cases} E \\ XX \end{cases}$ line of sec. 25 | | |
| (¼ Sec. and Sec. No.) | (Tw p.) | (Ra | inge) (Meridian) | | |

The elevation of the derrick floor above sea level is ft.

Copper-Jal

DETAILS OF WORK

(County or Subdivision)

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Found top of 7" casing cement plug at 3656'. It was not necessary to drill out cement plug. Tested casing with 1900 psi pressure for 30 minutes and the pressure dropped 30 pai. Now preparing to perforate casing and acidize.

| I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. | | | | |
|---|--------------------------|----------------------------|---------------------|--|
| Company | Ken Hex Corporation | · | | |
| Address | 1203 Dallas Petional Sab | doilding | | |
| | Dallas, Texas | $\mathbf{B}\mathbf{y}_{r}$ | A Decordance in the | |
| *************************************** | | Title | Geologist | |