

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

RECEIVED

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Kan-Mex CorporationDallas, TexasSeptember 10, 1954

Place

OIL CONSERVATION COMMISSION  
DateOIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Kan-Mex CorporationJ. T. Lynn "A" well No. 3 in NW 1/4 of SE 1/4

Company or Operator

Lease

of Sec. 28, T. 23S, R. 36E, N. M., P. M., Cooper-Jal Field, Lea County.

N


The well is 330 feet (N.) (S.) of the north line and 1650 feet (E.) (W.) of the east line of Sec. 28, T. 23S, R. 36E

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owner is \_\_\_\_\_

Address \_\_\_\_\_

If government land the permittee is J. T. LynnAddress Santa Fe, New MexicoThe lessee is Kan-Mex CorporationAddress 1203 Dallas National Bank BuildingWe propose to drill well with drilling equipment as follows: Rotary - 3650

AREA 640 ACRES

LOCATE WELL CORRECTLY

The status of a bond for this well in conformance with Rule 89 of the General Rules and Regulations of the Commission is as follows: Bond already on file

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Bars Cement
13	9-5/8"	36# H-40	New	1290'	Cemented	500 (Circ.)
8-3/4"	7"	20# J-55	New	3650'	Cemented	250

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3600 feet.

Additional information:

Approved SEP 10 1954, 19\_\_\_\_  
except as follows:

Sincerely yours,

Kan-Mex Corporation  
Company or Operator

By

G. D. SimonPosition Petroleum Engineer

Send communications regarding well to:

Name Kan-Mex CorporationAddress 1203 Dallas National Bank Bldg.  
Dallas, Texas

OIL CONSERVATION COMMISSION,

By

Title

Roy Yurkovich