

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

HOBBS OFFICE O.C.C.
 NEW MEXICO OIL CONSERVATION COMMISSION
 Dec 9 11 51 AM '66
 Orig&2cc: OCC, Hobbs, N.M.
 cc: Regional Office
 cc: file

Revised
 C-102 and C-103
 Effective 1-1-65

5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.
7. Unit Agreement Name
8. Farm or Lease Name W. B. Guthrie WN
9. Well No. 1
10. Field and Pool, or Wildcat Jalmat (Brwn Lime&Yates)
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
 USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator Sinclair Oil & Gas Company
3. Address of Operator P. O. Box 1920, Hobbs, New Mexico
4. Location of Well UNIT LETTER <u>0</u> <u>1980</u> FEET FROM THE <u>East</u> LINE AND <u>660</u> FEET FROM THE <u>South</u> LINE, SECTION <u>34</u> TOWNSHIP <u>23S</u> RANGE <u>36E</u> NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 3381' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

PROPOSE TO: Cement squeeze to shut-off water channel. Spot sand from 3240' to approx. 3006' and hydromite plug approx. 3006' to approx. 2992'. Cement squeeze Yates perms. 2968-92' w/approx. 300 sacks, if unsuccessful perforate 7"OD casing @ approx. 2900' and squeeze cement w/approx. 300 sacks. Resqueeze if necessary. Clean-out to PBTD 3265' and complete in Yates perms. 2968-3265'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Superintendent DATE 12-7-66

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: