

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
B-7776

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Water Injection Well	7. Unit Agreement Name Myers Langlie-Mattix Unit
2. Name of Operator Skelly Oil Company	8. Farm or Lease Name Myers Langlie-Mattix Unit
3. Address of Operator P. O. Box 1351, Midland, Texas 79701	9. Well No. 103
4. Location of Well UNIT LETTER 0 , 660 FEET FROM THE South LINE AND 1980 FEET FROM THE East LINE, SECTION 36 TOWNSHIP 23S RANGE 36E NMPM.	10. Field and Pool, or Wildcat Langlie-Mattix
15. Elevation (Show whether DF, RT, GR, etc.) 3325' DF	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER Convert to water injection <input checked="" type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) Move in workover rig. Pull rods and tubing.
- 2) Clean out to 3648'.
- 3) Run Gamma Ray-Neutron Collar log 2600-3648'.
- 4) Set coated injection tubing with packer at \pm 3340'.
- 5) Return well to active status injecting through Langlie-Mattix open hole 3385-3648'.

(6) Inert fluid in casing annulus.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

(Signed) D. R. Crow

D. R. Crow

Lead Clerk

8-1-75

SIGNED	TITLE	DATE
APPROVED BY	TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:		