

COPY TO O. C. C.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

FEB 12 1979

2. NAME OF OPERATOR
WORLDWIDE ENERGY CORPORATION

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

3. ADDRESS OF OPERATOR
Denver, Colo. 80290
1700 Broadway, 1600 United Bank Tower

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: Unit H, 1980' from N. L. & 660' from
AT TOP PROD. INTERVAL: E.L. Sec. 3, T24S, R36E
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
~~SHOOT~~ ~~DR~~ ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

☐
☐
☒
☐
☐
☐
☐
☐

5. LEASE
L.C. 030467 (B)
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Vaughn B-3
9. WELL NO.
#42
10. FIELD OR WILDCAT NAME
Jalmat
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 3, T24S, R36E
12. COUNTY OR PARISH
Lea
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3380 G.L. 13389' D.F.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10/31/77- Pulled tbg & ran Dresser Atlas GRN & CCL log 3258'-1158'
Ran Vertilog 3252 - 1153' to locate perfs. (logs attached)
11/01/77- Cleaned out well to 3565'.
11/02/77- Acidized perfs. 3001 - 3241.5' w/1500 gal. 15% HCL inhibited followed by 25 bbls 2% KCL H2O. Well went on vacuum. Swabbed back 2 bbl. of fluid & well dried up.
11/03/77- Found fluid @ 2875'. Ran 2-3/8" tbg. w/5 1/2" Baker lock-set packer and set @ 2945' w/279' of tbg below packer. S.N. @ 3224'.
6/20/78- Well flowing intermittently ~ 5 MCF/D & 0.5 BOPD.

Subsurface Safety Valve: Manu. and Type None

Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Production Engineer

DATE

June 1978

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD
FEB 12 1979
U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

U.S. DEPARTMENT OF AGRICULTURE
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C. 20250

1954