

NEW MEXICO OIL CONSERVATION COMMISSION - O. C. C.

JUN 4 1 15 PM '69

COPIES RECEIVED	
DISTRIBUTION	
DATE	
BY	
OFFICE	
RATOR	

5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No. --
7. Unit Agreement Name --
8. Farm or Lease Name Eugene Coats
9. Well No. 1
10. Field and Pool, or Wildcat Jalmat
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	OTHER <input type="checkbox"/>
Name of Operator Skelly Oil Company		
Address of Operator P. O. Box 730 Hobbs, New Mexico 88240		
Location of Well UNIT LETTER "O" 1980 FEET FROM THE East LINE AND 660' FEET FROM THE South LINE, SECTION 3 TOWNSHIP 24 S RANGE 30 E NMPM.		

15. Elevation (Show whether DF, RT, GR, etc.)
3392' DF

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:


SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Deepen and Acidize	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Move in workover rig.
2. Pull rods and casing pump.
3. Run 6-1/4" bit and 3-1/2" tubing. Clean out to old total depth of 3543'. Deepen to 3615'
4. Acidize with 5000 gals. 15% N. E. acid.
5. Pull out of hole with bit, run 3-1/2" O. D. tubing and downhole centrifugal pump to 3500'.
6. Put well on production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED (ORIGINAL) V. E. FLETCHER	TITLE District Production Mgr.	DATE 6-2-69
APPROVED BY 	TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:		