


Form C-101

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



HOBBS OFFICE

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Kan-Mex CorporationDallas, TexasJune 16, 1950OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Place

Date

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Kan-Mex CorporationMosleywell No. 2 in Unit "0"

Company or Operator

Lease

of Sec. 10, T. 24S, R. 36E, N. M., P. M., Cooper-Jal Field, Lea County.

N

The well is 660 feet (N.) (S) of the S line and 1980 feet
(E) (W.) of the E line of Sec. 10, 24S, 36E

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is Ennis C. MosleyAddress Cisco, Texas

If government land the permittee is _____

Address _____

The lessee is Kan-Mex CorporationAddress Dallas Nat'l. Bk. Bldg., Dallas, Texas

AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: Rotary tools0 - total depth. App. 3650'The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Bond already on file (\$10,000.00)

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
13"	9-5/8"	36 # H-40	New	1400'	Cemented	500
8-3/4"	7"	20 # J-55	New	3650'	Cemented	250

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3600 feet.

Additional information:

Approved JUN 21 1950, 19

except as follows:

*Return to surface on
casing casing*

Sincerely yours,

Kan-Mex Corporation

Company or Operator

By [Signature]Position Agent

Send communications regarding well to:

Name Kan-Mex CorporationAddress 1203 Dallas National Bank Building
Dallas 1, Texas

OIL CONSERVATION COMMISSION

By [Signature]Title OIL & GAS INSPECTOR



THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607

THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. MICHIGAN AVE.
CHICAGO, ILL. 60607