



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

JOSEPH L. O'NEILL, JR.
(Company or Operator)

ROCKET
(Lease)

Well No. 2, in SW 1/4 of SW 1/4, of Sec. 10, T. 24S, R. 36E, NMPM.

Jalmat Pool, Lea County.

Well is 660 feet from West line and 660 feet from S line

of Section 22. If State Land the Oil and Gas Lease No. is

Drilling Commenced 3-16, 1958. Drilling was Completed 3-26, 1958.

Name of Drilling Contractor Jennings Drilling Company

Address P. O. Box 877, Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head 3377.2' GR. The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 3444' to 3462' No. 4, from 3548' to 3558'

No. 2, from 3492' to 3498' No. 5, from to

No. 3, from 3522' to 3536' No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to feet

No. 2, from to feet

No. 3, from to feet

No. 4, from to feet

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8"	24	used	290	Texas Pattern			Surface
5 1/2"	14	new	3592	Baker Float shoe*			CR string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8 5/8"	276	250	Pump & Plug		Cement circulated
7 7/8"	5 1/2"	3591	182	" "	4% Gel Cement	Holefull

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

*Perforated 3522-36', 3548-58, 3492-98, 3444-62', frac'd w/20,000 gals lease oil and 20,000# sand, 10,000 gals lease oil and 10,000# sand w/20RCN Balls

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3592 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing July 9 58, 19

OIL WELL: The production during the first 24 hours was 10 barrels of liquid of which 100 % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 33.0 at 60°F

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy 1420	T. Devonian	T. Ojo Alamo
T. Salt 1560	T. Silurian	T. Kirtland-Fruitland
B. Salt 3030	T. Montoya	T. Farmington
T. Yates 3400	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn.
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	198		Sand & Caliche				
195	282		Redbed				
282	911		Redbed, shell				
911	1170		Anky, shell				
1170	1425		Red rock, anky				
1425	1863		Salt & anky				
1863	2920		Anky, gyp, salt				
2920	3378		Anky & gyp				
3378	3592		Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

July 25, 1958
(Date)

Company or Operator Joseph L. O'Neill, Jr.

Address 410 West Ohio, Midland, Texas

Name Roy L. Blanton

Position or Title Prod. Clerk