N.

NEW MEXICO OIL CONSERVATION COMMISSION

egenerala de encolo

Santa Fe, New Mexico

WELL RECORD

7"

PERFOUT PRAISED PRAISED PRAISED PRAISED PRAISED PRAISED PRODUCTION	ructions	Follow instructi	ta Fe, New Mex detion of well. I dission. Indicate (PLICATE.	s after comple of the Commis	an twenty da Regulations	nt not more the	age in :				
Capper of Overfor Well No. 1 in BERSEN at Sec. 12. Lean World No. 1 in BERSEN at Sec. 12. Lean World No. OVER World No. OVER Well No. Address. Sec. 14. No. 14. Address. No. Address. No. Address. El Paso Natural Gas Co. No. Address El Paso No. Ad			ጥበ RV #1	,		NY	COMPA		LL CORREC	TE WE	LOCA
SOLEST N. N. P. P. Jal-Cooper Field, Lea OCC OCC 1901 100 100 100 100 100 100 100 100 10	25 South	<u> </u>	*		. selse					ACC	EU P.
Test is also the Case in the original series in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State land the cil and gas lease in No. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Doan Drilling Co. 1 State of drilling contractor III Drilling Co. 1 State of dri										East	7 7
State land the off and gas lease is No. Assignment No. Address. Cooper, N. Fastented hand the owner is Geo. W. Toby Address. Cooper, N. Address. Cooper			East line of	est of the Ea	feet w	e and 660	South North lin	n of the	Nor	6 6 0	Vell is_
Coverament land the permittee is. the Lessee is El Paso Natural Gas Co. the Lessee is El Paso Natural Gas Co. Address El Paso, T. Address El Paso, T. Tilling commenced January 1st 137 prilling was completed. Pebruary January Ist agree of critical contractor. Wilhoen Drilling Co. Address Tulss, Ok. Beration above sea level at top of casing 5525 [Seet.] the information given is to be kept confidential until Oil Sands or Zones (o. 1, from to. No. 4, from to. No. 5, from to. No. 6, from to. No. 6, from to. No. 5, from to. No. 6, from to. No. 6, from to. No. 6, from to. Information given is to be kept confidential until Oil Sands or Zones MIPORTANT WATER NANDS Reinde data on rate of water inflow and elevation to which water rose in hole. No. 3, from to. feet. CASING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMEN			·	nt No	Assignme	÷	No	lease is		and th	! State l
Heaves EP PASO Atturel Gas Co. Address El PASO, T. Address El PASO, T. Address El PASO, T. Address El PASO, T. Brilling commenced January 1st 1,27 Drilling was completed February. Beration above sea level at top of casing 55255 (seat. Beration above sea level at treatment. Beration above sea level at treatment. Beration at the first 24 hours. Beratical at the first 24 hours. Beration at the first 24 hours. Beratical at the first 24 hours. Beratical at the first 24 hours. Beration at the first 24 hours. Beratical at the first 24 hours. Berati							Geo.	r is	ad the own	ted las	i patent
Anne of drilling contractor Milhoan Drilling Co. Address Tulsa, Ox. Same of drilling contractor Milhoan Drilling Co. Address Tulsa, Ox. Section above sea level at top of casing 55285 feet. The information given is to be kept confidential until the information given give							is	mittee i	land the p	nment	! Govern
Size of drilling contractor #1hoon Prilling Co. Address Tulgs, Ok. Blevation above see level at top of casing 5525	L9 ₁₉ 37	mary 19	nleted Febr	, Add	Drillin	1987	lst	uary	Ja Ja	see is_	he Less
Elevation above sea level ut top of casing 5525 feet. The information given is to be kept confidential until OIL SANDS OR ZONES No. 1, from	Lahoma	sa, Oklah	dress Tuls	, Add	Co.	rilling	oen D	Milh	ng contrac	comm drilli	rilling
OIL SANDS OR ZONES No. 1, from											
No. 2, from to No. 5, from to No. 6, from to MODERATION WATER SANDS Include data on rate of water inflow and elevation to which water rose in hole. No. 1, from to feet. No. 3, from to feet. No. 3, from to feet. No. 4, from to feet. No. 4, from to feet. No. 4, from to feet. No. 5, from to feet. No. 4, from to feet. No. 5, from to feet. No. 5, from to feet. No. 6, from to feet. No. 1, from to feet. No. 1, from to feet. No. 1, from to feet. No. 2, from to feet. No. 3, from to feet. No. 4, from to feet. No. 4, from to feet. No. 4, from to feet. No. 5, from to feet. No. 1, from to feet. No. 2, from to feet. No. 1, from to feet. No. 4, from to feet. No. 4, from to feet. No. 5, from to feet. No. 1, from to f	_19					tial until	t confiden	be kept	n given is	rmatio	'he info
No. 3, from to No. 6, from to No. 6, from to No. 3, from to No. 6, from to No. 1, from to feet to No. 1, from to feet to No. 3, from to feet to No. 3, from to feet No. 3, from to feet to feet No. 4, from to feet No. 4, from to feet No. 4, from No. 5, from No. 4, from No. 5, from No. 6, f	% + 4										
MIPORTANT WATER SANDS Include data on rate of water inflow and elevation to which water rose in hole. No. 1, from											
Include data on rate of water inflow and elevation to which water rese is hole. No. 1, from											
No. 1, from										ош	10. 3, IF
No. 2, from			e.	rose in hole	vhich water	levation to w	ow and e	ter inflo	n rate of	data o	nclude -
CASING RECORD											
CASING RECORD CASING RECORD CASING RECORD SIZE WEIGHT THREADS MAKE AMOUNT SIRE CUTAFILLED FROM PROPERTY. 1.2/8 40/8 8 J&L 289'4* Baker -5/8 36/6 8 J&L 2844'2* Baker -5/8 36/6 8 J&L 2844'2* Baker -6/8 36/6 8 J&L 2844'2* Baker MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE SET OF SELECT METHOD USED MUD GRAVITY AMOUNT SELECT METHOD USED MUD GRAVITY DATE DEPTH SELECT METHOD USED MUD GRAVITY DATE OF TREATED DEPTH SELECT METHOD USED MUD GRAVITY DATE OF TREATED DEPTH SELECT METHOD USED MUD GRAVITY DATE OF TREATED DEPTH SELECT METHOD USED MUD GRAVITY DATE OF TREATED DEPTH SELECT MUD GRAVITY DATE OF TREATED DEPTH SELECT MUD GRAVITY TOOLS USED MUD GRAVITY DATE OF TREATED DEPTH SELECT MUD GRAVITY MU											
SIZE WEIGHT THERADN MAKE AMOUNT SHOT CLASSICE PROMITER PROMITE											
SIZE WEIGHT PER INCH MAKE AMOUNT SHOOF CUTA FILLED PERFORATE FROM TO SHOOT TO SHOOT THE PERFORMANCE THE PERFORMAN			reet							from	√o. 4, f
NUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE SET NO NACES METHOD USED MUD GRAVITY AMOUNT AMO	PURPOS	TO TO A SPECED	200			CASIN					
MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDGRAVITY AMOUNT NO. SACKES OF SIZE OF WHERE SET OF CEMENT METHOD USED MUDGRAVITY AMOUNT 3-5/8 2844'27 714 7 100-5 3/4 13-3/8 289'47 170 Halliburton 10 PLUGS AND ADAPTERS Heaving plug—Material Length Depth Set Size RECORD OF SHOOTING OR CHEMICAL TREATMENT SIZE SHIELLUSED EXPLOSIVE OR QUANTITY DATE OR TREATED DEPTH SECT OR TREATED DEPTH SECTION OR T				FROM	SHOE	 	!			PEI	SIZE
MUDDING AND CEMENTING RECORD **SIZE OF SIZE OF WHERE SET NO. SACKS METHOD USED MUD GRAVITY AMOUNT TO CEMENT TO THE PLUGS AND ADAPTERS **PLUGS AND ADAPTERS** **Length Depth Set** **PLUGS AND ADAPTERS** **Length Depth Set** **RECORD OF SHOOTING OR CHEMICAL TREATMENT** **SIZE SHELL USED EXPLOSIVE OR GEANTITY DATE OR THEATED DEPTH* **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **GREEN OF TESTS** **RECORD OF DRILL-STEM AND SPECIAL TESTS** If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet to TOOLS USED **GREEN OF TESTS** **GREEN OF TESTS** **GREEN OF TESTS** **GREEN OF TESTS** **GREEN	4				· 	1					
MUDDING AND CEMENTING RECORD Size OF Size OF HOLE CASING WHERE SET OF CEMENT METHOD USED MUD GRAVITY AMOUNT											•3/0
MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE SET OF CEMENT METHOD USED MUD GRAVITY AMOUNT											
SIZE OF SIZE OF WHERE SET OF CEMENT METHOD USED MUD GRAVITY AMOUNT AMOUNT AND ADDRESS OF CEMENT METHOD USED MUD GRAVITY AMOUNT AMOUNT AMOUNT AND ADDRESS OF CEMENT METHOD USED MUD GRAVITY AMOUNT AMOU										·	
SIZE OF SIZE OF WHERE SET OF CEMENT METHOD USED MUD GRAVITY AMOUNT AMOUNT AND ADDRESS OF CEMENT METHOD USED MUD GRAVITY AMOUNT AMOUNT AMOUNT AND ADDRESS OF CEMENT METHOD USED MUD GRAVITY AMOUNT AMOU				<u> </u>	1		<u> </u>				
HOLE CASING WHERE SET OF CEMENT METHOD USED MUDGRAVITY AMOUNT AND SPECIAL TESTS Heaving plug	_		D	G RECORD	CEMENTI	DDING AND	MUI				
PLUGS AND ADAPTERS Heaving plug—Material Length Depth Set Size RECORD OF SHOOTING OR CHEMICAL TREATMENT SIZE SHELL USED EXPLOSIVE OR CHEMICAL USED QUANTITY DATE DEPTH SHOT OR THERATED DEPTH SHOOT	T OF MUD USEI	AMOUNT O	GRAVITY	мир с	THOD USED	S MET	NO. SACE	SET	OF WHE	FSIZE	SIZE OF HOLE
PLUGS AND ADAPTERS Heaving plug—Material Length Depth Set Size— RECORD OF SHOOTING OR CHEMICAL TREATMENT SIZE SHELL USED EXPLOSIVE OR QUANTITY DATE DEPTH SHOT OR TREATED DEPTH SHOT OR TREATED DEPTH SHOT OR TREATED DEPTH SHOT OR TREATED DEPTH SHOT DEPTH SHOT OR TREATED DEPTH SHOT DEP			<u> </u>		burton	Halli	L70	4×]	3/8 289	13-3	-3/4
PLUGS AND ADAPTERS Heaving plug—Material Length Depth Set Size RECORD OF SHOOTING OR CHEMICAL TREATMENT SIZE SHELL USED EXPLOSIVE OR QUANTITY DATE OR TREATED DEPTH SHOT OR TREATED DEPTH SHOOT DEPTH SHOOT OR TREATED DEPTH SHOOT OR TREATED DEPTH SHOOT	* **.									9-5,	
Heaving plug—Material											
RECORD OF SHOOTING OR CHEMICAL TREATMENT SIZE SHELL USED EXPLOSIVE OR QUANTITY DATE OR THEATED DEPTH SHOT OR											
RECORD OF SHOOTING OR CHEMICAL TREATMENT SIZE SHELLUSED CHEMICALUSED QUANTITY DATE OR TREATED DEPTH SHOT OR T		Set	Depth		h	Lengtl			gMaterial	g plug	Heaving
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet a TOOLS USED Rotary tools were used from									aterial	1511	Adapte
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet a TOOLS USED Rotary tools were used from		т							<u> </u>		
RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet at the state of the special tests or deviation surveys were made, submit report on separate sheet at the state of the special tests or deviation surveys were made, submit report on separate sheet at the special tests or deviation surveys were made, submit report on separate sheet at the special tests of feet to the special tests of feet	E CLEANED OU	DEPTH (OR TREATED	DATE	TITY	ÉD QUAN	MICAL US	CHE	SHELL USE	E	SIZI
RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet a TOOLS USED Rotary tools were used from 6 feet to 3685 feet, and from feet to PRODUCTION Put to producing	77										
RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet a TOOLS USED Rotary tools were used from 6 feet to 6885 feet, and from feet to 76885 feet, and from feet t											
TOOLS USED Rotary tools were used from							reatment_	emical t	ooting or o	of sh	Results
TOOLS USED Rotary tools were used from											
TOOLS USED Rotary tools were used from 0 feet to 660 feet, and from feet to 7600 feet											
Rotary tools were used from 0 feet to 3685 feet, and from feet to Cable toops were used from feet to feet, and from feet to PRODUCTION Put to producing	nd attach here	ate sheet and						·	on other cr	atom	78 Audil
PRODUCTION Put to producing							9 01 4071	, ar tober	or other sp	-stem	II driii-
PRODUCTION Put to producing	f	feet to	om	et, and fron	85fe	feet to 368)	romC	were used	tools	Rotary
The production of the first 24 hours wasbarrels of fluid of which% was emulsion;% water; and% sediment. Gravity, Be											
The production of the first 24 hours was barrels of fluid of which % was emulsion; % water; and % sediment. Gravity, Be Gallons gasoline per 1,000 cu. ft. of gas Rock pressure, lbs. per sq. in 1440# EMPLOYEES					ODUCTION	PRO					
emulsion;											
If gas well, cu. ft. per 24 hours 15,000 M Gallons gasoline per 1,000 cu. ft. of gas_Rock pressure, lbs. per sq. in 1440# EMPLOYEES											_
Rock pressure, lbs. per sq. in. 1440# EMPLOYEES											
EMPLOYEES		t. UI gaa	er 1,000 cu. 1c.	gasonne per							
Elmer Cox A. R. Hawley			_		MPLOYEES	E			, per	UBBO 14	MUUK I
	, Dri	e y	R. Hawle	A.	iller	, Dr			r Cox	lme	F
W. S. Freeman, Driller	, Dri				iller	, Dr		m	. Free	V. S	
FORMATION RECORD ON OTHER SIDE											
I hereby swear or affirm that the information given herewith is a complete and correct record of work done on it so far as can be determined from available records.	the well and	record of th	e and correct	a complete	herewith is able records	ation given 1 from availa	ne inform letermine	that th	ear or affii n it so far a	by swe	I herel
	3/17/37	2 3/1	so Jexas			-18					
Subscribed and sworn to before me this	Date	Da	Auki	021			ne this	before 1	nd sworn t	ibed a	Subscr
day of Warch 19 37 Name Control Position Assistant General				ie UU V		, 19			Marc		day of

My Commission expires Hay 31, 1937

Representing El Paso Natural Gas Co.

Company or Operator.

Address_____

FROM 7	To Tro	THICKNESS IN FEET	!	FORMATION	
0 25	25 175			Caliche	
175	270	1 4 4 × 6 × 6	1	Surface sand Shale	
270 28 0	280			Red Bed	
300 300	300 415			Red Bed Red Bed	
415	560			Red Bed & Rock	
560 680	1 m 1745			Sandy Lime	
7 4 5	795	trojtavo av		Sandy Red Rock Shale & Shell	
795	865			Sandy Red Rock & Lime	
8 65 9 0 5	905 1010			Red Rock	-
1010	1095			Red Bed & Shells Red Bed	
1095 1140	1140 1160		į	Red Rock & Red Bed	
1160	7.7.05	letal forms		Red Rock & Red Bed Red Rock	
1165	1270		1	Anhydrite & Gypsum	4
1270 1340	1340 1425			Potash	0 1 · · · · · · · · · · · · · · · · · ·
1425	1445	Trans.		Anhydrite & Potash Anhydrite & Salt	The second second
1445	1550	: •	į	Anhydrite & Gypsum	
1550 1605	1605 1610	in the in	į	Anhydrite & Shells Salt	
1610	1680	and the property	i	Anhydrite, Hard Sand & Salt	
1680 1950	1950 2265	30 for 10 cm		Anhydrite & Salt	
2265	2305			Anhydrite & Salt Anhydrite	
2305	2410		i	Anhydrite & Salt	e e e e e
2410 2450	2450 2530		į .	Blue Shale	
2530	2605		1	Anhydrite, Salt & Shale Anhydrite & Broken Salt	
2605	2665			Green Shale & Salt	•
266 5 2765	2765 2788			Sait & Anhydrite	
278 8	2825			Anhydrite & Gypsum Salt & Anhydrite	
2825 2849	28 4 9 2860		4 1	Anhydrite	
2860	2942			Anhydrite & Brown Lime Brown Lime	
2942	2965	I vai		Anhydrite & Gypsum	
2965 2992	2992 3014	1,313.1		Grey Lime	
3014	301 8	1.4.11	:	Sand Grey Lime	
301 8 3025	3025 3037	1 * 2 *		Grey Lime	
3037	30 4 0		:	Grey Sandy Lime Sand	
3 040	50 50			Brown Lime	
3050 3074	3080			Sandy Lime	
3080	30 89			Anhydrite Brown Lime Show of Gas	
3089 3 091	3091 3098			Broken Lime and Grev Lime	
3098	3132			Broken Lime Broken Lime	
31 32 31 57	3157			Hard Lime	
3 163	3163 3193	,		Soft Lime Lime	
3193	321 8			Lime	
3218 3228	3228 324 7			Grey Lime	
3247	3254			Lime Lime	
5254 5 259	88 59	E. York		Soft Lime	
283	52 83 3 28 7	·		Lime	
287	3685 TD			Soft Lime Lime	,
		• ,			
	• • • •			•	÷
10 10 10 10 10 10 10 10 10 10 10 10 10 1					
	1 to 1 21	•			
					•
				$(1, \dots, n) \in \mathbb{N}(\mathbb{R}^n) \times \mathbb{R}^n \times \mathbb$	
	A. *****	: ·; ·; · i			
**** *** ! **	approximate to the	um a together			
	:				
				•••	

William P

of the Berkeley frankler and agree the transfer